CheckMate TML PBW

-- PINK BOLLWORM MATING DISRUPTANT --

-- SPRAYABLE, CONTROLLED RELEASE GRANULE --

ACTIVE INGREDIENTS:	
Gossyplure [(2)-7-(2,E)-11-Hexadecadien-1-ol	
acetate (1:1)]	80.81
INERT INGREDIENTS:	
TOTAL	

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing.

SEE ADJACENT PANEL FOR STATEMENT OF PRACTICAL TREATMENT.

ENVIRONMENTAL HAZARDS: Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters.

MANUFACTURED BY:

CONSEPTM MEMBRANES, INC. Post Office Box 6059 Bend, Oregon 97708 EPA No.: 56336-1

EPA Est. No.: 56336-OR-1

Net Contents: 0.53 lb (240 g)

Lot No.:

ACCEPTED

APR 16 1990

Under the recent insected a, Punnicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

ķ

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

MIXING:

DO NOT use CheckMate - PBW from damaged, punctured or unsealed containers.

Use piston, diaphragm or centrifugal pumps ONLY. DO NOT use roller or gear pumps as they will damage CheckMate's controlled release system. Remove all screens before mixing and/or application.

Add Triton B-1956 to the recommended amount of water (see METHODS OF APPLICATION) to make a 0.5% Triton B-1956 solution and agitate. Then add 24 Selva Strikes. Lastly add CheckMate - PBW to the tank and mix thoroughly. For best results, apply immediately after mixing.

METHODS OF APPLICATION:

GROUND EQUIPMENT: Apply CheckMate - PBW in 5-15 gal water/acre. Apply to foliage directly over the tope of every other row using 30-100 psi and FloodJet nozzles, type TK 5 or larger. AERIAL EQUIPMENT: Apply CheckMate - PBW in 3-10 gal water/acre. Apply to fields from a height of 10-30 feet using 30-150 psi and 406 FloodJet nozzles, type TK 5 to TK 30 or without nozzles.

RINSE ALL EQUIPMENT WITH CLEAN WATER IMMEDIATELY AFTER APPLICATION TO REMOVE REMAINING STICKER.

COTTON: To disrupt the mating of pink bollworm moths, apply 0.28 ounces (8 grams) of CheckMate - PBW per acre. [Use one scoopful (scoop enclosed) of product to treat 5 acres.] Begin application at pinhead square stage. Reapply every 20 days or sooner, as needed, based on insect monitoring and field scouting programs.

Gelva TM trademark of Monsanto Co. FloodJet TM trademark of Spraying Systems Co.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool place until used. Freezing will extend product shelf life indefinitely.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water when disposing of equipment washwaters.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

WARRANTY: CONSEP MEMBRANES, INC. warrants that this product conforms to the chemical description on the label. CONSEP MEMBRANES, INC. neither makes nor authorizes any agent or representative to make any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this product. CONSEP MEMBRANES, INC.'S maximum liability for breach of this warranty shall not exceed the purchase price of this product. Buyer and User acknowledge and assume all risks and liability resulting from the handling, storage and use of this material, whether in accordance with directions or not.

STATEMENT OF PRACTICAL TREATMENT: In case of eye or skin contact, immediately flush with plenty of water. Get medical attention if irritation persists. If swallowed, drink large quantities of water and induce vomiting by placing finger in back of throat. Call a physician or contact local point control center. Never give anything by mouth to an unconscious person. Avoid alcohol. In case of inhalation exposure, move from the contaminated area.