CheckMate™ - PBW

— PINK BOLLWORM MATING DISRUPTA	ANT —
- SPRAYABLE, CONTROLLED RELEASE GF	RANULE -
ACTIVE INGREDIENTS. Gossyplure (Z Z)- and (Z,E)-7, 11 - Hexadecadien -1-ol	
acetate (1.1) INERT INGREDIFNTS	
TOTAL	
Keep Out of Reach of Children	100

CAUTION

PRECAUTIONARY STATEMEN HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled or absorbed through the skin breathing dust. Avoid contact with skin, eves precipiting. breathing dust. Avoid contact with skin, eyes or clothing. SEE ADJACENT PANEL FOR STATEMENT OF PRACTIC ENVIRONMENTAL HAZARDS Do not apply directly to water of contaminate water when disposing of equipment washwaters.

MANUFACTURED BY.

Post Office Box 6059 Bend, Oregon 97708

EPA Reg. No.: 56336; 1 EPA Est. No.: 56336-Off-1 Net Contents: 0.53 lb. (240 g)

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCOMISTENT WITH ITS LABELING.

MIXING: \

DO NOT use CheckMate* - PBW from damaged, punctured or unsealed

riston, diaphragm or centrifugal pumps ONLY. DO NOT use roller or gear dumps as they will damage CheckMate's controlled release system. Remove all screen before mixing and/or application.

Add sticilier of choice approved for growing crops, according to the label, to the led amount of water (see METHODS OF APPLICATION) and agitate. Lastly add TheckMate* - PBW to the tank and mix thoroughly. For best results, ply immediately after mixton.

INETHICUS OF APPLICA NON:
Griding Equipment: Apply CheckMate* - PBW in 5-15 gal water/acre. Apply to Miling directly and the top dievery other row using 30-45 pai and Flood.let noz-zles, type TK-5, D-6, or larger Aerial Equipment: Apply CheckMate* - PBW in 3-10 gal/waterfacre. Apply to fields from a height of 10-30 feet using 30-60 psi and 406 Flood Jet nozzles, type TK 5 to TK 30 or without nozzles.

RINSE ALL EQUIPMENT WITH CLEAN WATER IMMEDIATELY AFTER APPLICATION TO REMOVE REMAINING STICKER.

Cotton: To disrupt the mating of pink bollworm moths, apply 5 grams for light to moderate infestations, 5 grams for moderate to heavy infestations, 5 grams for severe infestations, based on field history, of CheckMate** - PBW per acre Begin application at pinhead square stage. Reapply every 20 days or sooner, as needed, based on insect monitoring and field scouting programs

FloodJel" trademark of Spraying Systems Co.

5/91 CM-031

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal

STORAGE: Store in a cool place until used. Freezing will extend product shell Me

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water when disposing of equipment washweters.

CONTAINER DISPOSAL: Triple right for equipment). Then offer for recycling or reconditioning, or puncture and dispuse of in a sanitary tariful, or by other productives approved by State and localfact/florithin.

WARRANTY: Consep Membranes Ind. warrahts that this product nohfor my to the Chemical description on the label. Consep Membranes, Inc. neither makes. nor authorized any agent or representative to make any other warranty of litness or of merchantability, guarantee or representation, express or implied, concerning this product. Consep alembranes, Inc. is merimum liebility for breach of this warranty shall not exceed the purchase price of this per duct. Suyer and User acknowledge and assume all risks and Lability resulting from the handling. storage and use of this material, whether in accordance with directions or not

STATEMENT OF PRACTICAL TREATMENT In case of eye or skin contact, immediately flush with blenty of water. Get medical attention if writation persists if swallowed, drink large quantities of water and induce vomiting by placing finger in back of throat. Call a physician or contact local poison control center. Never give anything by mouth to an unconscious person. Avoid alcohol. In case of inhalation exposure, move from the contaminated area.

BEST AVAILABLE COPY