

PM 91 56 336 - 6

11/4/97

P9 182

ACCEPTED

NOV 4 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 56336-6

FRONT PANEL

CHECK

TPW

MATE®

ACTIVE INGREDIENTS:

| | |
|-----------------------------|----------------|
| (E)-4-Tridecen-1-yl Acetate | 2.84% |
| (Z)-4-Tridecen-1-yl Acetate | 0.09% |
| INERT INGREDIENTS: | <u>97.07%</u> |
| TOTAL | 100.00% |

Net Weight: 48 mg Active Ingredients per Dispenser

**A BIOCHEMICAL PHEROMONE FOR
MATING DISRUPTION OF
TOMATO PINWORM (*Keiferia lycopersicella*)**

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
 Keep Out Of Reach Of Children
CAUTION

Avoid contact with skin, eyes or clothing. Avoid contact of circular release area of dispenser with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT
 IF ON SKIN: In case of contact, wash thoroughly with soap and water. Obtain medical attention if irritation persists. IF IN EYES: Immediately flush with plenty of water. Obtain medical attention if irritation persists..

ENVIRONMENTAL HAZARDS
 Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the high-water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

Manufactured for:
CONSEP®

Consep, Inc.
 213 SW Columbia Street
 Bend, Oregon 97702
 1/800-367-8727
 FAX (541) 388-3705

EPA Registration No. 56336-6
 EPA Establishment No. 56336-OR-1
 Net Contents:

BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CheckMate TPW is a behavior modifying biochemical pesticide (pheromone), which functions by mating disruption, to be used in control of tomato pinworm (*Keiferia lycopersicella*).

RECOMMENDED APPLICATION: For use on tomatoes. THE RECOMMENDED RATE OF APPLICATION OF CHECKMATE TPW IS 200 DISPENSERS PER ACRE (500 DISPENSERS PER HECTARE). Each application is effective for 70-75 days. Apply the first application early in the season after the first tomato pinworm moth is detected with a pheromone trap, such as BioLure®. The first application should be within 2 weeks after seedlings have been transplanted. For directly seeded tomatoes, the first application should be made within 30 days after planting. The BioLure Technical Bulletin contains suggestions for trap placement. Monitor for insect infestation with traps and by visual inspection of leaves and fruit. Re-apply CheckMate TPW every 75 days or sooner, as based on monitoring results and field scouting. CheckMate TPW is best used to treat low populations of tomato pinworm and prevent their increase. Treatment of high pest populations may be less effective.

METHOD OF APPLICATION: Apply one dispenser by hand to plants, support poles or wires every 15 feet (4.5 meters). Gently slip the dispenser onto the plant's main stem, or the support poles or wires. Place dispensers at or near the atop of the plants, or 3 to 4.5 feet (1 to 1.5 meters) above the ground. Special equipment is not required to apply CheckMate TPW. Best results occur when dispensers are evenly distributed throughout the field.

Wash hands after completion. Do not handle other types of insect lures before or after lure placement without thoroughly washing hands. Set tomato pinworm monitoring traps before handling CheckMate TPW. Monitor treatments carefully, especially for secondary pests such as tomato hornworm or tomato fruitworm.

Do not use CheckMate TPW from damaged, punctured or unsealed containers.

Take necessary steps to insure that dispensers do not enter shipping and harvest containers during harvest.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store container in a cool place until used. Re-seal container immediately after use, store unused product only in refrigerators or freezers not used for food storage. **Pesticide Disposal:** Used dispensers should be wrapped in newspaper, placed in a garbage bag and discarded in trash. **Pesticide Container Disposal: Plastic containers:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. **Bag/Cardboard Box:** Do not reuse box or bag. Discard in trash.

WARRANTY AND LIMITATION OF DAMAGES

Consep, Inc. warrants that this material conforms to the chemical description on the label. Consep, Inc. neither makes, nor authorizes any agent or representative to make, any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. Consep, Inc.'s maximum liability for breach of this warranty shall not exceed the purchase price of this product. Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material, whether in accordance with directions or not. Lot No.