CHECK MATE
PTB Dispenser

Active Ingredients:
( )-5-Decenyl Acetate 7.92%
(E)-5-Decenol 1.65%
Inert Ingredients 90.43%
TOTAL 100.00%
Net Weight: 100 mg active
ingredients per dispenser.

MATING DISRUPTION
For Control of
PEACH TWIG BORER (*Anarsia lineatella*)

KEEP OUT OF REACH OF CHILDREN
CAUTION
STATEMENT OF PRACTICAL TREATMENT

Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact of circular release area of dispenser with skin, eyes or clothing. In case of contact with circular release area or the pheromone reservoir inside a dispenser, flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds or streams. Do not contaminate water by disposal of wastes.

Manufactured by:

CONSEP®

Consep, Inc
213 Southwest Columbia
Bend, Oregon 97702
1-800-367-8727
Fax (503) 388-3705

EPA Reg. No. 56336-16
EPA Establishment No. 56336-OR-1

Net Contents: Ranging From 500 to 5,000 Dispensers per Bag

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CheckMate® PTB Dispenser is a behavior modifying biochemical product (pheromone) which functions by mating disruption. It is to be used in control of peach twig borer (*Anarsia lineatella*). The PTB pheromone is contained in, and released from, a solid matrix hand applied dispenser.

RECOMMENDED APPLICATION: For use on peaches, nectarines, apricots, plums, prunes, cherries and other stone fruits; almonds and other tree nut crops; and any other crops where the peach twig borer is a problem. The recommended rate of application of **CheckMate® PTB Dispenser** is 200 dispensers per acre. Apply the first application early in the season, after the first peach twig borer moth is detected with a pheromone trap, such as **BioLure®**. Follow the **BioLure®** *Technical Bulletin* for trap placement. Monitor for insect infestation with traps and by visual inspection of shoots and fruit. Re-apply **CheckMate® PTB Dispenser** as needed, based on monitoring results and field scouting. Do not exceed a total of 150 grams a.i./acre/year, up to seven applications per year.

METHOD OF APPLICATION: Apply dispensers by hand to small limbs of crop to be protected. Hang dispensers from thumb-size limb to secure placement. Place dispensers 6 to 8 feet from the ground or higher, if desired, preferably on the south side of the tree.

Wash hands after application. Do not handle other types of insect lures before or after lure placement without thoroughly washing hands. Place monitoring traps in the orchard before handling **CheckMate® PTB Dispenser**. Monitor treatments carefully, especially for other pests.

Reseal bags immediately after use. Store unused product in a refrigerator or freezer. Do not use **CheckMate® PTB Dispensers** from damaged, punctured or unsealed bags.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. STORAGE - Store bags in a cool place until used. DISPOSAL Wastes resulting from use of this product may be disposed of on-site or at an approved disposal facility.

WARRANTY AND LIMITATION OF DAMAGES
Consep, Inc. warrants that this material conforms to the chemical description on the label. Consep, Inc. neither makes, nor authorizes any agent or representative to make, any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. Consep, Inc.'s maximum liability for breach of this warranty shall not exceed the purchase price of this product. Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material, whether in accordance with directions or not.

BEST AVAILABLE COPY

2/95 ptbeng3   Lot Number