

FRONT PANEL**CHECKMATE® PTB Dispenser****Active Ingredients**

(E)-5-Decenyl Acetate 8.34%

(E)-5-Decenol 1.73%

**Other Ingredients** 89.93%**TOTAL** 100.00%

Net Weight:

Active ingredient total of 200 mg of pheromone blend per dispenser.

**MATING DISRUPTION**

For Control of

**PEACH TWIG BORER (*Anarsia lineatella*)****KEEP OUT OF REACH OF CHILDREN****CAUTION****PRECAUTIONARY STATEMENTS****HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**Caution:** Harmful if absorbed through the skin or inhaled. Causes moderate eye and skin irritation. Avoid contact with skin, eyes and clothing. Avoid breathing vapor. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

**FIRST AID**

**IF INHALED:** Move person to fresh air. If not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for advice.

**HOT LINE NUMBER**


Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-326-6737.

**ENVIRONMENTAL HAZARDS**

For terrestrial uses: Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Manufactured by:

Suterra LLC  
213 SW Columbia Street  
Bend, Oregon 97702  
1/800-367-8727  
FAX (541) 388-3705



EPA Registration No. 56336-16  
EPA Establishment No. 56336-OR-1  
Net Contents: xxx Dispensers

BACK PANEL**WARRANTY AND LIMITATION OF DAMAGES**

Suterra LLC warrants that this material conforms to the chemical description on the label. Suterra LLC neither makes, nor authorizes any agent or representative to make, any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. To the extent allowable by law, Suterra LLC's liability for breach of this warranty shall not exceed the purchase price of this product. Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material.

**DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product  
in a manner inconsistent with its labeling**

**CheckMate® PTB Dispenser** is a behavior modifying biochemical product (pheromone) which functions by mating disruption. It is to be used in pest management programs for control of peach twig borer (*Anarsia lineatella*). The PTB pheromone is contained in, and released from, a solid matrix hand applied dispenser.

**METHOD OF APPLICATION:** For use on peaches, nectarines, apricots, plums, prunes, cherries and other stone fruits; almonds and other tree nut crops. The rate of application of **CheckMate PTB Dispenser** is 100-400 dispensers per acre. [*Alternate: single numbers or ranges of numbers of dispensers per acre between 100 to 400 (250 to 600 per hectare) may be used, e.g. 150, 200, 150-300, 100-400, etc.*] For best results, apply at the time or shortly before the peach twig borer moths begin to emerge in the spring, or at biofix (the first date moths are found consistently in pheromone traps such as BioLure®). This product only affects adult male moths and will have no effect on female moths, eggs or larvae. If application occurs following biofix or during the growing season, the orchard must be treated with insecticide treatments that will effectively control hatching larvae until egg laying by previously mated female moths has ceased to occur. In moderate to high insect pressure situations, supplemental insecticide applications during the season to provide adequate protection to developing fruit, must be made based on trap monitoring, field scouting, and appropriate degree-day models for the local growing area and must be timed to control emerging larvae. Follow the **BioLure Technical Bulletin** for trap placement. Monitor for insect infestation with traps and by visual inspection of shoots and fruit. Re-apply **CheckMate PTB Dispenser** as needed, based on monitoring results and field scouting. **Do not exceed a total of 150 grams a.i./acre/year.**

Apply dispensers by hand to small limbs of crop to be protected. Hang dispensers from thumb-size limb to secure placement. Place dispensers in the upper one-third of the tree, or higher.

Wash hands after application. Do not handle other types of insect lures before or after lure placement without thoroughly washing hands. Place monitoring traps in the orchard before handling **CheckMate PTB Dispenser**. Monitor treatments carefully, especially for other pests.

Do not use **CheckMate PTB Dispenser** from damaged, punctured or unsealed containers.

BACK PANEL

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store containers in cool place until used. Reseal containers immediately after use. Store unused product in a refrigerator or freezer not used for food storage.

**PESTICIDE DISPOSAL:** Wastes resulting from use of this product may be disposed of on-site or at an approved disposal facility.

**CONTAINER DISPOSAL:** Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Bag/Cardboard Box: Dispose of empty bag/cardboard box in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

Lot No.