10f2

FRONT PANEL

## CHECKMATE® PTB-XL

**Active Ingredients** 

 (E)-5-Decenyl Acetate
 11.93%

 (E)-5-Decenol
 2.48%

 Inert Ingredients
 85.59%

 TOTAL
 100.00%

Net Weight: 160 mg active ingredient per dispenser.

### ACCEPTED

OCT 23 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 56334-20

# MATING DISRUPTION For Control of PEACH TWIG BORER (Anarsia lineatella)

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS Keep Out Of Reach Of Children

### **CAUTION**

Avoid contact with skin, eyes or clothing. Avoid contact of circular release area of dispenser with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

#### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: In case of contact, flush area with water and wash thoroughly with soap and water. Obtain medical attention if irritation persists. IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

#### **ENVIRONMENTAL HAZARDS**

Keep out of lakes, ponds or streams. Do not contaminate water by disposal of wastes.

Manufactured by:

**CONSEP®** 

Consep, Inc.

213 SW Columbia Street Bend, Oregon 97702 1/800-367-8727 FAX (541) 388-3705

EPA Registration No. 56336-20 EPA Establishment No. 56336-OR-1 Net Contents: xxx Dispensers

#### BACK PANEL

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

CheckMate® PTB-XL is a behavior modifying biochemical product (pheromone) which functions by mating disruption. It is to be used for control of peach twig borer (Anarsia lineatella). The PTB-XL pheromone is contained in, and released from, a solid matrix hand applied dispenser.

RECOMMENDED APPLICATION: For use on peaches, nectarines, apricots, plums, prunes, cherries and other stone fruits; almonds and other tree nut crops. The recommended rate of application of CheckMate PTB-XL is 150-200 dispensers per acre. Apply the first application early in the season, after the first peach twig borer moth is detected with a pheromone trap, such as BioLure®. Follow the BioLure Technical Bulletin for trap placement. Monitor for insect infestation with traps and by visual inspection of shoots and fruit. Re-apply CheckMate PTB-XL as needed, based on monitoring results and field scouting. Do not exceed a total of 150 grams a.i./acre/year.

**METHOD OF APPLICATION:** Apply dispensers by hand to small limbs of crop to be protected. Hang dispensers from thumb-size limb to secure placement. Place dispensers in the upper one-third of the tree, or higher.

Wash hands after application. Do not handle other types of insect lures before or after lure placement without thoroughly washing hands. Place monitoring traps in the orchard before handling CheckMate PTB-XL Monitor treatments carefully, especially for other pests.

Reseal containers immediately after use. Store unused product in a refrigerator or freezer. Do not use **CheckMate PTB-XL** from damaged, punctured or unscaled containers.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE: Store containers in cool place until used. PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on-site or at an approved disposal facility.

#### WARRANTY AND LIMITATION OF DAMAGES

Consep, Inc. warrants that this material conforms to the chemical description on the label. Consep, Inc. neither makes, nor authorizes any agent or representative to make, any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. Consep, Inc.'s maximum liability for breach of this warranty shall not exceed the purchase price of this product. Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material, whether in accordance with directions or not.

Lot No.