


(Front panel)



# Hospital Foam Cleaner Disinfectant



**For Hard Surfaces  
Cleans, Shines  
Disinfects  
Deodorizes  
Won't Scratch**

EPA. REG. NO. 56392-5

**ACTIVE INGREDIENTS:**

o-Phenylphenol.....0.37%  
INERT INGREDIENTS.....99.63%

**HOSPITAL SIZE**


**NET WT. 20 OZ. (1 LB. 4 OZ.)**

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

**READ COMPLETE PRECAUTIONS AND  
DIRECTIONS ON REAR PANEL**

293



(Rear Panel)

SHAKE OFTEN

SHAKE OFTEN

## HOSPITAL FOAM CLEANER DISINFECTANT

**STREPTOCIDAL ■ STAPHYLOCIDAL ■ PSEUDOMONACIDAL ■ VIRUCIDAL†  
SALMONELLACIDAL ■ TUBERCULOCIDAL ■ FUNGICIDAL\*\***

†Virucidal against Human Immunodeficiency Virus, Type 1(HIV-1), Herpes Simplex Virus, Type 2(HSV-2) Influenza A-2, Hong Kong(NCDC), Poliovirus, Type 1, Mahoney, Vaccinia Virus, ATCC VR-117 and Canine Parvo Virus on hard, nonporous, inanimate surfaces

\*\*Fungicidal against Trichophyton mentagrophytes (the athletes foot fungus) on cleaned, hard, nonporous surfaces such as bathtubs, benches, locker room floors, dressing rooms, and shower areas.

■**For Hospital Hard Surfaces.** Quick spray and wipe for cleaning. Always properly mixed and ready to use. Put this product to work throughout the hospital.

■**Useful**—patient room, emergency room, recovery room, operating room, laboratory, clinic, bathroom, physician office, physical therapy, nursing station, radiology, morgue, dental operator, veterinary hospital.

■**Cleans and shines** all hospital washable surfaces—tile, tubs, bowls, basins, sinks, showers, urinals, empty bed pans, toilets, cabinets, doors and door handles, empty emesis basins, floors, walls, woodwork, work station tables and counter tops, housekeeping carts, vanity tops, vending machines, bed springs and frames, bedside furniture, dressing and surgical carts, wheelchairs, walkers, stainless steel, chrome, plastic, metal, vinyl, fiberglass, baked enamel, porcelain, examination and x-ray tables, film cassettes, chart holders, shower chairs, sitz baths, commodes and commode seats, instrument cabinets and trays, catheter trays, bacteriology laboratory benches, centrifuges, whirlpool baths, operating tables, emergency vehicles, telephones, reception counters, dental chairs, medical equipment.

■**Disinfects**—Kills many germs commonly found on hard non-porous hospital surfaces. See directions for disinfecting.

■**Deodorizes**—Controls odor causing germs on hard surfaces. Leaves surfaces smelling clean and fresh.

■**Labor Saving**—Just spray on-wipe off. No rubbing, rinsing or scouring.

■**Won't Scratch**—Contains no abrasive to scratch or leave gritty deposit.

■**Removes Hospital Soils**—Grime, greasy soil, soap scum, water marks, scuff marks, blood, drainage, stains, emesis, fingermarks.

383

(Rear Panel, Continued)

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

■ **Directions:** Shake well. Hold can upright, 6" to 8" from surface. Spray surface 2 to 3 seconds or until thoroughly wet.

■ **To Clean:** Quick spray and wipe clean with a damp sponge, cloth or paper towel. No rinsing needed.

■ **To Clean and Disinfect in One Step:** Spray surface thoroughly until completely covered with foam, allow ten minutes to wet surface and disinfect. Wipe clean with damp sponge, cloth or paper towel. No rinsing needed. If gross soil is present, remove prior to disinfecting. Tuberculocidal activity requires ten minutes contact at room temperature (68° - 77°F, 20° - 25°C).

**KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

■ **Special Instructions for Cleaning and Decontamination Against HIV-1(AIDS Virus) on Surfaces/Objects soiled with Blood/Body Fluids:**

**Personal Protection:** When handling items soiled with blood or body fluids, appropriate personal protective equipment such as disposable plastic gloves, gowns, masks, or eye coverings should be considered.

**Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects prior to disinfecting.

**Contact Time:** Kills HIV-1(AIDS Virus) in one minute at room temperature. Contact time required to kill other organisms is ten minutes.

**Disposal of Infectious Materials:** Blood and other body fluids and cleaning materials should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

*THIS PRODUCT IS NOT TO BE USED AS A TERMINAL STERILANT/HIGH LEVEL DISINFECTANT ON ANY SURFACE OR INSTRUMENT THAT (1) IS INTRODUCED DIRECTLY INTO THE HUMAN BODY, EITHER INTO OR IN CONTACT WITH THE BLOODSTREAM OR NORMALLY STERILE AREAS OF THE BODY, OR (2) CONTACTS INTACT MUCOUS MEMBRANES, BUT WHICH DOES NOT ORDINARILY PENETRATE THE BLOOD BARRIER OR OTHERWISE ENTER NORMALLY STERILE AREAS OF THE BODY. THIS PRODUCT MAY BE USED TO PRECLEAN OR DECONTAMINATE CRITICAL OR SEMI-CRITICAL MEDICAL DEVICES PRIOR TO STERILIZATION OR HIGH LEVEL DISINFECTION.*

**PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

■ **WARNING:** May cause eye irritation. Avoid contact with eyes: In case of contact, flush eyes with plenty of water. Get medical attention.


**Physical Hazards**

Contents under pressure. Exposure to temperatures above 130° may cause bursting.

**Storage:** Do not use or store near heat or open flame. Store out of reach of children.

**Disposal:** Replace cap and discard container in trash. Do not puncture or incinerate.

\*® Trademarks of Caltech Industries, Inc.  
© 1984 Caltech Industries, Inc.  
P.O. Box 1139, Midland, MI 48641-1139  
1-800-234-7700.



REORDER NO.

DRAFT LABEL  
3/19/96  
Page 3 of 3