

86392-7

08/24/2011

1/8

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

AUG 24 2011

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

J. Evelyn Lawson
Senior Regulatory Information Scientist
Clorox Professional Products Company
P.O. Box 493
Pleasanton, CA 64566

Subject: Dispatch Hospital Cleaner Disinfectant with Bleach
EPA Registration No. 56392-7
Application Date: July 19, 2011
Receipt Date: July 25, 2011

Dear J. Evelyn Lawson

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

- Addition of Establishment No., Referral Language, Website and Registered Trademark language.

General Comments

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact Wanda Henson at Henson.Wanda@epa.gov or call (703) 308-6345.

Sincerely,

Monisha Harris
Product Manager (32)

CONCURRENTS Laboratory Management Branch II

Antimicrobials Division (7510P)

SYMBOL	7510P						
SURNAME	HARRIS						
DATE	8-24-11						



United States Environmental Protection Agency Washington, DC 20460

Registration
Amendment
Other (checked)

OPP Identifier Number EL0342

Application for Pesticide - Section I

1. Company/Product Number: 56392-7
2. EPA Product Manager: Wanda Henson (acting)
3. Proposed Classification: None (checked), Restricted
4. Company/Product (Name): Dispatch Hospital Cleaner Disinfectant with Bleach
5. Name and Address of Applicant: Clorox Professional Products Company
6. Expedited Review: In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical...

Section - II

Amendment - Explain below.
Resubmission in response to Agency letter dated
Notification - Explain below. (checked)
Final printed labels in response to Agency letter dated
Me Too Application.
Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification of non-mandatory labeling changes per PR Notice 98-10: we are submitting a strike-out/underlined copy and 5 clean labels.

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging
2. Type of Container: Metal, Plastic, Glass, Paper, Other
3. Location of Net Contents Information: Label (checked), Container
4. Size(s) Retail Container
5. Location of Label Directions
6. Manner in Which Label is Affixed to Product: Lithograph, Paper glued, Stenciled, Other

Section - IV

1. Contact Point: Name: J. Evelyn Lawson, Title: Senior Regulatory Information Scientist, Telephone No. (925) 425-6882
Certification: I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.
2. Signature: J. Evelyn Lawson
3. Title: Senior Regulatory Information Scientist
4. Typed Name: J. Evelyn Lawson
5. Date: July 19, 2011
6. Date Application Received (Stamped)



3/8

Clorox Professional Products Company



July 19, 2011

Ms. Wanda Henson, Product Manager 32 (acting)
U.S. Environmental Protection Agency
Document Processing Desk (NOTIF)
Office of Pesticide Programs -7504P
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re: Dispatch® Hospital Cleaner Disinfectant with Bleach, EPA Reg. No. 56392-7
OPP EL0342

Dear Ms. Henson:

We are submitting a label notification for this registration; we have updated the following on the submitted label:

- Addition of EPA Est. No. and referral language
- Addition of website
- Addition of registered trademark language

We enclose 1 strike-out/underlined label and 5 clean labels.

Thank you for your review of this notification. If you have any questions, please call me at (925) 425-6199, or Elisa Estremera at (925) 425-6842.

Sincerely,

J. Evelyn Lawson
J. Evelyn Lawson
Senior Regulatory Information Scientist
Clorox Professional Products Company
Email: CTCPSERC@Clorox.com

c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c

4/8

Note: **Bold, italicized text is information for the reader** is not part of the label. [Bracketed information is optional text.] Underlined text is not strike-through (text) means removed. Optional text may be placed anywhere on the label/container.
R0886031

DISPATCH®

Hospital Cleaner Disinfectant with Bleach

KEEP OUT OF REACH OF CHILDREN CAUTION

Read Complete Directions and Precautions on Package -and/or- Rear Panels -and/or- Attached Complete Label

Active Ingredient:
Sodium Hypochlorite0.65%
Other Ingredients:99.35%
Total 100.00%

Net Contents _____


- [Contains 6500 ppm Sodium Hypochlorite]
- [Cleans, [and], Disinfects, [& Deodorizes] in One Step]
- [For Hospital, Veterinary, & Food Contact Hard, Nonporous Surfaces]
- [For Instrument Pre-Cleaning & Disinfection of Non-Critical Instruments]
- [Kills [99.99%] bacteria, viruses†, & fungi in 1 Minute on Hard, Nonporous Surfaces]
- [Kills Pandemic 2009 H1N1 Influenza A Virus]
- [Kills Clostridium difficile [spores] in 5 Minutes [on Precleaned, Hard, Nonporous Surfaces]][*]
- [Ready-to-Use 1:10 Dilution of Bleach [(6.0%)] and Detergent]

Kills [99.99%] bacteria, viruses†, & fungi in 1 Minute: Acinetobacter baumannii, †Avian Influenza A Virus, †Canine Parvovirus, Enterobacter aerogenes, Escherichia coli ESBL, †Feline Panleukopenia Virus, †Hepatitis A Virus (HAV), †Hepatitis B Virus (HBV), †Hepatitis C Virus (HCV), †Herpes Simplex Virus (HSV-2), †HIV-1 (AIDS Virus), †Influenza A Virus, †Influenza A H1N1 [2009][Pandemic], Klebsiella pneumoniae, [Methicillin resistant] Staphylococcus aureus (MRSA), †Norovirus, †Poliovirus Type 1 (Mahoney), Pseudomonas aeruginosa, †Rhinovirus, †Rotavirus, Salmonella enterica, Staphylococcus aureus, Streptococcus pyogenes, Trichophyton mentagrophytes (Athlete's Foot Fungus), [Vancomycin resistant] Enterococcus faecium (VRE)
 Kills Mycobacterium bovis– BCG, (TB) in 30 Seconds
 Kills Clostridium difficile [spores] in 5 Minutes [on Precleaned, Hard, Nonporous Surfaces]][*]

Manufactured for:
 © XXXX Clorox Professional Products Company
 1221 Broadway, Oakland, CA 94612
 Visit us at www.cloroxprofessional.com
 800-234-7700

EPA Reg. No. 56392-7
 EPA Est. No. 8251-OH-1 (Q6); 5813-GA-1 (VG)
 Beginning of batch code indicates Est. No.

A list of this product's ingredients is available at www.CloroxCSR.com
 Clorox is a registered trademark of the Clorox Company
insert trademark is a registered trademark of Clorox Professional Products Company



NOTIFICATION
 Date Reviewed: 8/24/2011
 Reviewed By: W. [Signature]

Note: ***Bold, italicized text is information for the reader and is not part of the label.*** [Bracketed information is optional text.] Underlined text is not part of the label. Strike-through (~~text~~) means removed. Optional text may be placed anywhere on the label/container.
R0886031

8/8

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION:

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID:

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. If present, remove contact lenses after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS

Do not use this product with ammonia or acids such as vinegar, rust removers, or toilet bowl cleaners. This product not intended for use on fabrics.

STORAGE AND DISPOSAL:

Statement for Refillable Containers

Store this product in a cool, dry area, away from direct sunlight and heat. Refillable container. Refill empty DISPATCH spray container only from DISPATCH refill bottle. Cleaning before refilling is the responsibility of the refiller. Take care to update expiration date on refillable bottle and replace bottle if it becomes worn or damaged. Do not reuse this container for any other purpose. Rinse container with water prior to disposal. Cleaning the container before final disposal is the responsibility of the person disposing of the container. When discarding container, place in trash collection or take to recycling center. Do not contaminate water, food, or feed by storage and disposal.

Statement for Nonrefillable Containers

Store this product in a cool, dry area, away from direct sunlight and heat. Nonrefillable container. Do not reuse or refill this container. When discarding container, place in trash collection or take to recycling center. Do not contaminate water, food, or feed by storage and disposal.


Statement for containers of 5 gallons or 50 lbs. or more

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

REORDER NO.

See Expiration Date on Bottle



Note: **Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information is optional text.] Underlined text is not a strike-through (text) means removed.
Optional text may be placed anywhere on the label/container.
R0886031

6/8

Multipurpose, broad spectrum cleaner disinfectant for use in healthcare and other areas where control of cross contamination is required, [especially during outbreaks of *Clostridium difficile*] [and] [or] [other Healthcare Associated Infections [HAIs] listed on this label]. Meets OSHA Bloodborne Pathogen Standards. May be used for instrument pre-cleaning and disinfection of non-critical instruments. **Surfaces:** May be used on hard, nonporous surfaces such as stainless steel, glazed ceramic tile, hard plastics, nonporous vinyl, painted surfaces, Plexiglas, laminated plastic countertops, fiberglass (sealed) surfaces, glazed porcelain, and glass. **Applications: Medical** – hard, nonporous surfaces such as autoclaves, blood glucose monitors, external surfaces of medical equipment, IV poles, exam tables, bed railings, external surfaces of dialysis machines, gurneys, mammography equipment, plastic mattress covers, phlebotomy trays, reception counters, external surfaces of respiratory equipment, stretchers, external surfaces of ultrasound transducers and probes, wash basins, and wheelchairs. **Dental** – chairs, counters, operatory hard surfaces, and light lens covers. **Veterinary** – animal equipment, cages, fountains, vet clinic surfaces. **Other** – changing tables, doorknobs, hand railings, highchairs, playpens. **Food service** – both food and non food contact surfaces. **Use Sites: Medical** – ambulance, central service, critical care, dialysis clinics, emergency rooms, exam rooms, home health care, hospitals, intensive care, laboratories, neonatal nursery, nurses' stations, nursing homes, operating room, orthopedic clinics, outpatient clinics, patient rooms, physical therapy rooms, physician offices, radiology, recovery rooms, respiratory therapy, and surgery. **Dental** – dental clinics, labs. **Veterinary** – animal housing, veterinary clinics/hospitals. **Other** – blood banks, correctional facilities, day care, funeral homes, health clubs, recreational centers, restrooms, and schools.

Following statement may appear on the label

[Efficacy tests have demonstrated that DISPATCH Hospital Cleaner Disinfectant with Bleach [this product] is an effective bactericide, virucide, tuberculocide, and fungicide in the presence of organic soil (5% blood serum)]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To Clean, Disinfect, and Deodorize in One Step: Spray 6" – 8" from surface until surface is completely wet or apply with a clean cloth, mop, or sponge saturated with DISPATCH until surface is completely wet. (When applying with a saturated cloth or sponge, gloves should be worn.) To disinfect, let stand for one minute. To kill TB, let stand for 30 seconds at room temperature (20 – 25° C). Wipe with a clean, damp cloth or paper towel or allow to air dry. For food contact surfaces, rinse with potable water. For all other surfaces no rinsing is required. Gross soil must be removed prior to disinfecting.

To Clean: Follow directions above, but no standing time is required. If streaking is observed, wipe with a clean, damp cloth or paper towel.

[*] Special Instructions for Cleaning Prior to Disinfection against *Clostridium difficile* spores. Personal Protection: Wear appropriate barrier protection such as gloves, gowns, masks, or eye covering. **Cleaning Procedure:** Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with [Product Name] [this product]. Cleaning is to include vigorous wiping and/or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths.

Infectious Materials Disposal: Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

Disinfection Procedure: Spray 6" – 8" from surface until surface is completely wet. Let stand for 5 minutes. Wipe with a clean, damp cloth or paper towel or allow to air dry.

To Clean and Disinfect in a Veterinary Application: Use to clean and disinfect hard, nonporous surfaces such as feeding and watering equipment, cages, utensils, instruments, kennels, stables, catteries, etc. Remove all animals and feed from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings, and manure from walls, floors, and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering equipment. Pre-clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with DISPATCH and let stand for one minute. To kill TB, let stand for 30 seconds at room temperature. [To kill *Clostridium difficile* (spores), let stand for five minutes]. Rinse all surfaces with potable water. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treated surfaces have been thoroughly rinsed with water and allowed to dry. Thoroughly scrub all treating, feeding, and watering appliances with soap or detergent, and rinse with potable water before re-use.

7/8

DIRECTIONS FOR USE continued

To Preclean Instruments Prior to Terminal Sterilization/High Level Disinfection:

As a pre-cleaning spray – Place instruments into a suitable container. Spray DISPATCH onto instruments to thoroughly wet all surfaces. Let stand for up to 10 minutes. Rinse instruments.

As a pre-cleaning immersion solution – Fill appropriate size container with a sufficient amount of DISPATCH to completely submerge instruments. Place instruments into the container of DISPATCH, cover, and allow to soak for up to 10 minutes. Remove and rinse, and follow with an appropriate cleaning and disinfecting process. Change solution daily.

As a manual instrument cleaner – Thoroughly pre-rinse dirty instruments under running water to remove visible, gross debris. Immerse pre-rinsed instruments into an appropriate size container filled with DISPATCH. Scrub instruments using a stiff bristle brush until visibly clean. Submerge instruments while scrubbing. Rinse instruments thoroughly. Change solution daily. Follow with an appropriate disinfection process.


Cleaning of critical and semi-critical devices must be followed by an appropriate terminal sterilization/high-level disinfection process.

To Disinfect Non-Critical, Pre-Cleaned Instruments – Instruments must be thoroughly pre-cleaned to remove excess organic debris, rinsed, and rough dried. (Clean and rinse lumens of hollow instruments before filling with DISPATCH or before immersion.) **Immersion method** - using a soaking tray, immerse instruments into DISPATCH and let stand for one minute. To kill TB, immerse for 30 seconds at room temperature. Remove and wipe with a clean, damp cloth or paper towel and allow to air dry. Change solution for each use. **Spray method** – Spray all surfaces of instruments with DISPATCH until thoroughly wet. Let stand for one minute. To kill TB, let stand for 30 seconds at room temperature. To kill *Clostridium difficile* (spores), let stand for five minutes. Wipe with a clean, damp cloth or paper towel and allow to air dry.

†KILLS HIV, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

Special Instructions for Cleaning and Decontamination Against HIV-1 (AIDS Virus), HBV and HCV on Surfaces/Objects Soiled with Blood/Body Fluids. Personal Protection: When handling items soiled with blood/body fluids, personal protective equipment such as disposable gloves, gowns, masks, and eye coverings should be used. **Cleaning Procedure:** Blood/body fluids must be thoroughly cleaned from surfaces and objects before disinfecting. **Contact Time:** Let stand for one minute. **Disposal of Infectious Materials:** Blood, body fluids, and cleaning materials must be autoclaved and disposed according to federal, state, and local regulations for infectious waste disposal.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.



Note: **Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information is optional text.] Underlined text is not to be printed. ~~Strike-through (text)~~ means removed. Optional text may be placed anywhere on the label/container.
R0886031

Optional Text. For use on product label or collateral labeling

Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by influenza A virus. [This product] [**Product Name**] is a broad-spectrum hard surface disinfectant that has been shown to be effective against Influenza A virus tested and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).

[**Product Name**] [This product] has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 Influenza A virus.

[**Product Name**] [This product] has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).

Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu).

Kills Pandemic 2009 H1N1 Influenza A virus.

[Passes] [Meets] [Satisfies] [EPA] requirements for killing [Clostridium difficile] [C. difficile] spores.

[Kills] [Is effective against] 99.9999% [Clostridium difficile] [C. difficile] spores in 5 [minutes] [min] [on Precleaned, Hard, Nonporous Surfaces] [*].

Kills [bacteria] [viruses] [fungi] [C. difficile spores].

[Bactericidal] [Tuberculocidal] [Virucidal] [Fungicidal] [Sporicidal] [Disinfectant].

Effective against [Influenza A H1N1] [H1N1] [**Insert any organism from the list on page 1**] [and] [C. difficile spores].

Effective against Avian Influenza A and H1N1 [Pandemic] [Influenza A virus].



Optional graphics. May be placed anywhere on label/container or collateral labeling.

