



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

November 16, 2020

Tony Herber  
Agent for Clorox Professional Products Company  
Clorox Professional Products Company  
c/o Scientific & Regulatory Consultants, Inc.  
201 W Van Buren St.  
Columbia City, IN 46725

Subject: Label Amendment: To add claim against SARS-CoV-2  
In addition, updating the Precautionary Statements section under  
Physical Or Chemical Hazards statements  
Product Name: Dispatch Hospital Cleaner Disinfectant with Bleach  
EPA Registration Number: 56392-7  
Application Date: 07/17/2020  
Decision Number: 564732

Dear Mr. Herber:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false

Page 2 of 2  
EPA Reg. No. 56392-7  
Decision No. 564732

or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, you may contact Lorena Rivas at [Rivas.lorena@epa.gov](mailto:Rivas.lorena@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "DF", with a long horizontal line extending to the right.

Demson Fuller, Product Manager 32  
Regulatory Management Branch I  
Antimicrobials Division (7510P)  
Office of Pesticide Programs

Enclosure: Approved label

**Label identification**

Dispatch Hospital Cleaner Disinfectant with Bleach, EPA Reg. No. 56392-7

R0886153

10:30 10/27/20

**ACCEPTED**

11/16/2020

Under the Federal Insecticide, Fungicide  
and Rodenticide Act as amended, for the  
pesticide registered under  
EPA Reg. No. 56392-7

**Formatting notes** (applicable for all claims)

**Now[!]** -and/or- **New[ly][!]** -and/or- **Improved[!]** may be added anywhere to a claim and will only be used for the first 6 months of product on shelf.

Optional text may be placed anywhere on the label -and/or- container.

**Bold, italicized** text is information for the reader and is not part of the label.

Bracketed information is optional text.

All footnotes are on the last page, unless they are part of EPA's mandated text.

The word "and" may be substituted with "&". Plural words may be used in their singular form or singular words may be used in their plural form unless otherwise specified in 40 CFR.

All directions may be written in numbered form or in paragraph form.

All use surfaces and/or use sites on the label may be listed in conjunction with an image of the use surface and/or use site.

Highlighted text is new. Strike-through text means removed.

# Dispatch®

## Hospital Cleaner Disinfectant with Bleach

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See Back -or- Rear -or- Side Panels for first aid statements

Active Ingredient:  
Sodium Hypochlorite .....0.65%  
Other Ingredients: .....99.35%  
Total .....100.00%

[Available Chlorine...0.62%]  
[6175 PPM [Parts Per Million] Available Chlorine]

Contains no phosphorus

**[Net] [Contents]**\_\_\_\_\_

## **PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.**

### **CAUTION:**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID: If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. If present, remove contact lenses after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

### **Statement for containers of 5 gallons or 50 lb or more**

#### **ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT:** Do not mix with other chemicals. Mixing this product with chemicals (e.g., ammonia, acids, detergents) or organic matter (e.g., urine or feces) in a manner inconsistent with labeling directions, may release hazardous gases irritating to eyes, lungs, and mucous membranes.

[This product not intended for use on fabrics.]

[QUESTIONS OR COMMENTS?] Call (800) 234-7700.

Visit us at [www.cloroxpro\[fessional\].com](http://www.cloroxpro[fessional].com)

Visit us at -or- For [M]SDS information, please go to [www.cloroxhealthcare.com](http://www.cloroxhealthcare.com).

For more [product -and/or- ingredient] information, visit [IngredientsInside.com](http://IngredientsInside.com) -or- [www.smartlabel.com](http://www.smartlabel.com).

Manufactured[-] for [:] [© XXXX] Clorox Professional Products Company[.]

1221 Broadway, Oakland, CA 94612

Clorox Healthcare -and/or- Clorox Professional -and/or- CloroxPro **insert trademark** is -or- are [a] [registered] trademarks of The Clorox Company -or- Clorox Professional Products Company

[Clorox is a registered trademark of the Clorox Company]

[© XXXX] Made in [the] U.S.A. [of global components -and/or- ingredients.]

EPA Reg. No. 56392-7

EPA Est. No. 5813-GA-1 (A4), CA-6 (TPP); GA-2 (VG) ; IL-2 (VF); IL-2 (VF); 8251-OH-1 (Q6), WI-2 (KW), WI-3 (KV), WI-5 (UQ); 50757-WI-1 (VN)

Beginning of batch code indicates Est. No

Patents: [www.thecloroxcompany.com/patents/](http://www.thecloroxcompany.com/patents/)

For a Spanish translation of product directions -or- instructions -or- information, visit [www.clorox.pro\[fessional\].com](http://www.clorox.pro[fessional].com) -or- [www.cloroxhealthcare.com](http://www.cloroxhealthcare.com).

Optional graphics; may be placed anywhere on label



how2recycle.info



how2recycle.info



## **Packaging Related Statements**

### **Padlock icon unlocked and locked (on bottle shrink) with corresponding arrow (molded into trigger)**

[Peel] [Pull back] [here] [for additional instructions] -or- Peel for [additional] directions [for use]

### **[Refill only with this product]**

#### **To Operate:**

Open hinged cover of sprayer and snap into opening on top. -or- Turn -or- Rotate nozzle [counterclockwise] to “spray” -or- “stream” -or- ON [setting]. -or- Adjust [nozzle] to desired pattern.

-or-

To open, turn nozzle. Spray 6 - 8 in[ches] -or- 6" - 8" -or- 6 - 8" from surface. Rub -or- wipe with brush -or- paper towel -or- sponge -or- [lint-free] cloth. [When almost empty, -or- To spray every drop[,][:] tilt bottle downward -or- at a downward angle [while spraying].]

- [To foam (close screen on nozzle) or spray (open screen on nozzle)].
- To Foam -or- Spray: Turn -or- Rotate nozzle to ON.

#### **Alternate for Refill Bottle:** To Refill [Spray Bottles]:

**[Remove]** [1.] Remove trigger sprayer -or- cap [from empty bottle]

**[Pour]** [2.] Unscrew cap on refill and pour contents directly into empty bottle. [Use a funnel to minimize product spills -or- waste.]

**[Use]** [3.] Replace trigger sprayer [and use as you normally would.] -or-

[Remove trigger sprayer from empty bottle,] [u]Unscrew cap and transfer your trigger to this bottle. -or- Replace cap and use as you normally would. Fill -or- refill the **insert number** [fl] oz **this product** spray bottle with this product refill. Pour product into spray bottle over sink or tub basin.

[Refill only with this product.]

#### **Alternate for Refill Bottle:** To Refill [Spray Bottles]:

**To refill:** Turn trigger on spray bottle [1/8th turn] counterclockwise [and pull upwards] to remove. [After refilling spray bottle,] Replace trigger by aligning tube on trigger with [opening] [tube] inside bottle [and turn clockwise] [while pushing down] [-and/or- push [sprayer] [straight] down [until it clicks] [-and/or- locks into place]].

**Trigger options: To refill:** Twist trigger [on spray bottle] [1/4 turn -and/or- counterclockwise] [and pull up -or- upward[s]] to remove. [Fill spray bottle with refill solution.] [After refilling spray bottle,] [to replace trigger,] Align [red tip] tube on trigger [head] over [small] opening -or- tube [on] [the] inside [of the bottle]. [[Note that] trigger [head] should point in [the] same direction as [the] tube [running] on the outer edge of the bottle.] Press [straight] down on the trigger [head], [applying even pressure] [until it clicks -and/or- locks] [into place].

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[Always refer to manufacturer's care instructions before using on [equipment] -or- [devices].]

A potable water rinse is required for food contact surfaces. Do not use on glassware, utensils, or dishes.

**To [Clean][,] [and] Disinfect [and Deodorize] Hard, Nonporous Surfaces:** [Set trigger to SPRAY.] Spray 6" - 8" -or- 6 - 8 in[ches] -or- 6 - 8" from surface until surface is thoroughly wet. Allow this product to [penetrate and] remain wet for one -or- 1 min[ute] -or- contact time listed below -or- on label. [To kill Clostridioides difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(]spores[)] -and/or- Candida auris<sup>Y</sup> -or- C. auris<sup>Y</sup>: let stand for three -or- 3 min[utes].] Then wipe [with a clean[, damp] cloth]. For visibly soiled areas, a precleaning is required. Rinse with potable water for food-contact surfaces. [For all others no rinsing is required.] [If streaking is observed, wipe with a clean, damp cloth -or- microfiber cloth -or- paper towel].

**To Clean -and/or- Deodorize:** Follow directions above [or apply with a clean cloth, mop, or sponge saturated with *Product Name* -or- this product until surface is completely wet. (When applying with a saturated cloth or sponge, gloves should be worn.)] No standing time is required. If streaking is observed, wipe with a clean, damp cloth or paper towel.

**To Clean and Disinfect in a Veterinary Application:** Use to clean and disinfect hard, nonporous surfaces such as feeding and watering equipment, cages, utensils, instruments, kennels, stables, catteries, etc. Remove all animals and feed from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings, and manure from walls, floors, and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering equipment. Pre-clean all surfaces with soap or detergent and rinse with water. Spray surfaces with *Product Name* -or- this product and let stand for one -or- 1 min[ute] -or- contact time listed [below] -or- on label. [To kill Clostridioides difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(]spores[)], let stand for three -or- 3 min[utes]]. Rinse all surfaces with potable water. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treated surfaces have been thoroughly rinsed with water and allowed to dry. Thoroughly scrub all treating, feeding, and watering appliances with soap or detergent, and rinse with potable water before re-use.

### **To Preclean Instruments Prior to Terminal Sterilization/High Level Disinfection:**

**As a pre-cleaning spray** – Place instruments into a suitable container. Spray *Product Name* -or- this product onto instruments to thoroughly wet all surfaces. Let stand for up to 10 min[utes]. Rinse instruments.

**As a pre-cleaning immersion solution** – Fill appropriate size container with a sufficient amount of *Product Name* -or- this product to completely submerge instruments. Place instruments into the container of *Product Name* -or- *this product*, cover, and allow to soak for up to 10 min[utes]. Remove and rinse, and follow with an appropriate cleaning and disinfecting process. Change solution daily.

**As a manual instrument cleaner** – Thoroughly pre-rinse dirty instruments under running water to remove visible, gross debris. Immerse pre-rinsed instruments into an appropriate size container filled with *Product Name* -or- this product. Scrub instruments using a stiff bristle brush until visibly clean. Submerge instruments while scrubbing. Rinse instruments thoroughly. Change solution daily. Follow with an appropriate disinfection process. **Cleaning of critical and semi-critical devices must be followed by an appropriate terminal sterilization/high-level disinfection process.**

**To Disinfect Hard, Nonporous Surfaces of Non-Critical, Pre-Cleaned Instruments** – Instruments must be thoroughly pre-cleaned to remove excess organic debris, rinsed, and rough dried. **Spray method** – Spray all surfaces of instruments with *Product Name* -or- this product until thoroughly wet. Let stand for one -or- 1 min[ute] -or- contact time listed [below] -or- on label. [To kill Clostridioides difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> (spores) -and/or- Candida auris<sup>Y</sup> -or- C. auris<sup>Y</sup>, let stand for three -or- 3 min[utes]]. Wipe with a clean, damp cloth or paper towel and allow to air dry.

**KILLS HIV, HBV and HCV ON PRE-CLEANED HARD, NONPOROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in healthcare settings or other settings in which there is an expected likelihood of soiling of hard, nonporous surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

**##Special Instructions for Cleaning and Decontamination Against Bloodborne Pathogens -or- HIV-1 (AIDS Virus), HBV and HCV on Surfaces/ Objects Soiled with Blood/Body Fluids. Personal Protection:** When handling items soiled with blood or body fluids, use disposable gloves, gowns, masks, and eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before applying this product. **Contact Time:** Let stand [for] 1 -or- one min[ute]. For [all] other organisms, see directions for contact times. **Disposal of Infectious Materials:** Use disposable impervious gloves, gowns, masks and eye coverings. Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

***For products with medical devices listed on the label, the following must be used***

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

**Special Instructions for Cleaning Prior to Disinfection against Clostridioides difficile spores -and/or- Candida auris. Personal Protection:**

Wear appropriate barrier protection such as gloves, gowns, masks, or eye covering. **Cleaning Procedure:** Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with **Product Name** -or- this product. Cleaning is to include vigorous wiping and/or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths.

**Infectious Materials Disposal:** Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

**Disinfection Procedure:** Spray 6" - 8" -or- 6 - 8 in[ches] -or- 6-8" from surface until surface is completely wet. Let stand for three -or- 3 min[utes]. Wipe with a clean, damp cloth -and/or- paper towel or allow to air dry.

**STORAGE AND DISPOSAL:**

***Statement for Refillable Containers***

Do not contaminate water, food, or feed by storage and disposal. Store this product in a cool, dry area, away from direct sunlight and heat. Refillable container. Do not reuse or refill this container for any other purpose. Refill only with this product. Recycle empty container, -and/or- discard in trash.

***Statement for Nonrefillable Containers***

Do not contaminate water, food, or feed by storage and disposal. Store this product in a cool, dry area, away from direct sunlight and heat. Nonrefillable container. Do not reuse or refill this container. Recycle empty container -and/or- Discard in trash.



## Antimicrobial Claims

- [3 minute] broad spectrum no-rinse disinfectant for hard, nonporous non-food contact surfaces
- A 1:10 sodium hypochlorite solution for effective disinfecting against *Clostridioides difficile*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> [(*C. diff*)] [spores]
- A disinfectant liquid for use on ***insert use site(s) from Table 2***
- Aids in reducing -or- in the reduction of cross-contamination between treated surfaces
- [A] one-step<sup>6</sup> cleaner/disinfectant
- Appropriate -or- Perfect -or- Ideal for Terminal Cleaning
- Assures proper dilution strength, product effectiveness and standardizes technique
- Bacteria -and/or- virus<sup>‡</sup> -and/or- germ fighting [formula]
- Bactericidal -and/or- Virucidal<sup>‡</sup> -and/or- Fungicidal -and/or- Sporicidal<sup>9</sup>
- Bactericide
- Bathroom disinfectant
- Broad spectrum disinfectant [with Clorox<sup>®</sup> Bleach]
- Broad spectrum [Proven] disinfectant [bactericide, virucide<sup>‡</sup>, fungicide] with efficacy against *Clostridioides difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> spores
- Cleans -and/or- Disinfects -and/or- Deodorizes [in One -or- 1 Step<sup>6</sup>]
- [Cleans<sup>6</sup> and] disinfects [hard, nonporous surfaces]
- [Cleans<sup>6</sup> and] disinfects ***insert use site(s) from Table 2***
- Cleans<sup>6</sup>, deodorizes and disinfects
- Compatible with a wide variety of surfaces. Check [cloroxhealthcare.com/compatible](http://cloroxhealthcare.com/compatible)
- Daily use product with *Clostridioides difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> sporicidal efficacy which allows for product standardization [reduces -or- reducing cleaning complexity]
- Daily use product with sporicidal<sup>9</sup> efficacy
- Deodorizes by killing the germs that cause odors
- [Designed] For daily use -or- Use for daily [or discharge] cleaning [in Healthcare facilities]
- Designed for killing *Clostridioides difficile*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> [(*C. diff*)] [spores] on precleaned, hard, nonporous surfaces in hospitals
- Designed for killing -or- controlling *Clostridioides difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> spores on precleaned, hard, nonporous surfaces [and patient care equipment] in hospitals [and other healthcare facilities]
- [Helps] eliminate[s] [tough to kill] 99.9999% *Clostridioides difficile*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> [(*C. diff*)] [spores] on precleaned, hard, nonporous hospital surfaces
- Disinfecting formula
- Disinfects [and deodorizes]
- Disinfects and deodorizes by killing germs and their odors
- Disinfects *Clostridioides difficile*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> [(*C. diff*)] spore-laden precleaned, hard nonporous surfaces
- Disinfects hard, nonporous surfaces against SARS-CoV-2 [the cause of -or- the coronavirus that causes COVID-19] [in 1 min[ute]]
- Disinfects hard, nonporous surfaces [throughout the ***insert use site(s) from Table 2***]
- Does not require [the hassle of] dispensing systems
- Disinfectant
- Easy and convenient disinfecting [throughout the ***insert use site(s) from Table 2***]
- Easy, one-step<sup>6</sup> cleaning and disinfecting
- Effective against -or- kills ***insert organism(s) from Organism Table*** [and *C. difficile*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> spores]
- Effective against -or- Kills *Staphylococcus aureus*, *Salmonella enterica*, *Pseudomonas aeruginosa* [in the presence of organic soil [(5% blood serum)]]
- Effective against -or- Kills ***insert organism(s) from Organism Table except Clostridioides difficile and Candida auris*** [in the presence of organic soil [(5% blood serum)]]
- Effective against *Candida auris*<sup>Y</sup> -or- *C. auris*<sup>Y</sup> [in 3 min[utes]]
- Effective against -or- Kills ***insert any number up to 50*** of pathogens -or- organisms
- Effective against -or- Kills SARS-CoV-2 [the cause of -or- the coronavirus that causes COVID-19] [in 1 min[ute]]<sup>P</sup>
- Effective disinfectant cleaner [and *Clostridioides difficile*<sup>Y</sup> sporicide] [for use in hospitals, ambulatory care centers, long term care facilities, and other healthcare facilities]
- Effective -or- for daily use against *Clostridioides difficile*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> [(*C. diff*)] [spores]
- [Effectively] disinfects hard, nonporous surfaces
- Efficacy tests have demonstrated that ***Product Name*** -or- this product is an effective bactericide, virucide<sup>‡</sup>, and fungicide in the presence of organic soil (5% blood serum)
- Eliminates odors at their source [caused by germs -or- bacteria]
- Eliminates -or- Reduces odors [caused by germs -or- bacteria]
- Exhibits effective virucidal<sup>‡</sup> activity
- Fight[s] -and/or- kill[s] -and/or- Effective against [99.9% [of]] *Escherichia coli* (NDM-1) -and/or- ESBL producing *Escherichia coli*
- Fight[s] -and/or- kill[s] -and/or- Effective against [99.9% [of]] *Salmonella enterica* [(*Salmonella*)]
- Fight[s] -and/or- kill[s] -and/or- Effective against Avian Influenza A virus [on hard, nonporous surfaces]
- Fight[s] -and/or- kill[s] -and/or- Effective against cold -and/or- flu [viruses]<sup>3</sup> -and/or- 9 -or- 10
- Fight[s] -and/or- Kill[s] -and/or- Effective against ***insert organism(s) from Organism Table*** [in ***insert appropriate contact time for respective organism***]
- Fight[s] -and/or- kill[s] -and/or- Effective against [Human] Hepatitis A virus [(HAV)]
- Fight[s] -and/or- kills[s] -and/or- Effective against measles virus on hard, nonporous surfaces
- Fight[s] -and/or- stop[s] -and/or- help[s] -and/or- reduce[s] the spread of [99.9% of] bacteria -and/or- viruses<sup>‡</sup> -and/or- germs on hard, nonporous surfaces [in your ***insert use site(s) from Table 2***] [this cold -and/or- flu season]
- For Instrument Pre-Cleaning & Disinfection of Non-Critical Instruments
- Formulated to kill *Clostridioides difficile*<sup>Y</sup> -or- *C. difficile*<sup>Y</sup> -or- *C. diff*<sup>Y</sup> [(*C. diff*)] [spores]
- Fungicidal
- Fungicide
- Germicidal
- Germicide

- Kills [99.9%] bacteria, viruses<sup>‡</sup>, & fungi<sup>11</sup> in 1 min[ute] on hard, nonporous surfaces
- Kills [99.9% of] Germs
- Kills 99.9% of Germs -and/or- Viruses<sup>‡</sup> -and/or- Bacteria + -or- including COVID-19 Virus<sup>◇</sup>
- Kills -and/or- inactivates Candida auris<sup>¥</sup> -or- C. auris<sup>¥</sup> on hard, nonporous surfaces [in 3 min[utes]]
- Kills bacteria -and/or- viruses<sup>‡</sup> -and/or- fungi -and/or- C. difficile<sup>¥</sup> spores
- Kills bacteria, viruses<sup>‡</sup>
- Kills both Influenza A and B viruses
- Kills Candida auris<sup>¥</sup> -or- C. auris<sup>¥</sup> [in 3 min[utes]]
- Kills Candida albicans
- Kills C. diff<sup>¥</sup> in 3 minutes [in the presence of [three -or- 3 part] soil]
- Kills Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C diff)] [spores] [in 3 min[utes]] [on precleaned, hard, nonporous surfaces]
- Kills Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [spores] [in 3 min[utes]] [on precleaned, hard, nonporous surfaces]
- Kills fungi
- Kills [effective against] both enveloped and non-enveloped viruses<sup>‡</sup> [on hard, nonporous surfaces]
- Kills [effective against] CRE<sup>8</sup> [(Carbapenem-resistant Enterobacteriaceae)]
- Kills [effective] against Enterovirus D68 [on hard, nonporous surfaces]
- Kills Germs -and/or- Flu Viruses<sup>2</sup>
- Kills Influenza A virus [Flu Virus]
- Kills **insert organism(s) from Organism Table** [in **insert contact time**]
- Kills common causes of flu viruses<sup>2</sup> [in US]
- Kills Norovirus<sup>7</sup>
- Kills odor-causing bacteria -or- germs
- Kills -or- Disinfects against -or- Effective against [the] COVID-19 virus<sup>◇</sup> -or- virus that causes COVID-19<sup>◇</sup> [in 1 min[ute]]<sup>P</sup>
- Kills -or- Effective against bacteria -and/or- germs -and/or- viruses<sup>‡</sup>
- Kills -or- Is effective against [99.9999%] Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)] [spores] [in 3 min[utes]][, in the presence of [three -or- 3 part] soil [load]] [on precleaned, hard, nonporous surfaces]
- Kills the spore form of Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)]
- May be used as part of a comprehensive approach to Clostridioides difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> -or- C. difficile<sup>¥</sup> spore control
- Meets surface disinfection recommendations from OSHA[’s] Bloodborne Pathogens Standard
- Multi-purpose disinfectant
- One-step<sup>6</sup> cleaner and disinfectant
- One-step<sup>6</sup> cleaning and disinfecting [saves time]
- One-step<sup>6</sup> disinfectant cleaner designed for general cleaning and disinfecting hard, nonporous surfaces in [medical -and/or- dental] health care facilities -or- **insert use site(s) from Table 2**
- Parvovirucide<sup>‡</sup> -or- Parvovirucidal<sup>‡</sup>
- Proven to kill Candida auris<sup>¥</sup> -or- C. auris<sup>¥</sup> [in 3 min[utes]]
- Pseudomonacidal<sup>4</sup>
- Ready-to-Use 1:10 Dilution of Bleach [(6[.0]%) [and Detergent]
- Ready-to-use disinfectant -or- disinfection for [killing] Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)] [spores]
- Ready-to-Use [Cleaner<sup>6</sup>] [and] Disinfectant
- [Ready-to-use] hospital disinfectant
- [Refer to] see [Clorox<sup>®</sup>] [Terminal] [Cleaning] protocol for additional [cleaning] information
- Renders Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)] [spores] inactive
- Sporocidal<sup>9</sup>
- Tested against the clinically relevant 43598 strain of Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> spores
- Tested [and proven effective] against SARS-CoV-2 [the cause of -or- the coronavirus that causes COVID-19] [in 1 min[ute]]<sup>P</sup>
- Tested under the **insert current test method** as of **date of test method**
- [This product] reduces the spread of germs on treated hard, nonporous surfaces
- [This product] [ is a] multipurpose, broad spectrum cleaner disinfectant for use in healthcare and other areas where control of cross contamination on surfaces is required
- [This product] meets surface disinfection recommendations from OSHA Bloodborne Pathogens Standard. May be used for instrument pre-cleaning<sup>6</sup> and disinfection of non-critical instruments
- To fight Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)] [spores] on precleaned, hard nonporous surfaces
- To kill Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)] [spores] -and/or- Candida auris<sup>¥</sup> -or- C. auris<sup>¥</sup>, let stand for three -or- 3 min[utes]
- To kill -or- inactivate -or-help reduce the spread of Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)] [spores] on precleaned, hard nonporous surfaces
- To reduce Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)] [spores] on precleaned, hard nonporous surfaces in **insert use site(s) from Table 2**
- To reduce cross-contamination on treated surfaces of Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)] [spores]
- Use on hard, nonporous surfaces in public -or- common places where [bacteria -and/or- viruses<sup>‡</sup> -and/or- germs may be of concern] [you are concerned about bacteria -and/or- viruses<sup>‡</sup> -and/or- germs]
- Use **insert product name** for cleaning<sup>6</sup> and disinfecting precleaned, hard nonporous surfaces contaminated with Clostridioides difficile<sup>¥</sup> -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> [(C. diff)] spores
- Virucidal<sup>‡</sup>
- Virucide<sup>‡</sup>
- When used according to label directions, **this product** reduces exposure to Clostridioides difficile<sup>¥</sup> -or- Clostridioides difficile<sup>¥</sup> [(C. diff)] -or- C. difficile<sup>¥</sup> -or- C. diff<sup>¥</sup> from contact with treated hard, nonporous surfaces

**Emerging Viral Pathogen Claims**

**Product name** -or- this product meets the criteria to make claims against certain emerging viral pathogen from the following viral categories:

- Enveloped viruses
- Large non-enveloped viruses
- Small non-enveloped viruses

<i>For an emerging viral pathogen that is a/an..</i>	<i>..follow the directions for use for the following organisms on the label:</i>
Enveloped virus	Norovirus
Large, non-enveloped virus	Norovirus
Small, non-enveloped virus	Norovirus Rhinovirus Type 37

**Product name** -or- this product has demonstrated effectiveness against viruses similar to **insert name of emerging virus** on hard, nonporous surfaces. Therefore, **product name** -or- this product can be used against **insert name of emerging virus** when used in accordance with the directions for use against **insert name of supporting virus(es)** on hard, nonporous surfaces. Refer to the CDC -or- OIE website at **insert pathogen-specific website address** for additional information.

**Insert name of illness/outbreak** is caused by **insert name of emerging virus**. **Product name** -or- this product kills similar viruses and therefore can be used against **insert name of emerging virus** when used in accordance with the directions for use against **insert name of supporting virus(es)** on hard, nonporous surfaces. Refer to the CDC -or- OIE website at **insert pathogen-specific website address** for additional information.

### General Claims

- [Access] [to] [Every] Last Drop Access
- Align to close
- [Be -or- Get] RefillSmart™ -or- ®][!]
- Cleans -and/or- Removes **insert stain(s)/soil(s) from Table 4**
- Contains 6500 ppm Sodium Hypochlorite
- [Contains] the cleaning power of Clorox® Bleach
- Convenient [does not require mixing]
- Delivers consistent [sodium hypochlorite] concentration every time[!]
- [Designed] [for -or- with] [the] Environmental Services Professional[s] [in] [mind][!]
- Does not contain nonylphenol ethoxylates (NPEs) -and/or- alkylphenol ethoxylates (APEs)
- Does not contain VOCs
- Easy and convenient to use
- Easy to handle
- Eliminates [daily] mixing and measuring
- EVS [Environmental Services] [use]
- Expiration Date [**insert date -or- length of time**]
- [For] general use
- For Hospital [&] [Veterinary] hard, nonporous surfaces
- For use on bathroom -or- **insert surface(s) from Table 1** -and/or- **insert use site(s) from Table 2** -and/or- **insert surface material(s) from Table 3** surfaces
- Fresh [lingering] bleach scent
- Get -or- Spray Every [Last] Drop™ -or- ®][!]
- Last Drop Access
- Leaves a fresh bleach scent
- No measuring [required]
- No mixing
- No Waste -or- Wasteless Bottle
- Nonylphenol ethoxylate (NPE) -and/or- alkylphenol ethoxylate (APE) free
- [Note:] This product is compatible with the materials -or- surfaces listed [on the label]
- Patented design bottle
- Pre-measured
- Prevents formulation errors
- Ready to use
- Recyclable [bottle -and/or- product container]
- Removes stains
- REORDER NO.
- Reuse[able] container
- Safe to -or- for use on [the following surface [material]s:] **insert surface material(s) from Table 3**
- See Expiration Date on Bottle
- Shelf-stable formula
- Smart Tube™ -or- ®] Technology
- Specifically -or- Specially designed for the Medical -and/or- Dental -and/or- Veterinary -and/or- Health Care industry
- Suitable for hospital use
- Suitable for use on hard, nonporous surfaces
- Suitable for use on **insert surface material(s) from Table 3**
- [The] smell of clean
- Use on hard, nonporous surfaces[:] **insert surface(s) from Table 1** -and/or- **insert surface material(s) from Table 3**
- VOC-free

**Organism Table**

<b>Bacteria</b>	<b>Strain and/or ATCC</b>	<b>Contact Time</b>
Acinetobacter baumannii [(A. baumannii)]	[ATCC 19606]	1 min[ute]
Bordetella pertussis [(B. pertussis)]	[ATCC 12743]	1 min[ute]
Campylobacter jejuni [(C. jejuni)]	[ATCC 29428]	1 min[ute]
Carbapenem resistant Klebsiella pneumoniae [(CRKP)]	[ATCC BAA-1705]	1 min[ute]
Klebsiella aerogenes <b>tested as Enterobacter aerogenes</b> [(K. aerogenes)]	[ATCC 13048]	1 min[ute]
Enterobacter cloacae - New Dehli Metallo-Beta Lactamase-1 [(NDM-1)] [(NDM-1 E. cloacae)]	[CDC 1000654]	1 min[ute]
Enterococcus hirae	[ATCC 10541]	1 min[ute]
ESBL (Extended Spectrum Beta Lactamase) producing Escherichia coli [(ESBL producing E. coli)]	[ATCC BAA-196]	1 min[ute]
ESBL (Extended Spectrum Beta Lactamase) producing Klebsiella pneumoniae [(ESBL producing K. pneumoniae)]	[CDC 700603]	1 min[ute]
Escherichia coli - New Dehli Metallo-Beta Lactamase-1 [(NDM-1)] [NDM-1 E. coli]	[CDC 1001728]	1 min[ute]
Klebsiella pneumoniae [(K. pneumoniae)]	[ATCC 4352]	1 min[ute]
Klebsiella pneumoniae - New Dehli Metallo-Beta Lactamase-1 [(NDM-1)] [(NDM-1 K. pneumoniae)]	[CDC 1000527]	1 min[ute]
[Methicillin resistant] Staphylococcus aureus (MRSA) [(Methicillin resistant S. aureus)]	[ATCC 33592]	1 min[ute]
<sup>[1]</sup> Multi-drug resistant [(MDR)] Enterococcus faecium [(MDR E. faecium)]	[ATCC 51559]	1 min[ute]
Proteus mirabilis [(P. mirabilis)]	[ATCC 9240]	1 min[ute]
Pseudomonas aeruginosa [(P. aeruginosa)]	[ATCC 15442]	1 min[ute]
Salmonella enterica <b>tested as Salmonella choleraesuis</b> [(S. enterica)]	[ATCC 10708]	1 min[ute]
Serratia marcescens [(S. marcescens)]	[ATCC 14756]	1 min[ute]
Staphylococcus aureus [(S. aureus)]	[ATCC 6538]	1 min[ute]
Staphylococcus epidermidis [(Coagulase Negative staphylococci)] [(CoNS)]	[ATCC 12228]	1 min[ute]
Streptococcus pyogenes [(S. pyogenes)]	[ATCC 19615]	1 min[ute]
Stenotrophomonas maltophilia [(S. maltophilia)]	[ATCC 25596]	1 min[ute]
Streptococcus pneumoniae [(S. pneumoniae)]	[ATCC 6305]	1 min[ute]
Vancomycin Resistant Enterococcus faecalis [(VRE)]	[ATCC 51575]	1 min[ute]
Vancomycin intermediate resistant Staphylococcus aureus [(VISA)]	[HIP 5836]	1 min[ute]
Vancomycin resistant Staphylococcus aureus [(VRSA)]	[NARSA VRS1]	1 min[ute]
Vancomycin resistant Enterococcus faecium [(VRE)]	[ATCC 51559]	1 min[ute]
<b>Spore-forming Bacterium</b>	<b>Strain and/or ATCC</b>	<b>Contact Time</b>
∂Clostridioides difficile <sup>∧</sup> -or- C. difficile <sup>∧</sup> -or- C. diff <sup>∧</sup> spores	[ATCC 43598]	3 min[utes]
<b>Fungi</b>	<b>Strain and/or ATCC</b>	<b>Contact Time</b>
Candida auris <sup>∧</sup> [(C. auris)]	[CDC AR-0381]	3 min[utes]
Candida albicans [(C. albicans)]	[ATCC 10231]	1 min[ute]
Trichophyton mentagrophytes [(T. mentagrophytes)] [(Athlete's Foot Fungus)]	[ATCC 9533]	1 min[ute]

<b>Viruses Enveloped</b>	<b>Strain and/or ATCC</b>	<b>Contact Time</b>
‡Avian Influenza A (H3N2) Virus [(Avian Reassortant)]	[ATCC VR-2072] [Strain A/ Washington/897/80XA/ Mallard/New York/6750/78]	1 min[ute]
‡. ##Hepatitis B Virus [HBV] (Duck Hep B Virus [(DHBV)] as surrogate)		1 min[ute]
‡. ##Hepatitis C Virus [HCV] (Bovine Viral Diarrhea Virus [(BVDV)] as surrogate)		1 min[ute]
‡Herpes Simplex Virus Type 2 [(HSV-2)]	[MS Strain]	1 min[ute]
‡. ##Human Immunodeficiency Virus Type 1 [HIV-1] [(AIDS Virus)]	[Strain HTLV-3]	1 min[ute]
‡Influenza A Virus	[ATCC VR-544] [Strain Hong Kong]	1 min[ute]
‡Influenza B Virus	[ATCC VR-823] [Strain B/ Hong Kong/5/72]	1 min[ute]
‡Measles Virus	[ATCC VR-24]	1 min[ute]
‡MERS - Coronavirus [(Middle East Respiratory Syndrome Coronavirus)] [(MERS-CoV)]		1 min[ute]
‡SARS - Associated Coronavirus [(SARS - CoV)]	[CDC CDC#200300592]	1 min[ute]
‡SARS-CoV-2 [(cause of COVID-19)]	[Strain USA-WA1/2020]	1 min[ute]
<b>Viruses Large Non-enveloped</b>	<b>Strain and/or ATCC</b>	<b>Contact Time</b>
‡Adenovirus type 2	[ATCC VR-846] [Strain Adenoid 6]	1 min[ute]
‡Rotavirus	[ATCC VR-899] [Strain SA-11]	1 min[ute]
<b>Viruses Small Non-Enveloped</b>	<b>Strain and/or ATCC</b>	<b>Contact Time</b>
‡Canine Parvovirus	[ATCC VR-2017] [Strain Cornell]	1 min[ute]
‡Enterovirus type D68	[NR-49132] [Strain US/ KY/14-18953]	1 min[ute]
‡Feline Panleukopenia Virus [Feline Parvovirus]	[ATCC VR-648] [Strain Phillips-Roxane]	1 min[ute]
‡Hepatitis A Virus [(HAV)]	[Strain HM-175]	1 min[ute]
‡Norovirus (Feline Calicivirus as surrogate)	[ATCC VR-782]	1 min[ute]
‡Poliovirus [Type 1]	[Mahoney Strain]	1 min[ute]
‡Poliovirus [Type 1]	[Chat strain, ATCC VR-1562]	1 min[ute]
‡Rhinovirus [Type] 37 [a causative agent of the common cold]	[ATCC VR-1147] [Strain 151-1]	1 min[ute]

**Table 1 Hard, Nonporous Surfaces**

Animal equipment	External surfaces of [veterinary] equipment
Any washable surface where disinfection is required	Faucets
Appliances <sup>5</sup> , [#]	Feed racks
Automatic feeders	Fiberglass [sealed] surfaces
Autoclaves[#]	Floors
[Bathroom] fixtures	Food cases
Bathroom surfaces	Food trays
[Bath]tubs	Footboards
[Bed] head -and/or- foot board	Fountains
Bed pans	Freezers <sup>5</sup> , [#]
Bed railing	Garbage -and/or- trash cans
Behind and under counters	Glazed ceramic tile
Behind and under sinks	Glucometer -or- blood glucose monitors[#]
Behind and under wash basins <sup>P</sup>	[Grocery store -or- supermarket] carts
Blood glucose monitors[#]	Gurneys
B[lood] p[ressure] monitors[#]	Hampers
Booster chairs	Hand railings
Cabinet handles	Hard, nonporous hospital -and/or- medical -and/or- dental surfaces
Cabinets	Hard, nonporous veterinary surfaces
Cages	Headboards
Carts	Headsets[#]
Ceilings	Highchairs
Ceilings	High touch surfaces
Cell[ular] -or- wireless -or- mobile -or- digital phones[#]	Hoods
Chairs	[Hospital -or- patient] bed railings -or- frames
Changing tables	[Inner -or- inside of] drawers
Chemotherapy hoods[#]	IV poles
Closet handles	IV stands
Coated mattresses	Lamps[#]
Coated pillows	Ledges
[Common] hard, nonporous [household] surfaces	Light lens covers
[Computer] keyboards[#]	Mammography equipment[#]
Counter[top]s	[Mayo -and/or- instrument] stands
Cribs	Microwaves <sup>5</sup> , [#]
Dental countertops	Nurse-call device -and/or- button -and/or- and cord
[Dental] operator hard surfaces	Nursery surfaces
Dentist -or- dental chairs	Outdoor furniture (excluding wood frames and upholstery)
Desks	Ovens <sup>5</sup> , [#]
Desktops	Patient chairs
Dialysis machines[#]	Pens
[Diaper -or- infant] changing tables	Phlebotomy trays
Diaper pails	Phone cradle[#]
Dictating equipment [surfaces][#]	Pipes
Dish racks	[Plastic -or- vinyl] mattress covers
Doorknobs	Playpens
Drain boards	Reception counters -or- desks -or- areas
[Exam[ination]] tables	Refrigerators <sup>5</sup> , [#]
Exterior -or- external toilet surfaces	Salad bar sneeze guards
Exterior -or- external urinal surfaces	Shelves
Exterior surfaces of air vents -or- air vent exteriors	Shower fixtures
External surfaces of dialysis machines[#]	Shower -or- shower stalls
External surfaces of [medical] equipment -or- [medical] equipment surfaces[#]	Sills
External surfaces of respiratory equipment[#]	Similar hard, nonporous surfaces except for those excluded by the label
External [surfaces of] ultrasound transducers and probes[#]	Sinks
	Stall doors
	Stalls



Stretchers

Stove[top]s<sup>5</sup>, [#]

Tables

Telecommunication equipment [surfaces]<sup>[#]</sup>

[Tele]phones<sup>[#]</sup>

[Tiled] walls

Toilet rims

Toilet seats

Towel dispensers

Toys

Transducers<sup>[#]</sup>

Troughs

[Tv] remote [control]s<sup>[#]</sup>

Ultrasound transducers [and probes]<sup>[#]</sup>

Vanity tops -or- vanities

Vinyl tile

Vet[erinary] care surfaces

Vet[erinary] clinic surfaces

Watering appliances<sup>[#]</sup>

Wheelchairs



**Table 2 Use Sites<sup>b</sup>**

Acute care facilities	Lab[oratorie]s
Airplanes	Laundromats
Ambulance -or- emergency medical transport vehicles	Laundry rooms
Anesthesia rooms -or- areas	Livestock -and/or- swine -and/or- poultry facilities
Animal hospitals	Locker rooms
Animal housing facilities	Long term care facilities
Animal life science labs -or- laboratories	Manufacturing plants -or- facilities
[Animal -or- pet] grooming facilities	[Medical] clinics
[Assisted living -or- full care] nursing homes	Medical facilities
Bathroom	Medical -or- physician's -or- doctor's offices
Bars	Military installations
Blood banks	Motels
[Blood -and/or- plasma -and/or- semen -and/or- milk -and/or- apheresis] donation centers	N[eonatal] i[ntensive] c[are] u[nit]s
Bowling alleys	Newborn -or- neonatal nurseries
Butcher shops	Nursery
Churches	Nursing -or- nurses' stations
Colleges	Nursing -or- rest homes
Correctional facilities	O[perating] r[oom]s
Day care centers	Ophthalmic offices
Dental clinics	Orthopedic clinics
Dental operatories	Outpatient clinics
Dental -or- dentist's offices	Outpatient surgical centers [(OPSC)]
Dormitories	Patient care areas
cafeterias	Patient restrooms
CAT labs -or- laboratories	Patient rooms
Central service [areas]	[Pediatric] exam[ination] rooms -and/or- areas
Central supply rooms -or- areas	P[ediatric] i[ntensive] c[are] u[nit]s
Commercial -or- institutional kitchens	Pet areas
C[ritical] c[are] u[nit]s	Pet shops -or- stores
Delis	Pharmacies
Dialysis clinics	Physical therapy rooms -and/or- areas
E[mergency] r[oom]s	Physician offices
Equine farms	Produce areas
Exam[ination] rooms	Public areas
[Eye] surgical centers	Radiology -or- x-ray rooms -or- areas
Factories	Recovery rooms
Farms	Recreational centers -or- facilities
Fast food chains -or- restaurants	Rehabilitation facilities -or- centers
Food preparation and processing areas	Respiratory therapy rooms -and/or- areas
Food [service -or- processing] establishments	Restaurants
Funeral homes -or- mortuaries	Restroom areas
Grocery stores	Restrooms
Gym[nasium]s	School buses
Health care settings -or- facilities	School kitchens
Health clubs facilities	Schools
Home health care facilities	Shelters
Hospices	Shower rooms
[Hospital] kitchens	Storage rooms -or- areas
Hospitals	Supermarkets
Hotels	Surgery rooms -or- o[perating] r[oom]s
Industrial facilities	Trains
I[ntensive] c[are] u[nit]s	Transport vehicles
Isolation areas	Universities
Kennels	Vet[erinary] clinics -and/or- facilities -and/or- hospitals -and/or- offices -and/or- areas

**Table 3 Hard Nonporous Surface Materials**

[Baked] enamel	Not Recommended For Use On -or- Avoid Contact With:	
Chrome	Aluminum	Galvanized steel
Fiberglass	Brass	Natural marble
Formica <sup>TM -or- ®</sup> [λλ]	Chipped enamel	Painted surfaces
Glass	Chrome	Paper surfaces
Glazed ceramic	Clothes	Rubber
Glazed porcelain	Copper	Sealed granite
Laminated surfaces	Corian <sup>TM -or- ®</sup> [λ]	Sealed marble
Linoleum	Fabric	Silver
Plastic [lamine]PP	Finished wood	[Unfinished] wood
Marlite <sup>TM -or- ®</sup> [λλλ]		
[Nonporous] vinyl		
Plexiglas <sup>®</sup> [ooo]		
Porcelain enamel		
Synthetic marble		
[Titanium-coated -and/or- medical grade] stainless steel		

**Table 4 Stains/Soils**

- |                   |                                |                          |                  |
|-------------------|--------------------------------|--------------------------|------------------|
| • Blood           | • Fingerprints                 | • Mildew stains          | • Tea [stains]   |
| • Body oils       | • Food residues -and/or- soils | • Mold stains            | • Urine [stains] |
| • Coffee [stains] | • Fruit [stains]               | • [Other] common soils   |                  |
| • Dead skin       | • Grease                       | -and/or- stains          |                  |
| • Dirt            | • Grime                        | • [Other] organic matter |                  |
| • Fecal matter    | • Laboratory stains            | • Rust                   |                  |

**Footnotes**

- <sup>1</sup> This strain of MDR Enterococcus faecium has shown resistance to the following antibiotics: Ampicillin, Gentamicin, Penicillin
- <sup>2</sup> Influenza A Virus, Influenza B Virus
- <sup>3</sup> **Must list at least one virus on label** Influenza A Virus, Influenza B Virus, Avian Influenza A Virus
- <sup>4</sup> Pseudomonas aeruginosa
- <sup>5</sup> exterior surfaces of
- <sup>6</sup> when used according to the disinfectant directions except for C. auris and C. difficile
- <sup>7</sup> as Feline calicivirus
- <sup>8</sup> Escherichia coli (NDM-1), Klebsiella pneumoniae (NDM-1)
- <sup>9</sup> Rhinovirus, MERS - Coronavirus, **must list at least one flu virus on label** Influenza A Virus, Influenza B Virus, Avian Influenza A Virus
- <sup>10</sup> Rhinovirus, MERS - Coronavirus
- <sup>11</sup> Kills Candida auris<sup>Y</sup> in 3 minutes
- <sup>P</sup> [on] hard, nonporous surfaces [of]
- <sup>PP</sup> For unfamiliar surfaces, test in a small, inconspicuous area first. Consult medical equipment warranty information and equipment care and cleaning guides prior to selecting and using any surface disinfectant on plastic surfaces.
- <sup>Y</sup> Follow [the] Special Instructions for Cleaning Prior to Disinfection [listed on label]
- <sup>‡</sup> Viruses]
- <sup>##</sup> Bloodborne Pathogens]
- <sup>‡</sup> Kills SARS-CoV-2 on hard, nonporous surfaces
- <sup>‡</sup> Clostridioides difficile **qualifier only needed for “Sporicidal” claims**
- <sup>#</sup> For any use site that includes electronic components, [please] refer to manufacturer’s instructions. [for appropriate use] [before use]]
- <sup>λ</sup> Corian<sup>®</sup> is a [registered] trademark of [E. I. du Pont de Nemours and Company] [a subsidiary of] [E. I. du Pont de Nemours and Company] [or one or more of its affiliates]
- <sup>λλ</sup> Formica<sup>®</sup> is a [registered] trademark of [The Diller Corporation] [a subsidiary of] [Formica] [Formica Corporation] [or one or more of its affiliates]
- <sup>λλλ</sup> Marlite<sup>®</sup> is a [registered] trademark of [Marlite, Inc.] [a subsidiary of] [Marlite, Inc.] [or one or more of its affiliates]
- <sup>ooo</sup> Plexiglas<sup>®</sup> is a [registered] trademark of [Arkema, Inc.] [a subsidiary of] [Arkema, Inc.] [or one or more of its affiliates]