



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

April 19, 2024

Jamie Venable  
Agent  
Clorox Professional Company  
[jvenable@srcconsultants.com](mailto:jvenable@srcconsultants.com)

Subject: Notification per PRN 98-10 – Remove optional graphics, add optional graphics, and revise packaging related statements  
Product Name: Dispatch Hospital Cleaner Disinfectant Towels with Bleach  
EPA Registration Number: 56392-8  
Received Date: 3/31/2023  
Action Case Number: 00444451

Dear Ms. Venable:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Assurance.

If you have any questions, please contact Jake McFarley at 202-817-5615 or by email at [McFarley.Jake@epa.gov](mailto:McFarley.Jake@epa.gov).

Page 2 of 2  
EPA Reg. No. 56392-8  
Action Case Number 00444451

Sincerely,

A handwritten signature in cursive script, reading "Jake McFarley", is positioned above a light gray rectangular box.

Jake McFarley, Senior Regulatory Advisor  
Regulatory Management Branch 1  
Antimicrobials Division (7510P)  
Office of Pesticide Programs

**Label identification**

Dispatch® Hospital Cleaner Disinfectant Towels with Bleach, EPA Reg. No. 56392-8

R0887108

11:30 3/23/23

**NOTIFICATION**

56392-8

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

04/19/2024

**Formatting notes** (applicable for all claims)

**Now[!]** -and/or- **New[ly][!]** -and/or- **Improved[!]** may be added anywhere to a claim and will only be used for the first 6 months of product on shelf.

Optional text may be placed anywhere on the label -and/or- container.

**Bold, italicized** text is information for the reader and is not part of the label.

Bracketed information is optional text.

All footnotes are on the last page, unless they are part of EPA's mandated text.

The word "and" may be substituted with "&". Plural words may be used in their singular form or singular words may be used in their plural form unless otherwise specified in 40 CFR.

All directions may be written in numbered form or in paragraph form.

All use surfaces and/or use sites on the label may be listed in conjunction with an image of the use surface and/or use site.

Highlighted text is new. Strike-through text means removed.

# Dispatch®

## Hospital Cleaner Disinfectant Towels with Bleach

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:**

See back label for additional precautionary statements

-or-

Read Complete Directions and Precautions on Back

-or- side -or- rear Panels -or- Dispenser Carton

SELECT A SIZE *For canister only*

*Additional statement for single count wipe pouch*

See carton for additional directions for use -or- Read carton before use.

**ACTIVE INGREDIENT:**

Sodium Hypochlorite .....0.65%[††]

**OTHER INGREDIENTS:** ..... 99.35%

Total: .....100.00%

[(Yields Available Chlorine...0.62%)]

[6,200 PPM [Parts Per Million] Available Chlorine]

[Net] [Contents] \_\_\_\_\_ **# of towels and size and weight**

***Each package type and size will bear the actual net contents in pounds and ounces***

Premoistened Wipes -or- Towels

[Individually Packaged]

## PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

### CAUTION:

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### FIRST AID:

**If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. If present, remove contact lenses after the first 5 minutes of rinsing, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [Emergency Information: 1-800-446-1014. -or- Poison Control Center: (800) 446-1014 -or- Clorox Information Line: 1-888-797-7225 -or- Questions? Call 1-888-797-7225.]

#### PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT:

Do not mix with other chemicals. Mixing this product with chemicals (e.g., ammonia, acids, detergents) or organic matter (e.g., urine or feces) in a manner inconsistent with labeling instructions may release hazardous gases irritating to eyes, lungs, and mucous membranes.

For more [product -and/or- ingredient] information, visit [IngredientsInside.com](http://IngredientsInside.com) -or- [www.smartlabel.org](http://www.smartlabel.org).

For [a] Spanish translation of product directions -or- instructions -or- information, visit [www.cloroxprofessional.com](http://www.cloroxprofessional.com).

Mfd. for & © YYYY Clorox Professional Products Company,  
1221 Broadway, Oakland, CA 94612

Made in [the] U.S.A. [of global components -and/or- ingredients.]

EPA Reg. No. 56392-8

EPA Est. No. 8251-OH-1 (Q6), WI-3 (KV); 5813-CA-6 (TPP); GA-2 (VG); IL-2 (VF); 62401-NJ-1 (JW), NC-2 (PK) Beginning of batch code indicates Est. No.

#### additional optional text

Clorox Customer Assistance 1-800-234-7700. Any Questions?

The experts at Clorox are standing by to answer any of your questions. -or- [Questions or Comments?] Call [toll-free] 1-800-234-7700.

[Visit us at -or- For SDS information, [please] go to] [www.cloroxprofessional.com](http://www.cloroxprofessional.com)

To re-order [call **insert company name** at **insert phone number**] -and/or- go to [www.cloroxprofessional.com](http://www.cloroxprofessional.com).

Clorox is a [registered] trademark of The Clorox Company.

Dispatch -or- **insert trademark** is a [registered] trademark of The Clorox Company -or- Clorox Professional Products Company

Patents: [www.thecloroxcompany.com/patents/](http://www.thecloroxcompany.com/patents/)

#### Optional Graphics/Logos/Symbols May be placed anywhere



[Do not flush]




[how2recycle.info](http://how2recycle.info)



[[Use your phone to] go here -and/or- scan [[the] tag -or- [this] code] to learn -or- get -or- see [more] uses -or- information [on how-to-use [This Product]] -or- [how-to] tips -or- [how-to [-use]] videos]



Not a Baby Wipe



[how2recycle.info](http://how2recycle.info)

US ONLY



[how2recycle.info](http://how2recycle.info)



### **Packaging Related Statements**

#### **For fold-pack labels**

Peel [here] for [additional] directions [for use][.]

[Dispenser]

#### **Canister**

**To Open -or- Dispense:** Remove lid. [Discard inner seal from canister.] [To thread:] Find center of [wipe] roll, twist corner of first wipe into a point and thread through the hole in the canister lid. [Pull through about one inch.] Replace lid. Dispense [remaining wipes] [as necessary] by pulling out and tearing off. When not in use, keep [center cap of] lid closed to prevent moisture loss.

**Select-A-Size:** For a 7”x 8” towel - pull one towel gently through the hole, angle sharply and detach at the first perforation. For a 7” x 16” towel - pull two towels gently straight up through the hole. Hold second towel, angle sharply and detach at the second perforation. NOTE: Select-A-Size feature for the larger size towel works best after several smaller towels have been used.

#### **For Pouch -and/or- Flat pack-and/or- transport pack-and/or- soft pack:**

Peel -and/or- reseal [here] -and/or- Lift [here]

**To Open package:** [Open pouch by] peel[ing] back seal. When finished, close to retain moisture

-or-

#### **To Open Package:**

- [1.] Open [click-lock -or- closure] and peel back -and/or- remove seal.
- [2.] Pull out wipe[, use as directed].
- [3.] [When finished,] [firmly] close [click-lock -or- closure] to retain moisture. [A “snap” should be heard, indicating that it is properly closed.]

#### **For single count pouch:**

To Open Package: Tear open packet. Unfold and use as directed. Discard after single use

### **DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

Not for cleaning or sanitizing skin. Do not use as a diaper wipe or for personal cleansing. For surfaces that may come in contact with food, a potable water rinse is required. [Avoid contact with clothes, fabric, wood, [natural] rubber, and painted and paper surfaces. Do not use on silver, copper, or chipped enamel. APPLY CAREFULLY – This product contains bleach.] [Refill only with this product.] [Always refer to manufacturer’s care instructions before using on equipment -or- devices.]

[Look for] Product expiration date on back of canister or pack. [Discard wipe after use.] To prevent cross contamination do not reuse wipe.

A potable water rinse is required for food contact surfaces. Do not use on glassware, utensils, or dishes.

**To [clean and] disinfect [and deodorize] hard, nonporous surfaces:** Wipe [hard, nonporous] surface to be disinfected. Use enough wipes for treated surface to remain visibly wet for the contact time listed below -or- on label. [Rinse.] Let air dry. Visible filth must be removed prior to disinfecting. [If streaking is observed, wipe with a clean, damp [cloth or] paper towel after appropriate contact time has expired.] [For] Killing *Clostridium difficile* [spores]\*: Pre-clean hard, nonporous surfaces by removing visible filth [loose dirt, debris, blood/bodily fluids, etc.]. Wipe [hard, nonporous] surface to be disinfected. Use enough wipes for treated surface to remain visibly wet for three -or- 3 min[utes]. [Rinse.] Let air dry.

**Special Instructions for Cleaning Prior to Disinfection against *Clostridium difficile* spores. Personal Protection:** Wear appropriate barrier protection such as gloves, gowns, masks and eye covering. **Cleaning Procedure:** Remove all visible fecal matter/waste from surfaces/objects before disinfection by application with **product name** -or- this product. Cleaning is to include vigorous wiping and/or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths. **Infectious Materials Disposal:** Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal. **Disinfection procedure:** Wipe surface with towel until completely wet. Allow surface to remain visibly wet for three -or- 3 min[utes]. Wipe dry -or- allow to air dry. Visible soil must be removed prior to disinfecting. Gloves must be worn.

### Ultrasound transducers and probes

For use on external surfaces of ultrasound transducers and probes only.

**To disinfect:** Pre-clean gel from external surface of ultrasound transducer or probe to be disinfected with a paper towel or clean cloth. Then thoroughly wet the probe with a **product name** towel. Allow surface to remain visibly wet for 1 -or- one min[ute].

---

### *The following is only for products with medical use sites medical devices listed on the label*

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream, or normally sterile areas of the body, or (2) contacts intact mucous membranes, but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

---

### **Special Instructions for Use Against HIV-1, HBV and HCV**

This product kills HIV-1, HBV and HCV on precleaned hard, nonporous surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of hard, nonporous surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Human Hepatitis B Virus (HBV) and Human Hepatitis C Virus (HCV).

### **Special instructions for cleaning and decontamination against HIV-1 (AIDS Virus), HBV and HCV on surfaces/objects soiled with blood/body fluids**

**Personal Protection:** When handling items soiled with blood or body fluids, personal protective equipment such as disposable gloves, gowns, masks and eye coverings must be used.

**Cleaning Procedure:** Remove all visible blood/body fluids from surfaces and objects before disinfecting.

**Contact Time:** Allow surfaces to remain visibly wet for one -or- 1 min[ute], [rinse and] let air dry. For all other organisms, see directions for contact times.

**Disposal of Infectious Materials:** Blood, body fluids, and cleaning materials must be autoclaved and disposed according to federal, state, and local regulations for infectious waste disposal.

---

### **Farm Premise And Poultry House Disinfectant [Instructions -or- Directions For Use]**

1. Remove all poultry or animals and feeds from premises, trucks, vehicles, coops, crates, and enclosures.
  2. Remove all litter and manure or droppings from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals or poultry.
  3. Empty all troughs, racks, and other feeding and watering appliances.
  4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
  5. Wipe all surfaces using enough wipes to keep surfaces visibly wet for 3 min[utes].
  6. Wipe all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.
  7. Ventilate buildings, cars, boats, coops, and other closed spaces. Do not house livestock or poultry or employ equipment until treatment has been absorbed, set or dried.
  8. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.
- 

### **Cleaning and Stain Removal**

**To clean -and/or- remove stains:** Follow directions above, but no standing time is required. - or- Wipe surface with a wipe; [rinse and] let air dry. [If streaking is observed, wipe with a clean, damp [cloth or] paper towel.]

## **STORAGE AND DISPOSAL**

### ***For canisters***

Store this product in a cool, dry area away from direct sunlight and heat. When not in use keep center cap of lid closed to prevent moisture loss. Nonrefillable container. Do not reuse or refill this container. Discard used towels and container in trash or take container to recycling center. [Do not flush towels down toilet.]

### ***For soft packs and individually wrapped packs***

Store this product in a cool, dry area away from direct sunlight and heat. Nonrefillable container. Do not reuse or refill this container. Discard used towel and empty package in trash. [Do not flush towels down toilet.]

**Organism Table**

<b><i>Bacteria</i></b>	<b><i>Strain and/or ATCC</i></b>	<b><i>Contact Time</i></b>
Acinetobacter baumannii	[ATCC 19606]	1 min[ute]
Klebsiella aerogenes <b>tested as Enterobacter aerogenes</b>	[ATCC 13048]	1 min[ute]
Enterococcus faecalis, vancomycin resistant -or- Vancomycin resistant Enterococcus faecalis [(VRE)]	[ATCC 51299]	1 min[ute]
Enterococcus hirae	[ATCC 10541]	1 min[ute]
ESBL (Extended Spectrum Beta Lactamase) producing Escherichia coli (ESBL producing E. coli)	[ATCC BAA-196]	1 min[ute]
Klebsiella pneumoniae [(Kleb)]	[ATCC 4352]	1 min[ute]
Methicillin resistant Staphylococcus aureus [(MRSA)]	[ATCC 33592]	1 min[ute]
Multi-drug resistant Enterococcus faecium [(MDR E. faecium)] <sup>[1]</sup>	[ATCC 51559]	1 min[ute]
Pseudomonas aeruginosa [(Pseudomonas)]	[ATCC 15442]	1 min[ute]
Salmonella enterica <b>tested as Salmonella choleraesuis</b>	[ATCC 10708]	1 min[ute]
Serratia marcescens	[ATCC 14756]	1 min[ute]
Staphylococcus aureus [(Staph)]	[ATCC 6538]	1 min[ute]
Streptococcus pyogenes [(Strep)]	[ATCC 19615]	1 min[ute]
<b><i>Spore-forming bacterium</i></b>	<b><i>Strain and/or ATCC</i></b>	<b><i>Contact Time</i></b>
∂Clostridium difficile -or- C. difficile -or- C. diff [(C. diff)] spores <sup>¥</sup>	[ATCC 43598]	3 min[utes]
<b><i>Fungi</i></b>	<b><i>Strain and/or ATCC</i></b>	<b><i>Contact Time</i></b>
Trichophyton interdigitale <b>tested as Trichophyton mentagrophytes</b> [(Athlete's Foot Fungus)] [(Trichophyton)]	[ATCC 9533]	1 min[ute]
Candida glabrata	[ATCC 32312]	3 min[utes]



<b><i>Viruses Enveloped</i></b>	<b><i>Strain and/or ATCC</i></b>	<b><i>Contact Time</i></b>
‡Avian Influenza A Virus	[ATCC VR-2072, Strain A/ Washington/897/80 X A/Mallard/New York/6750/78]	1 min[ute]
‡, ‡‡HIV [Human Immunodeficiency Virus] [Type 1]	[Strain HTLV-3]	1 min[ute]
‡, ‡‡[Human] Hepatitis B Virus [(HBV)] (as duck HBV) <sup>◊◊</sup>		1 min[ute]
‡, ‡‡[Human] Hepatitis C Virus [(HCV)] (as bovine diarrhea virus) <sup>◊◊◊</sup>		1 min[ute]
‡[Human] Herpes simplex Virus [Type 2]	[MS Strain]	1 min[ute]
‡Influenza A Virus [(representative of the common flu virus)]	[ATCC VR-544] [Strain Hong Kong]	1 min[ute]
‡Influenza B Virus [(representative of the common flu virus)]	[ATCC VR-823] [Strain B/Hong Kong/5/72]	1 min[ute]
‡Measles Virus	[ATCC VR-24]	1 min[ute]
‡MERS (Middle East Respiratory Syndrome)-Associated Coronavirus (MERS-CoV)	[Strain EMC/2012]	1 min[ute]
‡SARS-associated Coronavirus	[CDC strain 200300592]	1 min[ute]
‡SARS-CoV-2 [(cause of COVID-19)]	[Strain USA-WA1/2020]	1 min[ute]
<b><i>Viruses Large Non-enveloped</i></b>	<b><i>Strain and/or ATCC</i></b>	<b><i>Contact Time</i></b>
‡Adenovirus [Type 2] [(a cause of the common cold)]	[ATCC VR-846] [Strain Adenoid 6]	1 min[ute]
‡Rotavirus	[ATCC VR-899] [Strain SA-11]	1 min[ute]
<b><i>Viruses Small Non-enveloped</i></b>	<b><i>Strain and/or ATCC</i></b>	<b><i>Contact Time</i></b>
‡, § Canine Parvovirus	[ATCC VR-2017] [Strain Cornell]	1 min[ute]
‡Enterovirus [type] D68 [(EV-D68)]	[Strain US/KY14-18953] [BEI Resources, NR-49132]	1 min[ute]
‡, §Feline Parvovirus [(Feline Panleukopenia Virus)]	[ATCC VR-648] [Strain Philips-Roxane]	1 min[ute]
‡[Human] Hepatitis A Virus [(HAV)]	[Strain HM-175]	1 min[ute]
‡Norovirus <sup>◊</sup>	[ATCC VR-782] [Strain F-9]	1 min[ute]
‡Poliovirus [Type 1]	[Mahoney Strain, Thomas Francis 1941]	1 min[ute]
‡Rhinovirus [Type 37] [(causes colds)]	[ATCC VR-1147] [Strain 151-1]	1 min[ute]

## Antimicrobial Claims

- [3 min[ute]] broad spectrum disinfectant for non-food contact surfaces
- A disinfectant cloth for use on **insert surface(s) from Table 1**
- [A] one-step<sup>2</sup> cleaner -and/or- disinfectant
- Aids in reducing -or- in the reduction of cross-contamination between treated surfaces
- An effective method to clean<sup>2</sup>, deodorize and disinfect against odor-causing organisms on hard, nonporous surfaces listed on this label
- An effective way to disinfect hard, nonporous surfaces listed on this label
- Antibacterial formula
- Appropriate -or- Perfect -or- Ideal [for] Terminal Cleaning [Patient Discharge[s][ing]]
- Assures proper dilution strength, product effectiveness and standardizes technique
- Bacteria -and/or- virus<sup>‡</sup> -and/or- germ killing [formula]
- Bactericidal -and/or- Virucidal<sup>‡</sup> -and/or- Fungicidal -and/or- Sporicidal<sup>‡</sup> -and/or- Disinfectant
- Bactericidal
- Bactericide
- Bathroom disinfectant wipes
- Broad spectrum disinfectant [with Clorox<sup>®</sup> bleach]
- Broad spectrum [Proven] disinfectant [and bactericide -and/or- virucide<sup>‡</sup> -and/or- fungicide] with efficacy against Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> spores
- [Cleans<sup>2</sup> [and], Disinfects, [& Deodorizes] in One Step]
- [Cleans<sup>2</sup> and] disinfects **insert use site(s) from Table 2**
- [Cleans<sup>2</sup> and] disinfects [hard, nonporous surfaces]
- Cleans<sup>2</sup>, deodorizes and disinfects
- Convenient disinfecting on listed hard, nonporous surfaces [throughout the **insert use site(s) from Table 2**]
- Daily use product with Clostridium difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> -or- C. difficile<sup>Y</sup> sporicidal efficacy which allows for product standardization [reduces -or- reducing cleaning complexity]
- Daily use product with sporicidal<sup>‡</sup> efficacy
- Demonstrated Effectiveness against: **insert organism(s) from Organism Table** [on hard, nonporous surfaces -or- on **insert use surface(s) from Table 1**]
- Deodorizes by killing the germs that cause odors
- Designed for killing Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] on surfaces in hospitals
- Designed for killing -or- controlling Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> spores [on hard, nonporous surfaces [and patient care equipment]] in hospitals [and other healthcare facilities]
- Destroys -or- Deactivates [tough-to-kill] Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] [on hospital surfaces]
- Disinfectant
- Disinfecting formula
- Disinfects [and deodorizes]
- Disinfects and deodorizes by killing germs and their odors
- Disinfects hard, nonporous surfaces against SARS-CoV-2 [the cause of -or- the coronavirus that causes COVID-19] [in 1 min[ute]]
- Disinfects hard, nonporous surfaces [throughout the **insert surface(s) from Table 1**]
- Effective against Influenza A Virus [and] **insert organism(s) from Organism Table** [and] [C. difficile<sup>Y</sup> spores] [on precleaned, hard, nonporous surfaces]
- Effective against **Insert organism(s) from Organism Table** [and] Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores]
- Effective against -or- Kills SARS-CoV-2 [the cause of -or- the coronavirus that causes COVID-19] [in 1 min[ute]]<sup>P</sup>
- Effective against -or- Kills Staphylococcus aureus, Salmonella enterica, Pseudomonas aeruginosa [in the presence of organic soil [(5% blood serum)]]
- Effective against -or- Kills **insert organism(s) Organism Table except C. diff** [in the presence of organic soil [(5% blood serum)]]
- Effective disinfectant cleaner<sup>2</sup> [and Clostridium difficile<sup>Y</sup> sporicide] on hard, nonporous surfaces [for use in hospitals, ambulatory care centers, long term care facilities, and other healthcare facilities]
- Effective -or- For daily use against Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores]
- Effective against -or- kills **insert number up to 36** organisms
- [Effectively] disinfects [hard, nonporous] surfaces
- [Efficacy tests have demonstrated that **product name** -or- this product [are -or- is] an effective bactericide, virucide<sup>‡</sup>, and fungicide in the presence of organic soil (5% blood serum)]
- Eliminates odors at their source [caused by germs -or- bacteria]
- Eliminates -or- Reduces odors [caused by germs -or- bacteria]
- Exhibits effective virucidal<sup>‡</sup> activity
- [For] Disinfecting
- [For] Germ Kill[ing]
- Formulated to kill Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores]
- Fungicidal
- Fungicide
- Germicidal disposable wipes
- Germicidal
- Germicide
- Helps reduce the spread of germs -and/or- bacteria -and/or- viruses<sup>‡</sup> -or- pathogens<sup>15</sup> -or- **insert organism(s) from Organism Table** on hard, nonporous treated surfaces
- [In circumstances of room<sup>P</sup> contamination,] clean [room] from cleanest to dirtiest surfaces, [and] [Clean] from highest to lowest [surfaces] [using **insert ABN** -or- this product to clean and disinfect high-touch areas<sup>P</sup>]
- Kill[s] -and/or- Effective against [99.9% [of]] Salmonella enterica [(Salmonella)]
- Kill[s] -and/or- Effective against Avian Influenza A Virus [on hard, nonporous surfaces]
- Kill[s] -and/or- Effective against cold -and/or- flu Virus[es]<sup>8</sup>
- Kill[s] -and/or- Effective against [Human] Hepatitis A [(HAV)]
- Kill[s] -and/or- Effective against **insert organism(s) from Organism Table** [in **insert appropriate contact time for respective organism**]
- [Kills [99.9% of] bacteria, viruses<sup>‡</sup> & a fungus in 1 Min[ute] on Hard, Nonporous Surfaces]
- Kills 99.9% of Germs -and/or- Viruses<sup>‡</sup> -and/or- Bacteria + -or- including COVID-19 Virus<sup>♦</sup>
- Kills [99.9% of] germs [on hard surfaces]

- Kill[s] -and/or- Effective against germs -or- **insert organism(s) from Organism Table** [on hard nonporous surfaces]
- Kill[s] -and/or- Effective against: **insert organism(s) from Organism Table** [on hard, nonporous surfaces -or- on **insert use site(s) from Table 2**]
- Kills bacteria -and/or- viruses<sup>‡</sup> -and/or- a fungus -and/or- Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] [on precleaned, hard, nonporous surfaces]
- Kills bacteria, viruses<sup>‡</sup>
- Kills both Influenza A and B viruses [on hard, nonporous surfaces]
- Kills Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] [on precleaned, hard, nonporous surfaces]
- Kills Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] in 3 min[utes] [on hard, nonporous surfaces]
- Kills [effective against] both enveloped and nonenveloped viruses<sup>‡</sup> [on hard, nonporous surfaces]
- Kills flu viruses<sup>7</sup> [in US]
- Kills **insert organism(s) from Organism Table** [in **insert contact time**]
- Kills micro-organisms **insert organism(s) from Organism Table** [on hard, nonporous surfaces]
- Kills multiple strains of Staphylococcus aureus<sup>9</sup> -and/or- Influenza viruses<sup>7</sup>
- Kills Norovirus<sup>4</sup>
- Kills odor-causing bacteria -and/or- germs
- Kills -or- Disinfects against -or- Effective against [the] COVID-19 virus<sup>◇</sup> -or- virus that causes COVID-19<sup>◇</sup> [in 1 min[ute]]
- Kills -or- is effective against **insert organism(s) from Organism Table** [on hard, nonporous surfaces -or- on **insert use surface(s) from Table 1**]
- Kills -or- Is effective against [99.9999%] Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] [in 3 min[utes] [on precleaned, hard, nonporous surfaces]
- Kills -or- Effective against bacteria -and/or- germs -and/or- viruses<sup>‡</sup>
- Kills -or- Is effective against [99.9999%] Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] [in 3 min[utes]], [in the presence of [three (3) part] soil [load]] [on hard, nonporous surfaces]
- Kills the spore form of Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores]
- May be used as part of a comprehensive approach to Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> spore control
- Meets surface disinfection recommendations under OSHA's Bloodborne Pathogens Standard -or- Guideline
- One-step<sup>2</sup> cleaner and disinfectant
- One-step<sup>2</sup> cleaning and disinfecting [saves time]
- One-step<sup>2</sup> disinfectant cleaner designed for general cleaning<sup>2</sup> and disinfecting hard, nonporous surfaces in health care facilities -or- **insert use site(s) from Table 2**
- Parvovirucidal<sup>3</sup>
- Parvovirucide<sup>3</sup>
- Pay close attention to hot spots or frequently touched surfaces **insert surface(s) from Table 1** and disinfect regularly, up to 3 times daily
- Pre-moistened disposable towels for use in healthcare and other areas where control of cross contamination is required
- Pre-moistened towels with 1:10 dilution of bleach [(6%)] and detergent
- **Product name** are intended for cleaning<sup>2</sup> and disinfecting hard, nonporous surfaces where control of cross-contamination between treated surfaces is required.
- **Product name** may be used to clean<sup>2</sup> and disinfect in one step; see directions for use on this label for cleaning and disinfecting in one step
- Pseudomonacidal<sup>10</sup>
- Ready-to-use disinfectant [disinfection] for [killing] Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores]
- [Ready-to-use] hospital disinfectant
- Reduces cross-contamination of **insert organism(s) from Organism Table** on treated, hard nonporous surfaces
- Reduces exposure to Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] from treated surfaces
- Reduces exposure to Methicillin-Resistant Staphylococcus aureus [(MRSA)] from treated surfaces
- Reduces cross-contamination on treated surfaces
- Reduce[s] the spread of [common] germs<sup>15</sup> -or- pathogens<sup>15</sup> listed on the label on hard, nonporous treated surfaces
- Renders Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] inactive
- Staphylocidal<sup>9</sup>
- The answer to your disinfecting needs
- [The] convenient way to disinfect
- Tested [and proven effective] against SARS-CoV-2 [the cause of -or- the coronavirus that causes COVID-19] [in 1 min[ute]]<sup>P</sup>
- Tested Clostridium difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> -or- C. difficile<sup>Y</sup> spores [with soil load]
- [This product] reduces the spread of germs on treated, hard, nonporous treated surfaces
- To break down and kill -or- inactivate -or- [help reduce the spread of Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] [on treated surfaces] on precleaned, hard, nonporous treated surfaces
- To kill Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] on precleaned, hard, nonporous surfaces, [allow surface to remain visibly wet for three -or- 3 min[utes]]
- To kill -or- inactivate Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] [on surfaces]
- To reduce Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] [spores] on [precleaned, hard, nonporous] surfaces in **insert use site(s) from Table 2**
- Use in public -or- common places where [bacteria -and/or- viruses<sup>‡</sup> -and/or- germs may be of concern] [you are concerned about bacteria -and/or- viruses<sup>‡</sup> -and/or- germs] [on hard, nonporous surfaces]
- Used the -or- Tested against the clinically relevant 43598 strain of Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> spores
- Use where control of cross-contamination between treated surfaces is of prime importance
- Virucidal<sup>‡</sup>
- Virucide<sup>‡</sup>
- When used according to label directions, [this product] reduces exposure to Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] from contact with -or- treated surfaces
- Virucidal<sup>‡</sup>
- Virucide<sup>‡</sup>
- When used according to label directions, [this product] reduces exposure to Clostridium difficile<sup>Y</sup> -or- C. difficile<sup>Y</sup> -or- C. diff<sup>Y</sup> [(C. diff)] from contact with -or- treated surfaces

### **Emerging Viral Pathogen Claims**

This product qualifies for emerging viral pathogen claims per the EPA's 'Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels' when used in accordance with the appropriate use directions for use indicated below.

This product meets the criteria to make claims against certain emerging viral pathogens from the following viral category:

- Enveloped viruses
- Large, non-enveloped viruses

<i>For an emerging viral pathogen that is an:</i>	<i>... follow the directions for use for the following organisms on the label:</i>
Enveloped virus	Adenovirus Enterovirus [type] D68
Large, non-enveloped virus	Enterovirus [type] D68

***Product name*** -or- this product has demonstrated effectiveness against viruses similar to ***insert name of emerging virus*** on hard, nonporous surfaces. Therefore, ***product name*** -or- this product can be used against ***insert name of emerging virus*** when used in accordance with the directions for use against ***insert name of supporting virus(es)*** on hard, nonporous surfaces. Refer to the CDC -or- OIE website at ***insert pathogen-specific website address*** for additional information.

***Insert name of illness/outbreak*** is caused by ***insert name of emerging virus***. ***Product name*** -or- this product kills similar viruses and therefore can be used against ***insert name of emerging virus*** when used in accordance with the directions for use against ***insert name of supporting virus(es)*** on hard, nonporous surfaces. Refer to the CDC -or- OIE website at ***insert pathogen-specific website address*** for additional information.

### General/Miscellaneous Claims

- A solution impregnated in a wiping cloth
- Advanced cleaning formula
- Be ready
- Better -or- Improved Dispensing -and/or- easy-to-pull [wipes]
- Bleach-based formula means no quat-binding concerns [with wiping]
- Cleaning
- Cleaning made easy
- Cleans
- Cleans the toughest soils
- Cleans tough messes
- Clorox® clean
- Compatible with a wide variety of surfaces. Check [cloroxhealthcare.com/compatible](http://cloroxhealthcare.com/compatible)
- Contains 6,500 ppm Sodium Hypochlorite
- Contains [Clorox®] bleach
- Contains no abrasives, harsh acids
- Convenient
- Deep clean[ing] [formula]
- Delivers a clean you can see and smell
- Delivers consistent [amount of solution] concentration every time[!]
- Delivers consistent [sodium hypochlorite] concentration every time[!]
- Deodorizes
- [Designed] For daily use -or- Use for daily [or] [discharge] cleaning [in Healthcare facilities]
- [Designed] [for] [with] [the] Environmental Services Professionals [in] [mind][!]
- Designed to be used around -or- for care of -or- in the care of Immune-compromised -or- chemotherapy patients -or- individuals
- Does not contain nonylphenol ethoxylates [(NPEs)] -and/or- alkylphenol ethoxylates [(APEs)]
- Does not contain VOCs
- Does not require [the hassle of] dispensing systems
- Does not produce mist or overspray
- Dries quickly
- Easy [and convenient] to use
- Easy to handle
- Effectively removes everyday soils
- Eliminates airborne particles associated with sprays
- Eliminates [daily] mixing and measuring
- Eliminates odors from fecal matter and urine
- EVS [Environmental Services] [use]
- Expiration Date **insert date -or- length of time**
- [For] general use
- For more advice -or- tips -or- education -or- support -or- information visit us at [www.cloroxprofessional.com](http://www.cloroxprofessional.com)
- For more advice -or- tips -or- education -or- support -or- information) call us [toll free] at **insert phone number**
- [For] Surface [care]
- [For] Surface cleaning
- For use on bathroom surfaces
- For use on nursery surfaces
- [Formulated -or- Designed to] remove[s] biological odors including Urine -and/or- Feces -and/or- Vomit
- Fresh [lingering] bleach scent
- Freshens
- Great for everyday use
- [Heavy] cloth-like towel
- Institutional [size]
- Large [wipe] [size]
- Large[r] Surfaces
- Leaves a fresh bleach scent
- Leaves nothing behind
- Lightly scented -or- quick-dissipating scent
- Maximum cleaning, minimum effort
- Medium [wipe] [size]
- Moist wipes
- Multi-purpose[: clean and deodorize]
- Multi-surface
- Neutralizes odors [doesn't [just] mask]
- New Look -or- Pack
- New Pack, Same [Great] Wipe
- No strong smell
- No measuring [required]
- No mixing
- Non-abrasive formula
- Nonylphenol ethoxylate [(NPE)] -and/or- alkylphenol ethoxylate [(APE)] free
- Not for personal use
- NOT TO BE USED AS BABY WIPES
- [Note:] This product is compatible with the listed materials
- [Now with - and/or- X%] more wipes
- Powers through tough messes
- Pre-measured
- Pre-moistened [towelettes]
- **Product name** are pre-moistened with a unique, stabilized bleach and detergent solution and are ready-to-use.
- **Product name** are useful in a variety of healthcare and nursery/daycare applications listed on the [this] label
- Prevents formulation errors
- Ready to use
- Recyclable [bottle -or- product container]
- Reduced -or- less [packaging -or- plastic] waste
- [Refer to] see [Clorox®] [Terminal] [Cleaning] protocol for additional [cleaning] information
  - Reuse[able] container -or- bucket
  - Pouch[es]
  - [Sturdy] Buckets
  - System
  - Protocols
- Removes **insert stain(s)/soil(s) from Table 4**
- Removes stains
- REORDER NO.
- Safe to -or- for use on **insert surface material(s) from Table 3**
- [Same wipes], [X%] less [packaging -or- plastic] waste
- See expiration date [on package]
- Shelf-stable formula
- Small [wipe] [size]
- [Specifically -or- Specially] designed for the Medical/Dental/Veterinary/Health Care industry
- Starts cleaning on contact
- Strong cleaning power

- [Strong,] [Durable,] cloth-like wipes
- [Strong,] [Durable,] non-woven disposable cloth
- [Strong,] [Durable,] non-woven wipe does not leave lint on surfaces [following use]
- Suitable for hospital use
- Suitable for use on ***insert surface material(s) from Table 3***
- Suitable for use on titanium-coated -or- medical grade stainless steel
- Suitable for use on hard, nonporous surfaces
- Surfaces: For use on hard, nonporous surfaces such as ***insert surface material(s) from Table 3***
- Terminal Cleaning Wipes -or- Towel[s] [Refill[able]]
- [The] smell of clean
- This wipe is saturated with a 1:10 sodium hypochlorite solution
- Usable on a variety of soils
- Use of this product does not produce mist in the air.
- VOC free
- We're there for you
- Works on -or- effective against -or- removes the following stains -and/or- soils: ***insert stain(s)/soil(s) from Table 4***
- XL -or- Extra Large [wipe] [size]
- [XXL [wipe] [size]



**Table 1 Surfaces<sup>P</sup>**

Animal equipment	External surfaces of [medical] equipment	Outdoor furniture (excluding wood frames and upholstery)
Appliance exteriors	-or- [medical] equipment surfaces	Oven exteriors
Appliances	External [surfaces of] ultrasound transducers	[Patient] chairs
Autoclaves	External surfaces of [veterinary] equipment	Patient monitoring equipment
Automatic feeders	Faucets	Pens
[Bathroom] fixtures	Feed racks	Phlebotomy trays
[Bath]tubs	Floors	Phone cradles
[Bed] head -and/or- foot boards	Food cases <sup>[5], 12</sup>	Pipes
Bed pans	Food trays <sup>[5], 12</sup>	Plastic mattress covers
Bed rails -or- railing	Fountains	Playpens
[Bedside] commodes -or- tables	Freezer exteriors	PVC tubing
Bedframes	Garbage -or- trash cans	Reception counters -or- desks
Behind and under counters <sup>P</sup>	Glazed ceramic tiles	Refrigerator exteriors
Behind and under sinks <sup>P</sup>	Glucometer exteriors	Salad bar sneeze guards
Booster chairs	Glucometers -or- Blood Glucose Monitors	Shelves
BP Monitors	[Grocery store -or- supermarket] carts	Shower fixtures
Cabinet handles	Gurneys	Showers -or- shower stalls
Cabinets	Hampers	Shower walls
Cages	Hand railings	Sinks
Carts	Hard, nonporous [dental -and/or- hospital -and/or- medical -and/or- veterinary] surfaces	Stall doors
Ceilings	Headsets	Stretchers
Cell[ular] -or- wireless -or- mobile -or- digital phones	Highchairs <sup>[5], 12</sup>	Stove[top]s <sup>14</sup>
Chemotherapy Hoods	High touch surfaces	Support bars
Closet handles	Hoods	Table[top]s
Coated mattresses <sup>P</sup>	[Hospital -or- patient] bed railings -and/or- linings -and/or- frames	[Tele]phones
Coated pillows <sup>P</sup>	Infant incubators and care cribs	[Tiled] walls
[Computer] keyboards	[Inner -or- inside of] drawers	Toilet rims
[Computer] monitors	IV poles	Toilet seats
Cribs	IV stands	Towel dispensers
Dental counter[top]s	[Laminated plastic] counter[top]s	Toys
Dental operatory surfaces	Laminated surfaces	Troughs
[Dentist -or- dental] chairs	Lamps	[TV] Remote [Control]s
Desks [tops]	Light lens covers	Ultrasound Transducers [and Probes]
[Diaper -and/or- infant] changing tables	Mammography equipment	Vanities
Diaper pails	Mattress covers	Vanity tops
Diagnostic equipment	Mayo -and/or- Instrument Stands	Veterinary care surfaces
Dictating equipment [surfaces]	Med[ication] carts	Wash basins
Dish racks	Microwave exteriors	Washable (food <sup>12</sup> -and/or- non-food contact surface where disinfection is required)
Doorknobs	Nurse-Call Device -and/or- Buttons -and/or- Cords	Watering appliances
Drain boards	Other telecommunications equipment [surfaces]	Wheelchairs
Exam[ination] tables		X-Ray machine surfaces
Exterior -or- external toilet surfaces		
Exterior -or- external urinal surfaces		
Exterior surfaces of air vents -or- air vent exteriors		

**Table 2 Use Sites**

Acute Care Facilities	Fast Food Chains -and/or- Restaurants	Outpatient Clinics
Airplanes	Food Preparation and Processing Areas <sup>12</sup>	Outpatient Surgical Centers [(OPSC)]
Ambulances	Food [Service -and/or- Processing] Establishments <sup>12</sup>	Patient Care Areas
Animal Housing Facilities	Food Serving Areas <sup>12</sup>	Patient Restrooms
Animal Life Science Lab[oratorie]s	Funeral Homes	Patient Rooms
[Animal -and/or- Pet] Grooming Facilities	Grocery Stores	Pet Areas
Anesthesia Rooms -and/or- Areas	Gym[nasium]s	Pet Shops -or- Stores
[Assisted Living -and/or- Full Care] Nursing Homes	Health Care Settings -or- Facilities	[Pediatric] Exam[ination] Rooms -and/or- Areas
Bars	Health Club Facilities	P[ediatric] I[ntensive] C[are] U[nit]s
Bathrooms	Home Health Care [Settings]	Pharmacies
Bedrooms	Hospices	Physicians Offices
Blood Banks	[Hospital] central service areas	Physical Therapy [Rooms -and/or- Areas]
[Blood -and/or- plasma -and/or- semen -and/or- milk -and/or- apheresis] Donation centers	[Hospital] Kitchens	Produce Areas
Bowling Alleys	Hospital [Premises]	Public Areas
Butcher Shops	Hotels	Radiology -or- X-Ray [Rooms -or- Areas]
Cafeterias	Industrial Facilities	Reception areas
CAT Lab[oratorie]s	I[ntensive] C[are] U[nit]s	Recovery Rooms
Central Supply Rooms -or- Areas	Isolation Areas	Recreational Centers -or- Facilities
Churches	Kennels	Rehabilitation Areas
Clinics	Lab[oratorie]s	Respiratory Therapy Rooms -or- Areas
Colleges	Laundromats	Restaurants
Commercial -or- Institutional Kitchens	Laundry Rooms	Restrooms -or- Restroom Areas
Correctional Facilities	Livestock -and/or- Swine -and/or- Poultry Facilities	School Buses
C[ritical] C[are] U[nit]s	Locker Rooms	School Kitchens
Day Care Centers	Long Term Care Facilities	Schools
Deli[catessen]s	Manufacturing Plants -and/or- Facilities	Shelters
Dental Operatories	[Medical] Clinics	Shower Rooms
Dental -or- Dentist's Offices	Medical Facilities	Sills Ledges
Dining Halls -and/or- Rooms	Medical -and/or- Physician's -and/or- Doctor's Offices	Small Animal Facilities
Dormitories	Military Installations	Stalls
Dialysis Clinics	Motels	Storage Rooms -and/or- Areas
Dialysis Machines	N[eonatal] I[ntensive] C[are] U[nits]	Supermarkets
[Emergency Medical] Transport Vehicles	[Newborn -or- Neonatal] Nurseries	Surgery Rooms -or- O[perating] R[oom]s
E[mergency] R[oom]s	Nursing Homes	Trains
Equine Farms	Nursing -or- Nurses' Stations	Transport Vehicles
[Eye] Surgical Centers	Ophthalmic Offices	Universities
Factories	Orthopedics	Veterinary -and/or- Animal Hospitals
Farms	Other Food Service Establishments	Veterinary Clinics -and/or- Facilities
		Veterinary Offices



**Table 3 Surface Materials**

[Baked] enamel  
Chrome  
Fiberglass [sealed] surfaces  
Formica<sup>λλ</sup> [® -or-TM]  
Glass  
Glazed porcelain  
Linoleum

Marlite<sup>λλλ</sup> [® -or-TM]  
[Nonporous] vinyl  
Plastic [lamine] <sup>pp</sup>  
Plexiglas<sup>□□□</sup> [® -or-TM]  
Porcelain enamel  
Stainless steel  
Synthetic marble

Not Recommended For Use On -or- Avoid contact with:

Aluminum  
Brass  
Chipped enamel  
Clothes  
Copper  
Corian<sup>λ</sup> TM -or- ®  
Fabric  
Finished wood  
Galvanized steel

Natural marble  
Painted surfaces  
Paper surfaces  
Rubber  
Sealed granite  
Sealed marble  
Silver  
[Unfinished] wood

**Table 4 Stains/Soils**

- Blood
- Bodily fluids
- Body oils
- Coffee [stains]
- Common soils
- Dead skin
- Defecation
- Dirt
- Fecal matter

- Feces
- Fingerprints
- Food residues -and/or- soils
- Food stains
- Fruit [stains]
- Grease
- Grime
- Lab[oratory] stains
- Mildew stains

- Mold stains
- Mucus
- [Other] common soils -and/or- stains
- [Other] organic matter
- Phlegm
- Protein-based matter
- Saliva
- Spit

- Spittle
- Sputum
- Stool
- Tea [stains]
- Throw-Up
- Urine
- Vomit

### Footnotes

<sup>1</sup> This strain of Enterococcus faecium has shown resistance to the following antibiotics: Ampicillin, Gentamicin, Penicillin

<sup>2</sup> when used according to the disinfection directions<sup>[5]</sup>

<sup>3</sup> Canine Parvovirus, Feline Parvovirus

<sup>4</sup> Tested as Feline calicivirus

<sup>5</sup> Non-food contact surfaces

<sup>7</sup> Influenza A Virus -and/or- Influenza B Virus

<sup>8</sup> Influenza A Virus -and/or- Influenza B Virus, Adenovirus, Rhinovirus, MERS-CoV<sup>13</sup>, SARS-associated Coronavirus

<sup>9</sup> Staphylococcus aureus, Methicillin-resistant Staphylococcus aureus (MRSA)

<sup>10</sup> Pseudomonas aeruginosa

<sup>12</sup> [The] surface must be rinsed after treatment -and/or- prior to use

<sup>13</sup> Middle East Respiratory Syndrome-Associated Coronavirus

<sup>14</sup> allow surfaces to come to room temperature prior to treatment

<sup>15</sup> Pseudomonas aeruginosa, Staphylococcus aureus, and ***insert a virus from organism table. optional: insert one or more additional bacteria, virus, or fungi from disinfection list of organism table***

<sup>††</sup> Does not include weight of dry wipe

<sup>[‡</sup> Viruses]

<sup>[††</sup> Bloodborne pathogens]

<sup>¥</sup> Follow [the] Special Instructions for Cleaning Prior to Disinfection [listed on label]

[§ Parvoviruses]

<sup>∂</sup> Clostridium difficile

<sup>✦</sup> Kills SARS-CoV-2 on hard, nonporous surfaces

<sup>p</sup> [on] hard, nonporous surfaces [of] [identified on this label]

<sup>pp</sup> For unfamiliar surfaces, test in a small, inconspicuous area first. Consult medical equipment warranty information and equipment care and cleaning guides prior to selecting and using any surface disinfectant on plastic surfaces

<sup>◇</sup> [Tested] as Feline calicivirus

<sup>◇◇</sup> [tested] as Duck Hepatitis B Virus

<sup>◇◇◇</sup> [tested] as Bovine viral diarrhea Virus

<sup>λ</sup> Corian is a [registered] trademark of [E. I. du Pont de Nemours and Company] [a subsidiary of] [E. I. du Pont de Nemours and Company] [or one or more of its affiliates]

<sup>λλ</sup> Formica is a [registered] trademark of [The Diller Corporation] [a subsidiary of] [Formica] [Formica Corporation] [or one or more of its affiliates]

<sup>λλλ</sup> Marlite is a [registered] trademark of [Marlite, Inc.] [a subsidiary of] [Marlite, Inc.] [or one or more of its affiliates]

<sup>□□□</sup> Plexiglas is a [registered] trademark of [Arkema, Inc.] [a subsidiary of] [Arkema, Inc.] [or one or more of its affiliates]