



SWC-A389

ACTIVE INGREDIENTS	
Disodium cyanodithioimidocarbonate	7.35 %
Potassium N-methyldithiocarbamate	10.15 %
INERT INGREDIENTS	82.50 %
TOTAL	100.00 %

This product contains 1.12 lb of active ingredients per gallon and weighs 1.25 lb per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye irritation. Avoid contact with eyes. Wash thoroughly with water. Wear goggles or face shield and gloves when handling. Avoid contact with skin. Avoid breathing dust.

STATEMENT OF FIRST AID TREATMENT: In case of eye contact, flush eyes with water for at least 15 minutes. If swallowed, drink water. If inhaled, get fresh air. If on skin, wash with soap and water. If on clothing, remove and wash separately.

Precautions: Do not use in food areas. Do not use on food crops. Do not use on lawns. Do not use on ornamentals. Do not use on trees. Do not use on shrubs. Do not use on vines. Do not use on flowers. Do not use on plants. Do not use on animals. Do not use on children. Do not use on pregnant women. Do not use on nursing infants. Do not use on the elderly. Do not use on the infirm. Do not use on the weak. Do not use on the sick. Do not use on the dying. Do not use on the dead.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SWC-A389 is used to control algae and bacteria in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 1.3 to 5.0 fluid ounces of SWC-A389 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.1 to 2.6 fluid ounces of SWC-A389 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of biofilm and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep containers closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL:

METALS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures as approved by state and local authorities.

PLASTICS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill; by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Manufactured by

EPA REG. NO.

EPA EST. NO.