### PRECAUTIONARY STATEMENTS

# CAUTION

Avoid ingestion or excessive contact with skin or eyes. If swallowed drink 8 ounces or more of water. For skin or eye contact. flush with water.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to water sources. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For seed treatment (per hun-dredweight)

- 1) For user application apply 16 fluid ounces undiluted treatment to seed so that treatment thoroughly coats. A metering pump and small auger may be used. While premature germination should not be a problem, moisture content of treated seed will be increased by about 1.05%.
- for your treatment is too viscous for your treatment equipment, it may be diluted by any fractional amount as long as the application rate for treatment is increased proportionately. For example, dilute by 50% by adding 1 part water to 1 part treatment and use 32 fluid ounces per hundred weight of seed. This will increase moisture content by about 2.1%. Seed should then be planted as soon as

# YEA!

Poly-D-glucosamine solution

# WHEAT SEED TREATMENT

A natural yield enhancing agent to be applied to both Winter and Spring varieties of wheat seed prior to planting. Yield enhancing activity is accomplished by stimulating plant root and stem growth thereby decreasing lodging.

#### INGREDIENTS:

D-GLUCOSAMINE 2.50%
INERT INGREDIENTS 97.50%
Total 100.00%

This product contains 0.2 lb. of poly-D-glucosamine per gallon.

# KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

# DISTRIBUTED BY:

Natural Ag, a division of Bentech Laboratories, Inc. 635 Water Avenue Albany, Oregon 97321 Establishment No. EPA Registration No. 56437-1

#### **NET CONTENTS:**

30 Gallons (treats 240 hundredweight or 12 tons)

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For seed treatment (per hun-

dredweight)

- 1) For user application apply
  16 fluid ounces undiluted treatment to seed so that treatment
  thoroughly coats. A metering
  pump and small auger may be used.
  While premature germination
  should not be a problem, moisture
  content of treated seed will be
  increased by about 1.05%.
- 2) If treatment is too viscous for your treatment equipment, it may be diluted by any fractional amount as long as the application rate for treatment is increased proportionately. For example, dilute by 50% by adding 1 part water to 1 part treatment and use 32 fluid ounces per hundred weight of seed. This will increase moisture content by about 2.1%. Seed should then be planted as soon as possible after treatment.

#### STORAGE AND DISPOSAL

STORAGE: Store in original container only. Containers should not be reused for other purposes. Keep product from freezing and from excessive heat. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the une of this product may be disposed of on site.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

# INGREDIENTS:

ACTIVE INGREDIENT POLY-

D-GLUCOSAMINE 2.50%
INERT INGREDIENTS 97.50%
Total 100.00%

This product contains 0.2 lb. of poly-D-glucosamine per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

# DISTRIBUTED BY:

Natural Ag, a division of Bentech Laboratories, Inc. 635 Water Avenue Albany, Oregon 97321 Establishment No. EPA Registration No. 56437-1

#### **NET CONTENTS:**

30 Gallons (treats 240 hundredweight or 12 tons)

