

YEA!™

Yield Enhancing Plant Growth Regulator For Use In Culture of Vegetable Crops

Used as directed on this label, YEA!™ will stimulate growth and will increase yield of crops listed on this label.

1. Spray plant foliage every two weeks:
2. Apply as a diluted solution, using 1.5 tablespoons of YEA!™ per pint of water.
3. Results in healthier, more vigorous plants and increased yield.
4. Use dedicated equipment, or thoroughly cleaned equipment to prevent contamination with other pesticides or chemicals previously used in the equipment.
5. Apply for thorough coverage of leaf surface, without runoff.
6. Refrigerate concentrate and unused diluted spray after opening.

INGREDIENTS:

ACTIVE (POLY-D-GLUCOSAMINE)	2.5%
INERT	97.5%
TOTAL	100%

Product contains 0.21 lbs. of
Poly-D-glucosamine/gallon

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:
DCV, Inc.
3521 Silverside Road
Wilmington, Delaware 19810

Establishment No. 67894-NC-01
EPA Registration No. 56437-1

ACCEPTED
6/23/99
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
no amount, for the pesticide
registered under
EPA Reg. No. 56437-1

NET CONTENTS

	5 Gallons
	1 Gallon

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

**PRODUCT STORAGE, USE
AND DISPOSAL**

STORAGE:

Store in original container only. Keep product from freezing, contamination, and from excessive heat. In order to prevent contamination, do not return unused material to original container.

PRODUCT DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.


CONTAINER DISPOSAL:

Do not reuse container. Rinse thoroughly before discarding in trash.

NOTICE OF WARRANTY

DCV, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

In no case shall the seller be liable for consequential or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer.



DIRECTIONS FOR USE

It is a violation of federal laws to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas until sprays have dried.

PPE required for early entry into the treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- (1) coveralls, (2) waterproof gloves, (3) shoes plus socks.

GENERAL INSTRUCTIONS

Prepare spray solutions by diluting seven (7) ounces of YEA!™ to one gallon with water. Apply diluted YEA!™ solution every two weeks to vegetable crops listed below. Treatment should begin when the first trifoliar leaves have unfurled, or as soon as practicable thereafter. Apply sufficient spray solution to wet leaf surfaces. Volume of diluted solution of YEA!™ required will increase as leaf surface grows. Spray residues on harvested vegetables may be removed by washing in water.

SPECIFIC CROP INSTRUCTIONS

The diluted solution of YEA!™ containing 7 oz. of YEA!™ per gallon, should be applied to the growing plants as follows:

Beans (all types): Apply every two weeks, beginning when the first trifoliar leaves have unfurled. Do not apply within three days of harvesting.

Broccoli: Apply every two weeks, beginning when the first true leaves are unfurled. Do not apply within three days of harvesting.

Eggplants: Apply every two weeks, beginning when the first true leaves are unfurled. Do not apply within three days of harvesting.

Peas (all types): Apply every two weeks, beginning when the first true leaves are unfurled. Do not apply within three days of harvesting.

Peppers (all varieties): Apply every two weeks, beginning when the first true leaves are unfurled. For one time harvesting, do not apply within three days of harvesting. When handpicking is practiced, continue to spray every two weeks, so long as there is fruit to be harvested.

Potatoes (Irish varieties): Apply every two weeks, beginning when the first true leaves are unfurled. Do not apply within three days of harvesting.

Sweet Corn (all varieties): Apply every two weeks, beginning when the first true leaves are unfurled. Do not apply within three days of harvesting.

Tomatoes (all varieties): Apply every two weeks, beginning when the first true leaves are unfurled. For one time harvesting, do not apply within three days of harvesting. When handpicking is practiced, continue to spray every two weeks, so long as there is fruit to be harvested.

Lettuce (all varieties): Apply every two weeks, beginning when the first true leaves are unfurled. Do not apply within three days of harvesting.

Celery (all varieties): Apply every two weeks, beginning when the first true leaves are unfurled. Do not apply within three days of harvesting.

USE PRECAUTIONS

To prevent contamination of the dilute solution of YEA!™ by possible pesticide or other chemical residues in the spraying equipment, use dedicated equipment, or be sure that the equipment is thoroughly clean before use.

