

56493-15

111-15

1/27/70

124

**RABON® Insecticide Emulsifiable  
Larvicide and Residual Fly Control**


<u>ACTIVE INGREDIENT</u>	<u>% By Weight</u>
Tetrachlorvinphos: 2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	24.0%*
INERT INGREDIENTS	76.0%**
<b>TOTAL</b>	<b>100.0%</b>

- \* Contains 2 lbs. RABON per gallon.
- \*\* Inert ingredient contains xylene.
- This product contains the toxic inert ingredient phenol.

**Keep Out of Reach of Children  
DANGER  
See Side Panel For Precautionary Statements**

Fermenta Animal Health Company  
P.O. Box 901350  
Kansas City, MO 64190-1350

Net Contents 1 gallon  
EPA Reg. No. 56493-15



/149

**Not Reviewed.** Registrant claims to be in accordance with Reregulation of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

19 4

**SIDE PANEL**  
**56493-15**

**Statement of Practical Treatment**

**If swallowed** - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled** - Remove victim to fresh air. Apply artificial respiration if necessary.

**If on skin** - Remove contaminated clothing and wash skin immediately with soap and water.

**If in eyes** - Flush eyes with plenty of water. Call a physician immediately.

**Note to physician** - If signs of cholinesterase inhibition are observed atropine is antidotal and may be administered in conjunction with 2-PAM (Pralidoxime Chloride). Product may cause aspiration pneumonia. Gastric lavage may be indicated if product was taken internally.

**Precautionary Statements**

**Hazards to Humans and Domestic Animals**  
**Danger**

**Corrosive, causes eye damage, causes skin irritation.** Do not get in eyes (including animals), on skin or on clothing. Wear goggles or face shield, long-sleeved shirt and pants; chemical resistant gloves; shoes and socks when handling.

**Harmful if inhaled.** Avoid breathing spray mist. ....  
**Harmful or fatal if swallowed.** Wash thoroughly after using and before smoking or eating. Avoid contamination of food. ....

**Environmental Hazards**

This product is toxic to fish. Drift and runoff may be hazardous to aquatic organisms in adjacent areas. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwater. ....

3 4

**SIDE PANEL**  
**56493-15**

**Physical and Chemical Hazards**

Do not use, pour, spill or store near heat or open flame.

**Storage and Disposal**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage** - Store in original container only. Store at temperatures above 32°F. Do not store above 120°F for an extended period of time.

**Pesticide Disposal** - Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal** - Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

**Warranty and Limitation of Damages**

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions.

Seller makes no other express or implied warranty,.....  
including any other express or implied warranty of Fitness  
or Merchantability, and no agent of Seller is authorized  
to do so except in writing and with specific reference to  
this warranty. In no event shall Seller's liability for  
any breach of warranty exceed the purchase price of the  
material as to which a claim is made.

.....  
.....  
.....

434

SIDE PANEL  
56493-15

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For agricultural use only.

RABON Insecticide is suitable for use in conventional hydraulic sprayers or low pressure knapsack sprayers. Must be diluted with water prior to use.

**RESIDUAL SURFACE SPRAY:** Mix 1 gallon of RABON<sup>®</sup> Insecticide in 25 gallons of water (1% concentration) or 6 ounces per 1 gallon of water. Apply diluted spray as an over-all application to ceilings and walls of dairy barns, livestock sheds, calf barns, hog barns and other farm buildings. Other areas where flies congregate, such as around garbage dumps and corrals should be sprayed thoroughly. Repeat applications as fly populations warrant. Extreme infestations may necessitate increasing the dosage to 2 gallons RABON Insecticide per 25 gallons of water. Applications should be made to the point of run-off. One gallon of spray should treat 500 to 1000 sq. ft. of surface area.

**LARVICIDE:** Mix 1 gallon of RABON<sup>®</sup> Insecticide with 25 gallons of water (1% concentration) or 6 ounces per 1 gallon of water. Apply 1 gallon of solution for every 100 square feet of droppings under poultry on wire or in cages, or apply around manure, or garbage. Penetration of the surface is essential for initial control. Repeat at 7-10 day intervals. Do not spray birds directly. Do not use manure/droppings on land where food crops are to be grown during the current growing season.

