RAVAP® Backrubber Solution Ready-To-Use Insecticide

Contains RABON® and VAPONA® Insecticides

Controls Horn Flies and Aids in Control of Face Flies on Dairy and Beef Cattle

ACTIVE INGREDIENTS		By Weight
Tetraculorvinphos: 2-chloro-1-(2,4,5- trichlorophenyl) vinyl dimethyl phosphate Dichlorvos: 2,2-dichlorovinyl dimethyl phosphate Related Compounds		1.00%* 0.23%** 0.02%**
INERT INGREDIENTS	TOTAL	98.75%*** 100.00%

- * RABON Insecticide
- ** Equivalent to 0.25% VAPONA Insecticide
- *** Inert ingredient contains xylene. This product contains the toxic inert ingredient phenol.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Precautionary Statements Net Contents | gallon

Fermenta Animal Health Company P.O. Box 901350 Kansas City, MO 64190-1350

EPA Reg. No. 56493-27

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

SIDE PANEL 56493-27

1.1

Statement of Practical Treatment

If swallowed - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if necessary.

If on skin - Remove contaminated clothing and wash skin immediately with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

Note to physician - If signs of cholinesterase inhibition are observed atropine is antidotal and may be administered in conjunction with 2-PAM (Pralidoxime Chloride). Product may cause aspiration pneumonia. Gastric lavage may be indicated if product was take internally.

Precautionary Statements Bazards to Humans

Caution: Harmful if swallowed or inhaled. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, long-sleeved shirt and pants; chemical resistant gloves; shoes and socks when handling. Wash thoroughly with soap and water after handling and before eating or smoking.

Environmental Hazards

This pesticide is toxic to fish, birds and other wildlife. Do not contaminate water when disposing of equipment washwaters.

Physical and Chemical Bazards

Do not use, pour, spill or store near heat or open flame.

SIDE PANEL 56493-27

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.


Pesticide Storage - Store in original container only. Store at temperatures above 32°F. Do not store above 120°F for an extended period of time.

Pesticide Disposal - Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal - Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

Varranty and Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.



SIDE PANEL 56493-27

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For agricultural use only.

Pour RAVAP Backrubber Solution into oil reservoir of mechanical rubbing devices or pour one gallon per 20 linear feet on burlap or rope backrubbers. There is no withholding period from last application to slaughter.

Animal	Insect	Remarks
Beef Cattle Dairy Cattle	Horn Flies	Locate backrubber in area where cattle congregate and keep mechanical rubbers charged at all times.
	Face Flies	Aids in control. Locate face-rubbers in area as above and keep charged.

