

RABON• Livestock Spray and Backrubber Emulsifiable Concentrate

Controls Horn Flies, Lice and Lone Star Ticks on Beef Cattle.
Controls Lice on Swine.

<u>ACTIVE INGREDIENT</u>	<u>% By Weight</u>
Tetrachlorvinphos: 2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	24.0%**
INERT INGREDIENTS	76.0%**
	<u>TOTAL 100.0%</u>


- * Contains 2 lbs. RABON per gallon.
- ** Inert ingredient contains xylene.
- This product contains the toxic inert ingredient phenol.

Keep Out of Reach of Children
DANGER
See Side Panel For Precautionary Statements

Fermenta Animal Health Company
P.O. Box 901350
Kansas City, MO 64190-1350

Net Contents 1 gallon
EPA Reg. No. 56493-29

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.



2 1 4

SIDE PANEL
56493-29

Statement of Practical Treatment

If swallowed - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if necessary.

If on skin - Remove contaminated clothing and wash skin immediately with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

Note to physician - If signs of cholinesterase inhibition are observed atropine is antidotal and may be administered in conjunction with 2-PAM (Pralidoxime Chloride). Product may cause aspiration pneumonia. Gastric lavage may be indicated if product was taken internally.

Precautionary Statements

Hazards to Humans and Domestic Animals
Danger


Corrosive, causes eye damage, causes skin irritation. Do not get in eyes (including animals), on skin or on clothing. Wear goggles or face shield, long-sleeved shirt and pants; chemical resistant gloves; shoes and socks when handling.

Harmful if inhaled. Avoid breathing spray mist.

Harmful or fatal if swallowed. Wash thoroughly after using and before smoking or eating. Avoid contamination of food.

Environmental Hazards

This product is toxic to fish. Drift and runoff may be hazardous to aquatic organisms in adjacent areas. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwater.



**SIDE PANEL
56493-29**

Physical and Chemical Hazards

Do not use, pour, spill or store near heat or open flame.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage - Store in original container only. Store at temperatures above 32°F. Do not store above 120°F for an extended period of time.


Pesticide Disposal - Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal - Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

Warranty and Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions.

Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.



4 5 41

SIDE LABEL
56493-29

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For Agricultural Use Only.

RABON® Livestock Spray and Backrubber Emulsifiable Insecticide is suitable for use in conventional power or low pressure knapsack sprayers and mechanical or pour-on rubbing devices. Follow the USE DIRECTIONS for the proper percent solution needed for a specific insect problem and use. Refer to the DILUTION TABLE for quantity of insecticide needed at the percent solution recommended. There is no withholding period from last application to slaughter.

USE DIRECTIONS

Animal	Insect	Use	% Solution	Remarks
Beef Cattle	Horn Flies	Livestock Spray	0.35%	Apply as coarse spray. Use between 1/2 to 1 gallon of spray per animal depending on size and hair-coat.
	Lice including Tail Lice Lone Star Ticks		0.5%	
	Horn Flies	Backrubber	1.0%	Mix with #2 diesel oil or any approved back-rubber base oil. Keep backrubber charged.
Swine	Lice	Livestock Spray	0.5%	Apply as coarse spray using 1 to 2 quarts per head to thoroughly wet the animal. Repeat in 2 weeks if required.

DILUTION TABLE

Amount of RABON®	Amount of Water		Amount of Oil (1.0% Solution)
	(0.35% Solution)	(0.5% Solution)	
Pint	10 gallons	6 gallons	3 gallons
Quart	18 gallons	12-1/2 gallons	6 gallons
Gallon	75 gallons	50 gallons	25 gallons