

8/15 56493-5

1, 107

JUL 3 1990

365/266696
17/5

Mr. R. H. Shoup
Permenta Animal Health
10150 N. Executive Hills Blvd.
P.O. Box 901350
Kansas City, MO 64190-1350

Dear Mr. Shoup:

Subject: List 1 Inert Ingredients per PR Notice 90-1
ECTRIN Insecticide Cattle Ear Tag
L.A Registration No. 56493-1
ECTRIN Insecticide Horse Neck Band
EPA Registration No. 56493-47
ECTRIN Insecticide Strip for Horses
EPA Registration No. 56493-49
RABON Insecticide Cattle Ear Tag
EPA Registration No. 56493-50
✓ TERMINATOR Insecticide Cattle Ear Tag
EPA Registration No. 56493-77

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager 15
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

Helmut 7-290

Front panel



RABON® INSECTICIDE
CATTLE EAR TAG

For Use on Dairy and Beef Cattle to Control
Horn Flies, Gulf Coast Ticks, Spinose Ear Ticks and as an aid to
Control Face Flies.

Active Ingredient:

Tetrachlorvinphos: 2-Chloro-1-(2,4,5-trichlorophenyl)	
vinyl dimethyl phosphate	13.7%
Inert Ingredients:	86.3%
Total:	100.0%

Keep Out of Reach of Children


This product contains the toxic
inert ingredient
Di-(2-ethylhexyl) adipate.

CAUTION

See side panel for
additional precautions.

Fermenta Animal Health Company
P.O. Box 901350
Kansas City, MO 64190-1350

Net Weight: 15 Grams Per Tag
Net Contents: 20 Tags Per Box
EPA Reg. No. 56493-50



ACCEPTED
with COMMENTS
in EPA Letter 0122.

JUL 3 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under FFA Reg. No. 56493-50

06773-20
side panels

Precautionary Statements

Hazards to Humans

Caution

Avoid contact with skin, eyes and mouth. In case of contact, immediately flush eyes and skin with water. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs.

Environmental Hazards

This pesticide is toxic to fish. Do not contaminate water by disposal of used tags.

Storage and Disposal

Store in a cool place in original container. Do not contaminate water, food or feed by storage or disposal. Waste (spent tags) resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Warranty and Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with a specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. No withdrawal period is necessary. Remove tags before slaughter.




Figure 1

Applicator should wear gloves when applying tags. Place tag under clip by depressing lever. Raised knob must be pointing down.




Figure 2

Slide button on pin until it projects through tip. Tag and button are now ready for application.




Figure 3

It is suggested that the pliers and each tag be disinfected prior to application. Apply tag through the ear half way between head and tip. Do not allow shaft of male button to penetrate the rib or a blood vessel. Ear damage may result. It is suggested that calves less than 5-6 months old not be tagged due to possible ear deformity.

BEST AVAILABLE COPY

For optimum control use 2 tags per animal. Replace as necessary. Apply with Allflex™ Tagging System