

EctoGard Fogger contains a combination of three insecticides that attacks the flea life cycle from three directions & controls ticks, cockroaches, crickets, silverfish, earwigs, sawbugs, confused flour beetles, ants, spiders & flies. 1) The first action is provided by the effective, quick-acting activity of pyrethrins. Pyrethrins will kill insects they come in direct contact with, but will not provide residual activity. 2) Permethrin is the second active ingredient. It takes over as the pyrethrins lose effectiveness by providing residual control of fleas in carpet. 3) The third & most important ingredient is the new insect growth regulator, fenoxycarb. It inhibits development of the immature stages of the flea for 21 weeks, preventing them from reaching the biting adult stage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
 CAUTION: Harmful if inhaled or absorbed through skin. Causes eye injury. Avoid contact with skin, eyes, mouth, nose. Wash thoroughly with soap & water after use. Remove contaminated clothing & wash before reuse. Do not contaminate feed or feedstuffs. Do not use in or near product areas of food processing plants, restaurants, or other areas where food is commonly prepared, processed or stored. Remove pets, birds, water fowl, fish, aquariums before use.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing & wash immediately with soap & water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention. Do not take orally.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks & open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

EctoGard™
 with Tenocide™ Insect Growth Regulator

Fogger

KILLS BOTH ADULT & PRE-ADULT FLEAS



PLUS BREAKS FLEA LIFE CYCLE BY PREVENTING DEVELOPMENT INTO ADULTS

One Treatment Kills Fleas For 21 Weeks

ACTIVE INGREDIENTS

Fenoxycarb (ethyl) (2,4-phenylphenyl-ethyl) carbamate	1.00%
Pyrethrins	0.05%
Permethrin (3-phenylphenyl) methyl (±) cis trans 3,12,2-dichlorobenzyl 2,2-dimethylcyclopropane carboxylate	0.50%
Related Compounds	0.04%
Piperonyl Butoxide, technical	0.10%
N-Octyl bicyclopentene dicarboximide	0.40%

INERT INGREDIENTS

	97.91%
	100.00%

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

See side panel for additional precautionary statements

TechAmerica

NET WT. 6 OZ. (170 g)

Technical America Health Products
 P.O. Box 90150
 Kansas City, Missouri 64101
 EctoGard™, Tenocide™ are registered trademarks of TechAmerica.

EPA Reg. No. 56473-79
 EPA Reg. No. 56473-79

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For the most effective result, the entire dwelling should be treated. Use one canister for each 600 cu. ft. (or 750 sq. ft.). Use additional units for removal of rooms or where free flow of the mist is not assured.

PREPARATION: Cover exposed foods, dishes & food handling equipment. Open cabinets & closet doors to areas to be treated. Turn off fans & air conditioning. Extinguish all open flames except pilot light. Remove pets & cover aquariums or fish bowls with paper or remove. Turn area 15-20 min to leave pet bedding as this is a primary hiding place for fleas & must be treated to get best results. You need to discard pet bedding after treatment. Close outside doors & windows.

TO START FOGGER: Place fogger on table, chair or stand in center of area at least 4 ft. from wall light. Place several thin lengths of newspaper covering the area directly under the can. Hold can at arms length, with top of can pointing away from face & eyes. Push down actuator tab until it locks — this will start fogging action. Set canister in an upright position on table, etc., and leave area of building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. AFTER TWO HOURS, open all outside doors & windows, turn on air conditioner & fans & let treated area air out for 30 minutes before reoccupying. If additional units are used for removal of rooms or where free flow of mist is not assured, increase airing out time accordingly. Thoroughly clean all covered food processing areas before using.

STORAGE AND DISPOSAL

Store in a cool area away from children. Repair cap, wrap in newspaper & discard container in trash. Do not incinerate or puncture.

