

EctoGard Fogger contains a combination of three insecticides that attacks the flea life cycle from three directions & controls ticks, cockroaches, crickets, silverfish, earwigs, sawbugs, confused flour beetles, ants, spiders & flies. 1) The first action is provided by the effective, quick-killing activity of pyrethrins. Pyrethrins will kill insects they come in direct contact with but will not provide residual activity. 2) Permethrin is the second active ingredient. It takes over as the pyrethrins lose effectiveness by providing residual control of fleas in carpet. 3) The third & most important ingredient is the new insect growth regulator, Tenocide. It inhibits development of the immature stages of the flea for 32 weeks, preventing them from reaching the biting adult stage.

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
CAUTION: Harmful if inhaled or absorbed through skin. Causes eye injury. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap & water after handling. Remove contaminated clothing & wash before reuse. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared, processed or stored. Remove pets, birds and/or cover fish aquariums before use.

#### STATEMENT OF PRACTICAL TREATMENT

IF INHALED remove victim to fresh air. Apply artificial respiration if indicated.  
IF ON SKIN remove contaminated clothing & wash affected areas with soap & water.  
IF IN EYES flush eyes with plenty of water. Get medical attention, if irritation persists.

#### PHYSICAL AND CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks & open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**EctoGard™**  
with Tenocide™ Insect Growth Regulator

## Fogger



**KILLS ADULT FLEAS  
PLUS KILLS EGGS &  
LARVAE FOR 32 WEEKS**

#### ACTIVE INGREDIENTS

Fenoxycarb (ethyl 2-(4-phenoxypheenoxy)	1.00%
ethyl carbamate)	0.05%
Pyrethrins	0.05%
Permethrin (3-phenoxypheenoxy) methyl	
(±) cis-trans-3-(2,2-dichloroethenyl)	
2,2-dimethylcyclopropane carboxylate)	0.50%
Related Compounds	0.04%
Piperonyl Butoxide, technical	0.10%
N-octyl bicycloheptene dicarboximide +	0.40%

#### INERT INGREDIENTS

	97.91%
	100.00%

\*Formulated to 9.99% (ethyl 2-(4-phenoxypheenoxy) ethyl carbamate) other and 0.01% related compounds  
EPA Reg. No. 7056-TX-1

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for additional precautionary statements

**TechAmerica™**

NET WT. 6 OZ. (170.1 g)

Fermenta Animal Health Company  
Kansas City, MO 64153-2314 U.S.A.

EPA Reg. No. 56493-79  
EPA Est. No. 7056-TX-1  
DSL-1137A 9207

EctoGard™ and Tenocide™ are trademarks of Fermenta Animal Health Co.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For the most effective results, the entire dwelling should be treated. Use one canister for each 6,000 cu. ft. (or 750 sq. ft.). Use additional units for remote rooms or where free flow of the mist is not assured. Retreatment may be required for the elimination of an established infestation.

**PREPARATION:** Cover exposed foods, dishes & food handling equipment. Open cabinets & closet doors to areas to be treated. Turn off fans & air conditioners. Extinguish all open flames except pilot light. Remove pets & cover aquariums or fish bowls with paper, or remove from area. Be sure to leave pet bedding as this is a primary hiding place for fleas & must be treated to get best results. No need to discard pet bedding after treatment. Close outside doors & windows.

**TO START FOGGER:** Place fogger on table, chair or stand, in center of area, at least six feet from pilot light. Place several thicknesses of newspaper covering the area directly under the can. Hold can at arm's length, with top of can pointing away from face & eyes. Push down actuator tab until it locks — this will start fogging action. Set canister in an upright position on table, etc., and leave area or building at once.

**DO NOT RE-ENTER BUILDING FOR TWO HOURS.** AFTER TWO HOURS, open all outside doors & windows, turn on air-conditioners & fans & let treated area air-out for 30 minutes before re-occupying. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing-out time accordingly. Thoroughly clean all covered food processing areas before using.

#### STORAGE AND DISPOSAL

Store in a cool area away from children. Replace cap, wrap in newspaper & discard container in trash. Do not incinerate or puncture.

**ACCEPTED**  
23 AUG 1995

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended for the pesticide

to be under  
EPA Reg. No. 56493-79

**BEST COPY AVAILABLE**