

Reg # 56493-85

PM-10

181

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

—CAUTION: Harmful if swallowed. Use in a well ventilated area. Avoid contact with eyes. Wash thoroughly with soap and water after handling.

**STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED: call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. IF IN EYES: hold eyelids open and flush with a steady, gentle stream of water. Call a physician if irritation persists.

**PHYSICAL OR CHEMICAL HAZARDS:** Flammable. Keep away from heat and open flame.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters.

**STORAGE AND DISPOSAL**

Store in a cool, dry place, away from children. Store above freezing (32°F) and protect from high temperatures. Do not reuse empty container. Rinse thoroughly before discarding. Securely wrap original container in several layers of newspaper and discard in trash.

Formosa Animal Health Company  
Kansas City, MO 64183-2314 U.S.A.  
OSL-1304A 0207

EPA Reg. No. 56493-85  
EPA Est. No. 7056-TX-1

**EctoGard™**  
with Tenocide™ Insect Growth Regulator

# Pet Spray

For Dogs, Cats,  
Puppies & Kittens



**KILLS ADULT FLEAS FOR 14 DAYS  
PREVENTS FLEA EGGS FROM HATCHING FOR 45 DAYS**

ACTIVE INGREDIENTS	
Fenoxycarb [ethyl(2-(4-phenoxycarbonyl)ethyl)carbamate] ...	0.10%
6-trans-chrysanthemum monocarboxylic acid ester of 6,2-dihydroxy-3-methyl-2-cyclopenten-1-one .....	0.10%
Permethrin [(3-phenoxycarbonyl)methyl] 3-cis-trans- 3-(2,2-dichloroethyl)-2,2-dimethylcyclopropane- carboxylate] .....	0.15%
Piperonyl Bufoside, technical** .....	0.50%
N-octyl bicycloheptene dicarboximide .....	1.00%
Di-n-propyl isocinchomerate*** .....	0.20%
INERT INGREDIENTS .....	97.95%
	100.00%

\* cis/trans isomer ratio: min. 35% (s) cis; max. 65% (s) trans  
\*\* Equivalent to 0.4% (butylcarbamyl) (5-propylpiperonyl)  
ether and 0.1% related compounds  
\*\*\* MQX 325, Insect Repellent

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See side panel for additional precautionary statements.

Net Contents  
16 Fl. Oz.  
(473 mL)

**TechAmerica™**

EctoGard™ and Tenocide™ are trademarks of Formosa Animal Health Co. Veterinary Products

Also Kills Ticks & Lice  
Repels Fleas, Ticks, Gnats, Flies & Mosquitoes

**DIRECTIONS FOR USE.** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


**SHAKE WELL BEFORE USING**

For Dogs, Cats, Puppies and Kittens: Cover animal's eyes with hand and with a firm, fast stroke, to get proper spray mist, spray head, ears and chest. With fingertips, rub into face around mouth, nose and eyes. Then spray the neck, middle and hind quarters, finishing with legs last. Apply spray until animal is uniformly damp. Animal should not be soaked or sprayed to the point of run-off. For best penetration, spray against natural lay of the hair. On a heavily coated animal, rub your hand against the lay of the hair, spraying the ruffled hair directly behind your hand. Make sure spray thoroughly wets attached ticks. Repeat as necessary for control of adult fleas but not more frequently than once every 7 days. Wash hands thoroughly with soap and water after treating pet.

Use this product in a well ventilated area. This product is not a cholinesterase-inhibitor. This product is not intended for application to nursing animals.

For Pet's Environment: For maximum flea control, the infested areas should be treated according to label use directions with EctoGard™ Fogger and EctoGard™ House & Carpet Spray, available from your veterinarian.

Allow spray to dry before allowing cats to groom themselves.



**BEST AVAILABLE COPY**