EPA Form 8570-6 (Rev. 5-76)

SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

DATE

ARGOTREAT MB 40

ACCEPTED with COMMENTS h EPA Letter Dated:

SEP 0 5 1986

Under the Federal Insecticide. Pungicide, and Rodenticide Act a unergied, for the pesticide d under EPA Reg. No.

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene

(dimethyliminio) ethylene dichloride) . . .

<u> 12.0..</u>%

INERT INGREDIENT

This product contains $\frac{1.02}{1.02}$ lb. of active ingradient per gallon and weighs 8,53 to, per gellon,

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician imntediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this posticide into lakes, streams, hands, for public water. For guidance, contact the regional office of เกิร์ รีกิร์เก็กเกิร์ล้าเกิร์สามา Protraction Agency.

DIRECTIONS FO

It is a violation of Federal law to use this pro its labeling. ARGOTREAT MB 40 and fungi in recirculating commercial and ind to its use, systems must be cleaned to rem slime, and other deposits. An initial slug addi fluid ounces of _ARGOTREAT_MB_40_ of water to provide a concentration of ... ARGOTREAT MB 40 in the system, is recommended. Repeat initia Subsequent slug additions of ____1,20_

per 100 ARCOTREAT 40 100 parts per million of ARGOTREAT employed every 2 to 5 days, or as needed. T upon the relative amount of bleedoff and the s lem. Slug additions should be made in the su

ARĞOTREAT MB 40 air-washing systems that maintain effective r to its use, systems should be cleaned to deposits. An initial slug dose of <u>21.37</u> ARGOTREAT MB 40

mended. Repeat initial dosage until control tions of __14.44 to __35.63 fluid ounces of per 1000 gallons of water should be employed frequency of addition depends upon the relati of the bacterial problem. Slug additions may be collection trays of the airwash system.

STORAGE AND D

Do not contaminate water, food, or feed by storage or disposa STORAGE: Do not stack more than four drums high, Leakin drums for disposal. Spills should be absorbed in sawdust or sa tainer closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of the proved waste disposal facility

CONTAINER DISPOSAL:

- TPLASTIC: Triple rinse for equivalent). Then offer for recyclin sandary landfill, by incorpiation, or, if allowed by state and Southe
- METAL: Triple lanse for equivalent). Then offer for recycling samilary landfell, or by other procedures approved by state a

	Manu	ılacı	ur
ARGO CHEMICAL	LIN	C	;
100 QUANTICO	AVE	NUE	
BAKEKSFIELD,			
EPA REG. NO.		_	_

NET CONTENTS .