Enclosures

ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

Registration Division (TS-767C)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

DIAS-STAT

ACCEPTED
with COMMENTS
in EPA Letter Dated:

# SEP 0 8 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act is amended, for the pesticide registered under EPA Reg. No. 56508—/

**ACTIVE INGREDIENT:** 

Poly(oxyethylene (dimethyliminio) ethylene-(dimethyliminio) ethylene dichloride) ......

30.0 %

INERT INGREDIENT ....

70.0

This product contains 2.67 lb. of active ingredient per gallon and weighs 8.9 lb. per gellon.

### KEEP OUT OF REACH OF CHILDREN

# CAUTION

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pusticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

## DIRECTION

It is a violation of Federal law to use to its labeling.
DIAS-STAT

and fungl in recirculating commercial a to its use, systems must be cleaned, slime, and other deposits. An initial slit fluid ounces of <u>DIAS-STAT</u> of water to provide a concentration of

\_DIAS-STAT

40 parts per million of <u>DIAS</u>employed every 2 to 5 days, or as nee
upon the relative amount of bleedoff an
lem. Sing additions should be made in

DIAS-STAT
air-washing systems that maintain effet to its use, systems should be cleaned deposits. An initial slug dose of \_\_7.

DIAS-STAT

mended. Repeat initial dosage until continuous of 4 8 to 11 9 fluid oun per 1000 gallons of water should be empfrequency of addition depends upon the of the bacterial problem. Slug additions collection trays of the airwash system.

# STORAGE A

Do not contaminate water, food, or feed by storage of STORAGE: Do not stack more than four drums hig drums for disposal. Spills should be absorbed in sawd tainer closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the proved waste disposal facility.

CONTAINER DISPOSAL:

- PLASTIC: Triple rinse (or equivalent). Then offer for sanitary landfill, by incineration, or, if allowed by the smoke.
- METAL: Triple rinse for equivalent). Then offer for sanitary fandfill, or by other procedures approved.

DIAS, INCORPORATE
PO BOX 3188, 1226
KALAMAZOO, MI 49
EPA REG. NO.

**NET CONTENTS**