

7/2

A576

ACCEPTED
DEC 03 1988
56567-3

ACTIVE INGREDIENTS:

Disodium cyanodithioimidocarbonate 7.35 %
Potassium N-methyldithiocarbamate 10.15 %

INERT INGREDIENTS 82.50 %

TOTAL 100.00 %

This product contains 1.62 lb. of active ingredients per gallon and weighs 9.25 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this pesticide in a manner inconsistent with its labeling.

A576 is used in recirculating commercial and industrial water systems must be cleaned to remove algal growth and other deposits. An initial slug addition of 3 A576 per 1000 gallons is recommended. Repeat initial dosage until control is achieved. Subsequent slug additions of 1.1 A576 per 1000 gallons every 1 to 5 days, or as needed. The frequency of additions should be made in the sump of water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Do not expose to extreme temperatures. Do not store more than five drums high. Drums should be opened in a well-ventilated area. Damaged drums should be placed in overpack and should be absorbed in sawdust or sand and disposed of in a container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes, sprays, excess pesticide, spray mixture, or rinsate is a hazardous waste. Wastes cannot be disposed of by use according to local, State Pesticide or Environmental Control Agency. Contact a representative at your EPA Regional Office for disposal instructions.

CONTAINER DISPOSAL:
 METAL: Triple rinse (or equivalent). Then recycle where possible, or puncture and dispose of in a container approved by state and local authorities.
 PLASTIC: Triple rinse (or equivalent). Then recycle where possible, or puncture and dispose of in a container approved by state and local authorities, if not incinerated.

Manufactured by
MASTERS CHEMICAL CO.,
2420 E. OAKTON ST., URBANA, ILL.
ARLINGTON HEIGHTS, ILL.

EPA REG. NO. _____ E

NET CONTENTS