NOTICE OF PESTICIDE:



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Antimicrobials Division (7510W) 401 "M" St., S.W. Washington, D.C. 20460

x Registration
Reregistration

EPA Reg. Number:

Date of Issuance:

OCT - 2 2000

56572-2

Term of Issuance:

Conditional

Name of Pesticide Product:

(under FIFRA, as amended)

CHLORINE GAS
(Liquified Gas Under Pressure)

Name and Address of Registrant (include ZIP Code):

SPLASH POOL CHEMICALS, INC.

5445 REFLEX DRIVE

LAS VEGAS, NV 89115

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 56572-2"

See Page 2

Signature of Approving Official:

Date:

OCT - 2 2000

EPA Form 8570-6

Page 2 EPA Reg. No. 56572-2

> b. Revise the Personal Protective Equipment statement to read:

> > Applicators and handlers <u>must</u> wear long-sleeved shirts, long pants, shoes and socks.

- c. Under the Physical and Chemical Hazards statement add the sentence "Do not heat the container." after the first sentence.
- d. The re-entry statement should be increased to 4.0 ppm for the free available chlorine residual.
- 3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

MIS

ACCEPTED WITH COMMENTS in EPA Letter Dated:

OCT - 2 2000

CHLORINE GAS

(Liquefied Gas Under Pressure)

Under the Federal Insecticide. Funcicide, and Rodenticide Act as arnended, for the pesticide, registered under EPA Ray, No. 56572-2

NONFLAMMABLE FATAL IF INHALED. LIQUID CAUSES SEVERE BURNS

ACTIVE INGREDIENTS:	
Chlorine	99.5%
INERT INGREDIENTS:	0.5%

For use as a disinfectant and algaecide in the treatment of residential swimming pool water. The registrant is solely responsible for the safety of the servicing equipment used with this pesticide and the repackaging of this gas from larger containers into portable cylinders. Each repackager must obtain their own EPA Registration number for this pesticide, and their own EPA Establishment Number from the EPA. Repackagers may only dispense this product into portable cylinders that are appropriately labeled.

KEEP OUT OF REACH OF CHILDREN

DANGER 🥦

First Aid

IF INHALED:

-Move person to fresh air.

-If not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth, if possible.

-Call poison control center or doctor for treatment advice.

IF IN EYES:

-Hold eye open and rinse slowly and gently with water for

15-20 minutes.

-Remove contact lenses, if present, after the first 5 minutes, then

continue rinsing eye.

-Call a poison control center or doctor or treatment advice.

IF ON SKIN OR: -Take off contaminated clothing.

CLOTHING

-Rinse skin immediately with plenty of water for 15-20 minutes.

-Call a poison control center or doctor or treatment advice.

NOTE TO PHYSICIAN

"Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage."

PRECAUTIONARY STATEMENTS

HAZARD TO HUMAN AND DOMESTIC ANIMALS:

DANGER. Fatal if inhaled or absorbed through the skin. Corrosive. Causes irreversible eye damage and skin burns. Do not breathe vapors or get in eyes, on skin or clothing. Wear goggles, protective clothing and rubber gloves as discussed below. Wash hands thoroughly with soap and water after handling and before eating drinking or using tobacco. Remove contaminated clothing and wash before reuse. Prolonged frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment

Applicators and handlers should wear long-sleeved shirts, long pants, shoes and socks.

EPA	Reg.	No.	
EPA	Est.	No.	

Net Weight 20 Pounds.

OCT - 2 2000

Under the Federal Insecticide,
Plangicide, and Rodenticide Act on
Lineaded, for the positicide,
Linead under EPA Reg. No. 57672-2

In Case of Leakage

Under normal use-conditions, no protective eye wear, respirator, or gloves are required. However, in case of a leak, handlers must wear chemical-resistant gloves (such as any waterproof material) and a full-face canister-style (gas-mask) respirator with a canister approved for chlorine (MSHA/NIOSH approved number prefix TC-14G). Since there is always the possibility of a leak, gloves and a respirator of a type specified above must be available. Gloves and respirator are required for anyone entering into an affected area in the event of a leak.

Environmental Hazards

This pesticide is toxic or highly toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical and Chemical Hazards

Chlorine is a non-flammable gas, liquefied, under pressure. Do not drop container. Keep away from intense heat or open sunlight. Corrosive to most metals in the presence of moisture.

General Classification

STORAGE: Store cylinders in a dry area away from sources of heat and protected from direct sunlight and precipitation. Do not store in excessive heat. Segregate chlorine containers from other compressed gases, and never store near hydrocarbons, finely divided metal such as filings or granules, turpentine, ether, anhydrous ammonia, or other flammable material. All storage containers and cylinders must have a weather resistant label and must not be accessible to the general public. Do not drop containers. If container is damaged or leaking, refer to procedures in the Chlorine Manual published by the Chlorine Institute Inc. and/or notify supplier immediately. Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law.

DISPOSAL OF CONTAINER: Container is returnable and must be properly identified with return tag and returned as promptly as possible to supplier according to prescribed instructions and practices in the Chlorine Manual published by the Chlorine Institute Inc. All valves must be closed tight and closures or caps secured. It is illegal to ship a leaking chlorine container.

SPLASH POOL CHEMICALS INC. 5445 REFLEX DRIVE LAS VEGAS, NV 89115

Leak Procedure: Make daily inspections for leaks. Stop a leak at once, since leaks will become worse with time. In case of a leak, consult your site's Emergency Action Plan (EAP). It is illegal to transport a leaking chlorine container.

DIRECTION FOR USE

General Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. Refer to the Chlorine Manual published by the Chlorine Institute Inc., New York for instructions on the required product use and safety procedures. Before using this product, handlers must be trained how to appropriately use respirators that conform to

5/5

Under the Federal Insecticide, Fungicide, and Rodenticide aut as amended, for the page

OSHA requirements (described in 29 CFR Part 1910.134) and how to appropriately waldle and use chlorine. This product, including dispensing equipment, must be handled and use in accordance with the practices specified by all applicable product labeling and the Chlorine Institute Manual. Use only in well ventilated areas.

Specific Directions For Use

Why To Use This Product This product is a efficient source of chlorine for routine sanitation or for periodic superchlorination of swimming pools. When used regularly as part of a complete maintenance program, it will help prevent the growth of harmful algae and micro-organisms.

This product is to be added by trained personnel only, familiar with specific application and water balancing procedures associated with this product.

Sunlight, rainfall, temperature, number of swimmers and frequency of pool use affect the rate of chlorine loss. The frequency of treatment required for maintenance of the desired concentration of chlorine is dependent on bather load, and the concentration should be checked frequently with a test kit.

This product is to be dispensed into the water through the process of diffusion, using a chlorine sparger or injection system. Under normal circumstances add one to two pounds of chlorine on a weekly basis.

Always adjust pH between 7.8 and 8.2 after the application of this product. Total alkalinity levels should be maintained at between 80 ppm to 140 ppm, with 100 ppm to 120 ppm considered ideal in most cases. Maintain cynauric acid level between 50 ppm and 100 ppm

For a newly filled pool or spring start-up, superchlorinate as indicated above. Adjust and maintain pool water pH between 7.8 ppm and 8.2 ppm. Adjust and maintain the alkalinity of the pool between 80 ppm to 140 ppm. Adjust cynauric acid level to 100 ppm.

Do not use pool for one hour after application of this product or until free available chlorine residual has dropped to 4.0 ppm as determined by using a test kit.

56572-2