	EPA REGISTRATION NO.	DOCE OF ISSUANCE
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	56601 -1	PA TYN 1999 33
REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PESTICIDE PRODUCTION MILDER Chack	CT .
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		-
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
☐ PPG Industries, Inc.		
Coatings & Resins Group		
151 Colfax Street		
P.O. Box 127		
Springdale, PA 15144		
<u>L</u>	_1	
NOTE: Changes in labeling formula differing in substance for submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration num	to use of the label in commerc	n with this registration must be ce. In any correspondence on this
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is herel	by Registered/Reregistered under
A copy of the labeling accepted in connection with this Reg	istration/Reregistration is ret	urned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motior icide in accordance with the Act. The acceptance of any na Act is not to be construed as giving the registrant a right to by others.	n, may at any time suspend or one in connection with the regist exclusive use of the name or	cancel the registration of a pest- stration of a product under this to its use if it has been covered
This product is conditionally rec section 3(c)(7)(A) provided that you:		
 Submit/cite all data required of your product under FIFRA section 3 		
<pre>registrants of similar products to sul 2. Add the phrase "EPA Registra"</pre>		your label before
you release the product for shipment. 3. Submit five (5) copies of you	ur final printed labe	eling before you
release the product for shipment. Redescription of final printed labeling	fer to the A-79 enclo	
If these conditions are not comp	lied with, the regist	tration will be
subject to cancellation in accordance		
for shipment of the product constitut		
A stamped copy of the label is e	nclosed for your reco	ords.
	Cel 11 -	2_
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	V/ / le . J.	
(F	ff Kempter	
	roduct Manager (32)	
	isinfectants Branch	
•	egistration Division	(TS-767C)
Enc losures		
· · · · · · · · · · · · · · · · · · ·	BEST AVAILAB	LE COPT
ATTACHMENT IS APPLICABLE		
		
SIGNATURE OF APPROVING OFFICIAL		DATE
	· · · · · · · · · · · · · · · · · · ·	

92049; I: Pringle: K-02: KE CO: 01/14/88: 01/26/88: aw: VO: dg: aw

Purfle //19

LABEL COPY

JAN1 9 1988

FRONT PANEL

Under the Federal Insecticida, Fungicite, and Rodenticide Act

Logo WE GUARANTEE IT as amended, for the pesticide ONLY OUR BEST.

registered under EPA Reg. No.

MILDEW CHECK (TM)

Wash

- * Easy to Use
- Cleans and Disinfects Against Discoloring Organisms
- * Forms Protective Shield
- * Inhibits Mildew and Algae Regrowth
- * Works Without Scrubbing
- * For Household and Commercial Use
- * Patent Pending Formula

Net. 3 qt. 12 oz. (108 fl. oz) (3.18L)

EPA No.: 56601-R

EPA Est. No.: 56601-GA-01, 56601-DE-01, 32751-MO-3

KEEP OUT OF THE REACH OF CHILDREN. CAUTION!

See back panel for additional precautionary statements. Follow directions carefully.

Active Ingredient: 3-Iodo-2-Propynyl Butyl Carbamate....0.23% Pine OilØ.12% Inert Ingredients:99.65%

BACK PANEL

18-1 MILDEW CHECK Mildewcidal/Algicidal/Disinfectant Wash

> PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

contact with skin, eyes and CAUTION! Avoid clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Wash with plenty of water. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes.

SAFETY PRECAUTIONS FOR MIXING WITH HOUSEHOLD BLEACH: Household bleach may cause severe skin and eye irritation. Read and follow all directions on bleach bottle when mixing with MILDEW CHECK Wash. Avoid contact with skin and eyes and inhalation of mixed solution. Wear safety glasses, protective clothing, and gloves.

If ingested or persistent skin/eye irritation, breathing difficulties, or other symptoms occur during or following the use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN IMMEDIATELY; have label information available. KEEP OUT OF THE REACH OF CHILDREN. Emergency Medical or Spill Control Information: 304-843-1300.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Store out of the reach of children. Protect from freezing. Store at temperatures between 50 F (10 C) and 120 F (40 C).

DISPOSAL :

Household - Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

Commercial -

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

4/8

NOTE TO CONSUMER: Before applying MILDEW CHECK Wash, spray all shrubs and foliage liberally with water and cover with plastic or cloth. IMPORTANT: See booklet (No. FAdv. 1577) for details. When applying and rinsing MILDEW CHECK Wash, overspray or rinse water in contact with walking surfaces, ladders and scaffolding may cause them to become slippery. Thoroughly clean all such surfaces to remove overspray and rinse water before using.

MILDEW CHECK Wash may be used on painted, stained, or bare wood siding, wood fences and decks, aluminum siding, other painted metals, stucco, roofing, brick or cement block, concrete walkways and walls, ceramic tile and grout. It cleans and disinfects the surface prior to painting or may be used for routine clean-up. Mildew Check Wash may be used on structural or other surfaces in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Do not use on direct food contact surfaces.

BEFORE USING PRODUCT: READ ATTACHED BOOKLET NO. FADV. XXXX FOR REQUIRED MIXING, HANDLING AND USAGE INSTRUCTIONS.

SIDE PANEL

Guarantee

Label Date Code

PPG Industries, Inc. Pittsburgh Paints One PPG Place Pittsburgh, PA 15272 1-800-441-9695

JAN1 9 1988

BOOKLET ATTACHED TO BOTTLE

Under the Federal Insecticide, Fungicitie, and Redesations Act as amended, for the provide registered under Eight Rockle.

PITTSBURGH PAINTS

MILDEW CHECK WASH

MILDEWCIDAL/ALGICIDAL/DISINFECTANT WASH 18-1

PATENT PENDING

CONSUMER INFORMATION BOOKLET

EPA REG. #56601-R

(

EPA Est. No. #56601-GA-01 56601-DE-01 32761-MO-3

PITTSBURGH PAINTS new MILDEW CHECK Wash (Patent Pending) is a mildewcidal/algicidal/disinfectant wash specially formulated for cleaning and killing mildew, algae, and bacteria that cause paint discoloration.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHERE AND HOW TO USE: MILDEW CHECK Wash may be use on painted, stained, or bare wood siding, wood fences and decks, aluminum siding, other painted metals, stucco, roofing, brick or cement block, concrete walkways and walls, ceramic tile and grout. It cleans and disinfects the surface prior to painting or may be used for routine clean-up. MILDEW CHECK Wash may be used on structural or other surfaces in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Do not use on direct food contact surfaces.

CLEANS WITHOUT SCRUBBING - In most cases, mold, mildew, algae, bacteria causing discoloration and loose dirt are rinsed away after application. MILDEW CHECK Wash does not remove imbedded dirt.

EASY TO USE - No measuring required. Simply add household bleach to the fill line on the MILDEW CHECK Wash container. Shake well and apply as directed. (See Application Directions).

RESISTS REGROWTH OF MILDEW AND ALGAE - MILDEW CHECK Wash differs from ordinary washes by leaving a protective shield (Patento Pending) that inhibits regrowth. This protection remains after rinsing and is water insoluble. Its effectiveness lasts even after new paint is applied, by inhibiting growth of mold; mildew or algae from behind the freshly applied paint.

AREA PREPARATION AND PRE-TEST - Spray all shrubs and foliage liberally with water and cover with plastic or cloth. After applying and thoroughly rinsing MILDEW CHECK Wash from affected areas, uncover all shrubs and foliage and rinse well with water. Prevent solution from coming in contact with material which might be damaged by dilute bleach, such as fabric and lawn furniture.

-1

When using MILDEW CHECK Wash without repainting, pretest a small hidden area for color fastness and resistance to surface paint lifting. Combine one tablespoon of household bleach with 1/3 cup of MILDEW CHECK Wash and mix well. Sponge, dab, or brush the solution onto test area and allow to set for 20 minutes. Rinse well. If color fading or lifting is noted, wait 24 hours and recheck. If fading or lifting is still a problem, the surface will require repainting after cleaning.

COVERAGE: - When applied evenly to a painted surface, one diluted gallon (3.78 L) will clean 200-250 sq. ft. (18.5-23.2 sq. meters).

SURFACE PREPARATION - No special preparation is required when used as a mildewcidal/algicidal/disinfectant wash. See application precautions and apply and use as directed. When repainting after washing, apply MILDEW CHECK Wash as directed, rinse thoroughly; wait 24-48 hours before painting. Prepare the surfaces as required before repainting.

TOPCOATING WITH PAINT - MILDEW CHECK Wash is formulated for optimum performance when topcoating with any of the following PITTSBURGH PAINTS products:

- * SUN-PROOF Exterior Oil Base House and Trim Paint (1 Line)
- * Metal Siding Refinish Latex Enamel (71 Line)
- * SUN-PROOF Exterior Latex Flat House Paint (72 Line)
- * SUN-PROOF Exterior Latex Semi-Gloss Enamel (78 Line)
- * PITT-FLEX 100% Acrylic Latex Elastomeric Masonry Paint (4-110)
- * PITTSBURGH Paints Exterior Stains (77 Line)

MIXING INSTRUCTIONS - Add household bleach (only sodium hypochlorite type at 5.25% concentration) to the fill line of the MILDEW CHECK Wash container. For volumes other than one gallon, use 5.5 parts MILDEW CHECK Wash to 1 part household bleach. (IMPORTANT! Always follow manufacturer's precautions and handling instructions on bleach products. It is important to use fresh household bleach because after standing six months or longer, bleach deteriorates and may no longer be sufficiently potent.) Shake well. Once household bleach is added to MILDEW CHECK Wash, as directed, the product is ready to use. DO NOT DILUTE WITH WATER. This will adversely affect the product's effectiveness....

Use immediately after mixing, since mixture life is two; hours. After this time, MILDEW CHECK Wash begins to "Tose lits effectiveness and should be discarded, because a pungent of begins to form.

APPLICATION EQUIPMENT - Recommended garden sprayers: LARGE AREA APPLICATIONS: Solo brand with pressure release valve, optional air valve for air compressor, and fan nozzle or Hudson brand garden sprayer or Spray Doc Sprayer Model 201P.. SMALL AREA APPLICATIONS: Preval Auto Sprayer.

1/2

WASH

APPLICATION DIRECTIONS - MILDEW CHECK Wash should be applied with a tank type garden sprayer, preferably with a nozzle that provides a fan spray. Spray the infested area liberally. Bleaching action may not be immediate, but will occur within minutes. Let stand for 15-20 minutes for best results. Rinse well with a garden hose, with nozzle pressure at maximum force. Use lots of water to completely rinse the surface. For very heavy mildew stains, you may need to repeat the process. Textured surfaces, such as stucco or rough sawn cedar may require light scrubbing.

APPLICATION PRECAUTIONS - When applying and rinsing MILDEW CHECK Wash, overspray or rinse water in contact with walking surfaces, ladders and scaffolding may cause them to become slippery. Thoroughly clean all such surfaces to remove overspray and rinse water before using. Avoid contact with fabrics sensitive to discoloration from bleach. Do not use when the temperature of the air, the surface or MILDEW CHECK Wash is below 50 F (10 C). Do not allow MILDEW CHECK Wash to freeze. Rinsing away MILDEW CHECK Wash solution may be affected by temperature and humidity. As the weather becomes hotter and drier, you will have to rinse more aggressively. If the temperature of the area to be cleaned greater than 140 F (60 C), apply a light water mist before using MILDEW CHECK Wash. MILDEW CHECK Wash must be rinsed thoroughly as directed, or the adhesion of a freshly applied paint finish may be affected. After using MILDEW CHECK Wash, wait 24-48 hours before repainting.

CLEAN-UP - Rinse spray equipment thoroughly with water.

STORAGE: Store out of the reach of children. Protect from freezing. Store at temperatures between 50 F (10 C) and 120 F (49 C).

DISPOSAL:

Household - Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

Commercial -

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION! AVOID CONTACT WITH SKIN, EYES AND CLOTHING.

THOROUGHLY WITH SOAP AND WATER AFTER HANDLING.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES - Wash with plenty of water. Get medical attention.

IF ON SKIN - Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS - This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

SAFETY PRECAUTIONS FOR MIXING WITH HOUSEHOLD BLEACH - Household bleach may cause severe skin and eye irritation. Read and follow all directions on bleach bottle when mixing with MILDEW CHECK Wash. Avoid contact with skin and eyes and inhalation of mixed solution. Wear safety glasses, protective clothing and gloves.

If ingested or persistent skin/eye irritation, breathing difficulties, or other symptoms occur during or following use of this product, contact a POISON CONTROL CENTER EMERGENCY ROOM OR PHYSICIAN IMMEDIATELY; have label information available. KEEP OUT OF THE REACH OF CHILDREN. Emergency Medical or Spill Control Information: 304-843-1300.

ACTIVE INGREDIENTS: 3-Iodo-2-Propynyl Butyl Carbamate 0.23% and Pine Oil 0.12% by weight in the concentrate.

PPG Industries, Inc. Pittsburgh Paints One PPG Place Pittsburgh, PA 15272 Call Toll Free 1-800-441-9695

FAdv. 1577 (5/87)

Printed in U.S.A.