

SUPPLEMENTAL LABEL

18-32

Label Copy

FRONT PANEL

Orkin Logo

Mildew Control
Mildewcide Solution

Not for Sale to the General Public

ADD FRESH HOUSEHOLD BLEACH

(No specific type size required, however, all words MUST be in SAME type size.)

Active Ingredients:

3-Iodo-2-Propynyl Butyl Carbamate 0.23%

Inert Ingredients:99.77%

100.00%

KEEP OUT OF THE REACH OF CHILDREN. (XX Point Type Required)
CAUTION! (XX Point Type Required) See back panel for additional
precautionary statements. Follow directions carefully.



- * Easy To Use
- * Forms Protective Barrier
- * Inhibits Mildew and Algae Regrowth
- * For Household and Commercial Use

Where To Use: Recommended for use on painted, stained, or bare wood siding, wood fences and decks, aluminum siding, stucco, roofing, brick or cement block, concrete walkways and walls, ceramic tile and grout. May be used to clean surfaces prior to painting or for routine clean-up.

Net 306 fl oz (2 gal. 1 qt. 18 oz.)

EPA No.: 56601-2

EPA Est. No.: 32761-MQ-3



BACK PANEL

Orkin
Mildew Control
Mildewcide Solution
18-32

PRECAUTIONARY STATEMENTS (XX Point)

(The remainder of the copy should be enclosed in the box started above.)

HAZARDS TO HUMANS AND DOMESTIC ANIMALS (Place this heading on the left side of the label in XX point type.)

CAUTION! (This word in XX point type) Harmful if swallowed or absorbed through skin. Harmful if inhaled. Avoid breathing of vapors or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT (This and all other headings, where not otherwise stated, should appear in bold type smaller than XX point.)

IF IN EYES: Wash with plenty of water. Get medical attention.

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician immediately.


IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and administer artificial respiration if needed.

(Place this heading on the right side of the label on the same line as HAZARDS TO HUMANS AND DOMESTIC ANIMALS and in 12 point type.)

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.



DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE: (This word must be in XX point type.) Store out of the reach of children. Protect from freezing. Store at temperatures between 50 F (10 C) and 120 F (49 C).

DISPOSAL: (This word must be in XX point type.)
Household - Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.
Commercial -
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.
Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incinerate, or, if allowed by state and local authorities, burn. If burned, stay out of smoke.
(End of warning information to be included in box.)

INSTRUCTIONS:

Coverage: Approximately 200-250 sq. ft. per gallon of mixed product when applied evenly to a smooth surface. Coverage figures do not include allowance for surface irregularities, porosity, or spray loss.

Area Preparation: Spray all shrubs and foliage liberally with water and cover with plastic or cloth. After application, thoroughly rinse the mildewcide solution from affected areas, uncover shrubs and foliage, and rinse well with water. Prevent solution from coming in contact with surfaces which might be damaged by dilute bleach, such as clothing and lawn furniture.

Surface Preparation: No special preparation is required when used as a mildewcidal/algicidal wash. When repainting after washing, prepare surfaces as required before repainting. (See Application Precautions.)

(Place next section within a box.)

Safety Precautions For Mixing With Household Bleach - Household bleach may cause severe skin and eye irritation. Read and follow all directions on bleach bottle when mixing. Avoid contact with skin and eyes and inhalation of mixed solution. Wear safety glasses, protective clothing and gloves.

Pre-Tests: When using Orkin Mildew Control as a mildewcidal/algicidal wash only, pretest a small hidden area for color fastness and coating adhesion. If color fading or lifting is noted, wait 24 hours and re-check. The surface will require repainting after cleaning if problems persist.

Mixing Instructions: Add fresh liquid household bleach (only sodium hypochlorite type at 5.25% concentration) to the bottom of the filling neck. Shake well. For other volumes, mix five and one half parts Orkin Mildew Control to 1 part household bleach. It is important to use fresh household bleach. After standing longer than six months, bleach deteriorates and may not be sufficiently potent. **DO NOT DILUTE WITH WATER.**



Use immediately after mixing. Orkin Mildew Control begins to lose its effectiveness after 2 hours and must be discarded.

Application: Orkin Mildew Control should be applied with Orkin approved spray equipment. Spray the affected area liberally with mixed product. Bleaching action will occur within minutes. Allow to stand for 15-20 minutes. Rinse well with a garden hose, equipped with an Orkin approved nozzle. Rinse the surface with plenty of water. For very heavy mildew stains, the process may need to be repeated. Textured surfaces, such as stucco or rough sawn cedar may require light scrubbing. Orkin Mildew Control does not remove imbedded dirt.

Application Precautions: Walking surfaces, ladders and scaffolding which have become wet with Orkin Mildew Control or rinse water may be slippery. Thoroughly rinse these surfaces to remove all traces of Orkin Mildew Control before using.

Apply only when product, air and surface temperatures are above 50 F (10 C).

Removal of Orkin Mildew Control is affected by temperature and humidity conditions. In warmer and/or drier weather additional rinsing will be required.

If the temperature of the area to be cleaned is greater than 140F (60 C), apply a light water mist before using.

Before repainting, be sure Orkin Mildew Control has been thoroughly-rinsed and wait 24-48 hours. Inadequate rinsing will affect new paint adhesion.

Avoid contact with fabrics sensitive to bleach.

Clean-Up: Rinse spray equipment thoroughly with water.

(Place next section within a box.)

If ingestion, any type of overexposure or symptoms of overexposure occur during or following the use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN IMMEDIATELY; have label information available. KEEP OUT OF THE REACH OF CHILDREN. Emergency Medical or Spill Control Information: 304-843-1300.

For best results, when using this product as a mildewcidal/algicidal wash only, reapply every 12 months.

Label Date Code 00589

This patented Mildewcide solution was manufactured specially for Orkin by:
PPG Industries, Inc.
Coatings and Resins
Pittsburgh, PA 15272
(412) 434-3131

