

435-1

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	56635-1	SEP 02 1988
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	NAME OF PESTICIDE PRODUCT	
	H2O PRO MAX 3F	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Agritek International, Inc.
 P.O. BOX 2460
 Princeton, NJ 08541

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit to all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.


2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA registration No. 56635-1."
- b. Include the correct EPA Establishment Number.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-73 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamp copy of the label is enclosed for your records.


 John H. Lee
 Product Manager - II
 Agricultural Program Branch
 Registration Division (TS-767)

THE FOLLOWING

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

FRONT PANEL

H2O PRO MBT 3F
INDUSTRIAL MICROBICIDE

INHIBITS AND CONTROLS THE GROWTH OF SLIME FORMING FUNGI AND BACTERIA
PROTECTS AQUEOUS SYSTEMS

ACTIVE INGREDIENT: methylene bis(thiocyanate).....	30.0%
INERT INGREDIENTS:	70.0%
	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

CAUSES EYE DAMAGE AND SKIN IRRITATION

STATEMENT OF PRACTICAL TREATMENT:

Immediately start the procedures given below and CONTACT A POISON CENTER, A PHYSICIAN, OR THE NEAREST HOSPITAL. Describe the type and extent of exposure, the victim's symptoms and follow the advice given.

If swallowed, immediately give several glasses of water but do not induce vomiting. This material is corrosive. If vomiting does occur, give fluids again. Have a physician determine if condition of patient will permit induction of vomiting or evacuation of stomach. Do not give anything by mouth to an unconscious or convulsing person.

For skin contact, under a safety shower, immediately flush all affected areas with large amounts of running water for at least 15 minutes. Remove contaminated clothing and shoes. Do not attempt to neutralize with chemical agents. Get medical attention immediately. Wash clothing before re-use.

For eye contact, under a safety shower, immediately flush all affected areas with large quantities of running water for a minimum of 15 minutes. Hold eyelids apart during the flushing to ensure rinsing of the entire surface of the eyelids with water. Do not attempt to neutralize with chemical agents. Get medical attention as soon as possible. Oils or ointments should not be used at this time. Continue the flushing for an additional 15 minutes if a physician is not immediately available.

If inhaled, remove victim to fresh air. If not breathing, clear victim's airway and start mouth-to-mouth artificial respiration. If victim is breathing, oxygen may be given from a demand-type or continuous-flow inhaler, preferably with a physician's advice. Get medical attention immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage

See side panel for additional precautionary statements.

ACCEPTED
with COMMENTS
in EPA Label Guide

SEP 02 1999

86 35 1

P. 1001

56635-1

2 of 5

FRONT PANEL

ACCEPTED
WATER QUALITY
BOARD

PRECAUTIONARY STATEMENTS

SEP 02 1994

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER! CAUSES EYE DAMAGE AND SKIN IRRITATION

866 35-1

- CORROSIVE
- HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN
- DO NOT GET IN EYES, ON SKIN, ON CLOTHING
- KEEP CONTAINER CLOSED.
- WEAR GOGGLES OR FACE SHIELD, RESPIRATOR AND RUBBER GLOVES WHEN HANDLING
- WASH THOROUGHLY AFTER HANDLING.
- AVOID CONTAMINATION OF FOOD.
- DO NOT USE IN HIGHLY ALKALINE (pH GREATER THAN 9.5) SYSTEMS.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit.

Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of EPA.

In case of Emergency - Immediately call (24 hours)
(800) 424-9300 Chemtrec.

56635-1

1125

ACCEPTED
WATER FILLS
IN 1980

H2O PRO MBT 3F

SEP 02 1980

3.

DIRECTIONS FOR USE 56635-1

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CONTROL OF MICROBIAL ORGANISMS IN WATER SYSTEMS

PULP & PAPER MILLS: To control slime-forming microbes (microorganisms) on pulp, paper, or paperboard machines, add 1 to 2 fluid ounces (30 - 60 ml) of H2O PRO MBT 3F per ton of paper produced at points in the system where adequate mixing will occur, such as raw stock chest, beater chest, refiner chest, or wire-pit. Addition may be intermittent (for example, for 2 hours every 8 hours) or continuous.

Badly fouled systems must be cleaned before a treatment program is started.

COOLING TOWERS AND EVAPORATIVE CONDENSERS: Initially make a daily addition of 2 to 4 fluid ounces (60 - 120ml) of H2O PRO MBT 3F per 1000 gallons (3.8kl) of recirculating water. Continue application at this rate until control occurs. Then decrease rate to 1 to 2 ounces (30 to 60 ml) of product three times a week or as needed to maintain control. Add at a point in the system where adequate distribution will occur, such as the cooling tower basin or sump.

Badly fouled systems must be cleaned before a treatment program is started.

ENHANCED OIL RECOVERY: H2O PRO MBT 3F is used to control slime-forming bacteria and fungi in oilfield water, micellar, or polymer floods, water disposal systems, and other oilfield water systems at a dosage rate of 0.25 gallons of H2O PRO MBT 3F per 1000 gal. of water treated. Additions should be made continuously or intermittently by means of a metering pump at free water knockouts, before or after injection pumps and injection well headers.

To maintain bacterial control, H2O PRO MBT 3F should be added weekly at a dosage rate of 0.16 gallons per 1000 gallons of water treated.

DRILLING FLUIDS: For control of slime-forming and/or spoilage bacteria, determine the total volume of the circulating system and then calculate the number of gallons of H2O PRO MBT 3F in the circulating system to produce a concentration of 5000 ppm (i.e., 5 gallons of H2O PRO MBT 3F/1000 gallons of drilling fluid).

01031

56635-1

H2O PRO MBT 3F

ACCEPTED
with COMMENTS
in EPA Region 10

4.

FRONT PANEL

SEP 02 1983

STORAGE AND DISPOSAL

56635-1

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

STORAGE: Keep container tightly closed when not in use. Do not store near food or feedstuffs. Can be stored at temperatures as low as 0°F.

NOTICE - READ CAREFULLY

AGRITEK INTERNATIONAL INC. makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on AGRITEK'S label.

Limitations on Liability: In no case shall Agritek (and or seller) be liable for special, indirect, or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

EPA Reg. No. _____
EPA Est. No. 56635

PROC. NO. 1001
LOT NO. _____

NET CONTENTS:

475 lb. Net Wt.

MADE IN U.S.A.

AGRITEK INTERNATIONAL INC.
P.O. BOX 2460
PRINCETON, NJ 08540
(609) 466-9349

