

PM-14

Reg # 56637-1

19 5
357 5-490690
18

357 5-493905
18

January 4, 1996

Sweet Corn Products Co.
P.O. Box 487
124 N. Broadway
Bloomfield, NE 68718

357 5-494047
18

Attention: Mr. Raymon W. Lush

Subject: TRAP-N-A-SAK
EPA Reg. No. 56637-1
Your letters of June 27, July 25, and August 25, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the following labeling changes and submit one (1) copy of final printed labeling before you ship product:

1. From the standpoint of efficacy, the proposed outer package and placepack labels submitted on June 27, 1995, are acceptable, subject to the comments below.
 - a. On both labels, center the headings "DIRECTIONS FOR USE", "STORAGE AND DISPOSAL", "PRECAUTIONARY STATEMENTS", "HAZARDS TO HUMANS & DOMESTIC ANIMALS", "CAUTION", and "ENVIRONMENTAL HAZARDS".
 - b. In first sentence of "APPLICATION DIRECTIONS:" for "Rats:" on both labels, change "place packs" to "placepacks".
 - c. The promotional claim proposed in your letter of June 27, 1995, is acceptable in principle as it appears to us to be true. Some punctuation is needed so that it is clear that you are not talking about "Poison A". The claim also may not be unduly emphasized relative to required label text. The claim would be acceptable if expressed as follows:

"Sweet Corn and Poison -- A Fatal Attraction".

2. The placepack label submitted with your letter of August 25, 1995, is not acceptable because the proposed shortened qualifying statement makes a positive claim about something which actually is a "negative", namely the small amount of bait contained in a single placepack.


BEST COPY AVAILABLE

298

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

Enclosures: 1. Stamped Label
2. A-79 Enclosure

Peacock WP#8:A:56637-1:305-5407,-6600:1/4/96

Outer Packaging

3 8
2

TRAP-N-A-SAK

EPA Reg. No. 56637-1

Outer Packaging:

6x3 oz; 50x3 oz; 3x2x3 oz; 25x2x3 oz; 40x2x3 oz; 50x2x3 oz

Page 1 of 3

June 27, 1995

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 04 1996

TRAP-N-A-SAK®
KILLS RATS AND MICE

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

WITH DIPHACINONE
A PELLETIZED RODENTICIDE
"CONTAINING SWEET CORN"
READY MIXED,

56637-1

ACTIVE INGREDIENT:

Diphacinone [2-(Diphenylacetyl)-
1,3-indandione]

0.005%

INERT INGREDIENTS

99.995%

TOTAL

100.000%

U.S. Patent No. 4,815,923

EPA Reg. No. 56637-1

EPA Est. No. 61282-WI-1

KEEP OUT OF THE REACH OF CHILDREN
CAUTION

See Side Panel for Additional Precautions

NET CONTENTS:

Manufactured for:
Sweet Corn Products
Box 487
Bloomfield, NE 68718

498
TRAP-N-A-SAK

EPA Reg. No. 56637-1

Outer Packaging:

6x3 oz; 50x3 oz; 3x2x3 oz; 25x2x3 oz; 40x2x3 oz; 50x2x3 oz

Page 2 of 3

June 27, 1995

Left Panel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS - For control of Norway rats, roof rats, and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait directly to ground surface or in grass or other ground cover.

SELECTION OF TREATMENT AREAS - Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS

Rats: Place 1-5 place packs per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

Mice: Open pack and apply 1/4 to 1/2 ounce (1-2 level tablespoons of bait at 8- to 12-foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity.

Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

TRAP-N-A-SAK

EPA Reg. No. 56637-1

Outer Packaging:

6x3 oz; 50x3 oz; 3x2x3 oz; 25x2x3 oz; 40x2x3 oz; 50x2x3 oz

Page 3 of 3

June 27, 1995

Right Panel

APPLICATION DIRECTIONS continued:

Rats/Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

(For Inner Containers)

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original closed container in a cool, dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN

If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

NOTICE OF WARRANTY

Seller and Manufacturer make no warranty of merchantability, fitness for any purpose, express or implied, concerning this product or its use, which extends beyond the statements on this label.

TRAP-N-A-SAK
EPA Reg. No. 56637-1
3 oz.; & 2x3 oz.
Page 1 of 3
June 27, 1995

3oz Packaging
(Placepack)

608
0

TRAP-N-A-SAK®
KILLS RATS AND MICE

ACCEPTED
BY COMMENTS
In EPA Letter Dated

JAN 04 1996

WITH DIPHACINONE
A PELLETIZED RODENTICIDE
"CONTAINING SWEET CORN"
READY MIXED,

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

ACTIVE INGREDIENT:

Diphacinone [2-(Diphenylacetyl)-1,3-indandione]	0.005%
INERT INGREDIENTS	99.995%
TOTAL	100.000%

U.S. Patent No. 4,815,923
EPA Reg. No. 56637-1
EPA Est. No. 61282-WI-1

KEEP OUT OF THE REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS: Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

NET WEIGHT: 3 OZS.

Manufactured for:
Sweet Corn Products
Box 487
Bloomfield, NE 68718

108

TRAP-N-A-SAK
EPA Reg. No. 56637-1
3 oz.; & 2x3 oz.
Page 2 of 3
June 27, 1995

Back Panel (Left Side)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS - For control of Norway rats, roof rats, and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait directly to ground surface or in grass or other ground cover.

SELECTION OF TREATMENT AREAS - Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

TRAP-N-A-SAK
EPA Reg. No. 56637-1
3 oz.; & 2x3 oz.
Page 3 of 3
June 27, 1995

Back panel (right side)

DIRECTIONS FOR USE continued.

APPLICATION DIRECTIONS

Rats: Place 1-5 place packs per placement.* Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

Mice: Open pack and apply 1/4 to 1/2 ounce (1-2 level tablespoons of bait at 8- to 12-foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

Rats/Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

*For outer sales packages less than 1 lb. (Includes this 3 oz. package and a 2x3 oz. package which will be 2 packets left together with a hole at the top to slip on a pegboard), the following statement will be added: "The amount of bait in this package is unlikely to be sufficient to kill more than one or two rats."

DISPOSAL

Do not reuse empty container. Wrap container and put in trash.

NOTICE OF WARRANTY: Seller and Manufacturer make no warranty of merchantability, fitness for any purpose, express or implied, concerning this product or its use, which extends beyond the statements on this label.