4/16	/96	PM 14 56637-1 PS 127		
	d States Environmental Prote- Office of Pesticide Programs (I Washington, DC 2046 Application for Pe	H7505Č) Amendment		
Section I				
1. Company/Product Number 56637-1	ೆ ಜಿಲ್ಲಿಕ್ ಹಿಡಿದ್ದಾರೆ ಎಂಕಿಂದರೆ.	2. EPA Product Manager 3. Proposed Classification		
4. Company/Product (Name) Trap-N-A-Sak		PM# Réstricted		
5. Name and Address of Applicant (Include Sweet Corn Products Box 487 Bloomfield, NE 68718	ZIP Code)	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:		
Check if this is a new addre	SS	Product Name		
	Section 11			
Amendment - Explain below	and a second and a s And a second and a se	Final printed labels in response of TIFICATION Agency letter dated "Me Too" Application.		
Resubmission in response to Agency	letter dated	"Me Too" Application. APA 2		
X Notification - Explain below.	st. Karala da	Other - explain below.		
 Adding: "Kills Norway Rats, Roof Rats and House Mice" to frontpanel Adding: "This product is toxic to mammals and birds" under Environmental Hazards Revised: STORAGE AND DISPOSAL statements 				
Section III				
1. Material This Product Will Be Packag Child-Resistant Packaging Unit Packaging	1	r Soluble Packaging 2. Type of Container		
- Yes*		Yes Metal		
	*	Plastic		
No IIf "Yes."		No Glass Paper		
* Certification must be Unit Package	No. per If "Yes wgt. container Packa	age wgt. container Other (Specify)		
submitted. 3. Location of Net Contents Information	4. Size(s) of Retail C			
Label Container	: •	On Label On Labeling accompanying product		
6. Manner In Which Label Is Affixed To Pro	Paper glued	Other ()		
Stenciled Stencile				
1. Contact Point (Complete items directly		vidual to be contacted, if necessary, to process this application.)		
Name	Title	Telaptione No, (Include Area Code)		
Judith A. Thompson	Agent	t 608-221-6200		
		ents thereto are true, accurate and complete		
2. Signature		enter a substante a		
Arduh (i 1 Monpson Agent				
4. Typed Name Judith A. Thompson	5. Date	19/96		
EPA Form 8570-1 (Rev. 12-90) Previo	EPA Form 8570-1 (Rev. 12-90) Previous editions are obsolete. White - EPA File Copy (original) Yellow - Applicant copy			
an a	MANUSESHINGUNUNUSUUTUUTUUTUUT	example in the second of the		

• *

"AFTER LABELING"

د د د د د د

TRAP-N-A-SAK EPA Reg. No. 56637-1 3 oz.; & 2x3 oz. Page 1 of 3 April 9, 1995

TRAP-N-A-SAK® KILLS RATS AND MICE

Kills Norway Rats, Roof Rats and House Mice WITH DIPHACINONE A PELLETIZED RODENTICIDE "CONTAINING SWEET CORN" READY MIXED,

ACTIVE INGREDIENT:	
Diphacinone [2-(Diphenylacetyl)-	
1,3-indandione]	0.005%
INERT INGREDIENTS	
TOTAL	

U.S. Patent No. 4,815,923 EPA Reg. No. 56637-1 EPA Est. No. 61282-WI-1

KEEP OUT OF 'THE REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K_1 intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

NET WEIGHT: 3 OZS.

and the first and the second states and the second states and

)

Manufactured for: Sweet Corn Products Box 487 Bloomfield, NE 68718 TRAP-N-A-SAK EPA Reg. No. 56637-1 3 oz.; & 2x3 oz. Page 2 of 3 April 9, 1995

Back Panel (Left Side)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL: Read this entire label and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents: 1. Store product not in use in a location out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label. USE RESTRICTIONS - For control of Norway rats, roof rats, and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait directly to ground surface or in grass or other ground cover. SELECTION OF TREATMENT AREAS - Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

* * * *

TRAP-N-A-SAK EPA Reg. No. 56637-1 3 oz.; & 2x3 oz. Page 3 of 3 April 9, 1995

Back panel (right side)

DIRECTIONS FOR USE continued.

APPLICATION DIRECTIONS

Rats: Place 1-5 placepacks per placement.* Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

Mice: Open pack and apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8- to 12-foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

Rats/Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

*For outer sales packages less than 1 lb. (includes this 3 oz. package and a 2x3 oz. package which will be 2 packets left together with a hole at the top to slip on a pegboard), the following statement will be added: "The amount of bait in this package is unlikely to be sufficient to kill more than one or two rats."

STORAGE AND DISPOSAL Storage: Store only in original container, in a dry place inaccessible to children and pets. Disposal: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

NOTICE OF WARRANTY: Seller and Manufacturer make no warranty of merchantability, fitness for any purpose, express or implied, concerning this product or its use, which extends beyond the statements on this label.

"AFTER LABELING"

TRAP-N-A-SAK EPA Reg. No. 56637-1 Outer Packaging: 6x3 oz; 50x3 oz; 3x2x3 oz; 25x2x3 oz; 40x2x3 oz; 50x2x3 oz Page 1 of 3 April 9, 1995

TRAP-N-A-SAK® KILLS RATS AND MICE

Kills Norway Rats, Roof Rats and House Mice

WITH DIPHACINONE A PELLETIZED RODENTICIDE "CONTAINING SWEET CORN" READY MIXED,

ACTIVE INGREDIENT: Diphacinone [2-(Diphenylacetyl)-1,3-indandione] 0.005% INERT INGREDIENTS 99.995% TOTAL 100.000%

U.S. Patent No. 4,815,923 EPA Reg. No. 56637-1 EPA Est. No. 61282-WI-1

> KEEP OUT OF THE REACH OF CHILDREN CAUTION

See Side Panel for Additional Precautions

NET CONTENTS:

`}

Manufactured for: Sweet Corn Products Box 487 Bloomfield, NE 68718 TRAP-N-A-SAK EPA Reg. No. 56637-1 Outer Packaging: 6x3 oz; 50x3 oz; 3x2x3 oz; 25x2x3 oz; 40x2x3 oz; 50x2x3 oz Page 2 of 3 April 9, 1995

Left Panel

)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL: Read this entire label and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents: Store product not in use in a location out of reach of 1. children and pets. Apply bait in locations out of reach of children, pets, 2. domestic animals and nontarget wildlife, or in tamperresistant bait stations. These stations must be

resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

з. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS - For control of Norway rats, roof rats, and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait directly to ground surface or in grass or other ground cover. SELECTION OF TREATMENT AREAS - Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

TRAP-N-A-SAK EPA Reg. No. 56637-1 Outer Packaging: 6x3 oz; 50x3 oz; 3x2x3 oz; 25x2x3 oz; 40x2x3 oz; 50x2x3 oz Page 3 of 3 April 9, 1995

Right Panel

)

)

DIRECTIONS FOR USE (continued)

17. 7. .

APPLICATION DIRECTIONS

Rats: Place 1-5 placepacks per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

Mice: Open pack and apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8- to 12-foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

or until signs of mouse activity cease. **Rats/Mice:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

(For Inner Containers)

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store only in original closed container in a cool, dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN

If ingested, administer Vitamin K_1 intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this, ... product directly to water, or to areas where surface where is present or to intertidal areas below the mean high water mark.

NOTICE OF WARRANTY

Seller and Manufacturer make no warranty of merchantability, find fitness for any purpose, express or implied, concerning this product or its use, which extends beyond the statements on this label.

17 A.

. - 1. .