



5498587 161/18 P 1/4

	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460	EPA Reg. Number: 56637-4	Date of issuance: JAN 5 1996
		Term of issuance: Conditional	
		Name of Pesticide Product: Trap-N-A-Sak® II Kills Rats and Mice	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration			
(under FIFRA, as amended)			
Name and Address of Registrant (include ZIP Code): Raymon W. Lush Sweet Corn Products Co. P.O. Box 487 Bloomfield, NE 68718			
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.			
On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 2. Make the following label changes: a. Revise the EPA Registration Number to read, "EPA Reg. No. 56637-4". 3. Submit two copies of the revised final printed label for the record.			
Signature of Approving Official:  FOR ROBERT FORREST		Date: JAN 5 1996	

EPA Form 8570-8

BEduards A: 56637 / U. REG 1/5/96

TRAP-N-A-SAK® II

KILLS RATS AND MICE

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 5 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

56637-4

WITH DIPHACINONE
A PELLETIZED RODENTICIDE
"CONTAINING SWEET CORN"
READY MIXED

ACTIVE INGREDIENT:

Diphacinone [2-(Diphenylacetyl)- 1,3-indandione]	0.005%
INERT INGREDIENTS	99.995%
TOTAL	100.000%

U.S. Patent No. 4,815,923
EPA Reg. No. 56637-U
EPA Est. No. 61282-WI-1

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

IN ALL CASES OF HUMAN INGESTION, IMMEDIATELY NOTIFY A PHYSICIAN.

ENVIRONMENTAL HAZARDS: This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.

NET WEIGHT: 12 LBS.

Manufactured for:
Sweet Corn Products
Box 487
Bloomfield, NE 68718

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS - For control of Norway rats, roof rats, and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait directly to ground surface or in grass or other ground cover.

SELECTION OF TREATMENT AREAS - Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS

RATS: Apply 4-16 ounces of bait per placement.* Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

MICE: Apply 1/4 to 1/2 ounce (1-2 level tablespoons of bait) at 8- to 12-foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

*For the 4 oz. package size, the following statement will be added, "The amount of bait in this package is unlikely to be sufficient to kill more than one or two rats."

44
Back panel (right side)

DIRECTIONS FOR USE continued.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original closed container in a cool dry place inaccessible to children and pets. Store separately from fertilizer and away from products with strong odors which may contaminate the bait and reduce acceptability. Spillage should be carefully swept up and collected for disposal.

PESTICIDE DISPOSAL:

Commercial Use: Wastes resulting from the use of this product should be securely wrapped in several layers of newspaper and then disposed of onsite or at an approved waste disposal facility.

Household use: Securely wrap wastes resulting from the use of this product in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL:

Commercial Use: Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Paper Containers - Dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Household use: Do not reuse container. Wrap container securely in several layers of newspaper and discard in trash.

NOTICE OF WARRANTY: Seller and Manufacturer make no warranty of merchantability, fitness for any purpose, express or implied, concerning this product or its use, which extends beyond the statements on this label.

PM 14

56637-4

S498587

1/6/18

YONICA HILLSTON JAYNE WORTHINGTON



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

56637-4

Date of issuance:

JAN 5 1996

Term of issuance: Conditional

Name of Pesticide Product:

Trap-N-A-Sak® II
Kills Rats and Mice

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Raymon W. Lush
Sweet Corn Products Co.
P.O. Box 487
Bloomfield, NE 68718

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 56637-4".
3. Submit two copies of the revised final printed label for the record.

Signature of Approving Official:

Barth Edwards FOR ROBERT FOREST

Date:

JAN 5 1996

EPA Form 85-0-8

BEST COPY AVAILABLE

BE Edwards A: 56637 U. REG

1/5/96

2 of 4

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 5 1996

TRAP-N-A-SAK® II

KILLS RATS AND MICE

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

56637-4

WITH DIPHACINONE
A PELLETIZED RODENTICIDE
"CONTAINING SWEET CORN"
READY MIXED

ACTIVE INGREDIENT:

Diphacinone [2-(Diphenylacetyl)- 1,3-indandione]	0.005%
INERT INGREDIENTS	99.995%
TOTAL	100.000%

U.S. Patent No. 4,815,923
EPA Reg. No. 56637-U
EPA Est. No. 61282-WI-1

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.


NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

IN ALL CASES OF HUMAN INGESTION, IMMEDIATELY NOTIFY A PHYSICIAN.

ENVIRONMENTAL HAZARDS: This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.

NET WEIGHT: 12 LBS.

Manufactured for:
Sweet Corn Products
Box 487
Bloomfield, NE 68718



BEST COPY AVAILABLE

3 of 4
Back panel (left side)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS - For control of Norway rats, roof rats, and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait directly to ground surface or in grass or other ground cover.

SELECTION OF TREATMENT AREAS - Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS

RATS: Apply 4-16 ounces of bait per placement.* Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

MICE: Apply 1/4 to 1/2 ounce (1-2 level tablespoons of bait) at 8- to 12-foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

*For the 4 oz. package size, the following statement will be added, "The amount of bait in this package is unlikely to be sufficient to kill more than one or two rats."

BEST COPY AVAILABLE

4 of 4

Back panel (right side)

DIRECTIONS FOR USE continued.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original closed container in a cool dry place inaccessible to children and pets. Store separately from fertilizer and away from products with strong odors which may contaminate the bait and reduce acceptability. Spillage should be carefully swept up and collected for disposal.

PESTICIDE DISPOSAL:

Commercial Use: Wastes resulting from the use of this product should be securely wrapped in several layers of newspaper and then disposed of onsite or at an approved waste disposal facility.

Household use: Securely wrap wastes resulting from the use of this product in several layers of newspaper and discard in trash.


CONTAINER DISPOSAL:

Commercial Use: Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Paper Containers - Dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Household use: Do not reuse container. Wrap container securely in several layers of newspaper and discard in trash.

NOTICE OF WARRANTY: Seller and Manufacturer make no warranty of merchantability, fitness for any purpose, express or implied, concerning this product or its use, which extends beyond the statements on this label.



BEST COPY AVAILABLE