1.91

## SECURITY GRANULATED CHINCH BUG KILLER For Home Lawns & Ornamertal Turf

ACTIVE INDREDIENTS:

Chlorpyrifos(0,0-diethyl 0-(3,5,6 trichloro-2-pyridyl)

phosphorothioate

0.5%

INERT JNGREDIENTS:

99.5%

TOTAL

100.0%

This product contains the Toxic Inert Ingredient Methylene Chloride.

> KEEP OUT OF REACH OF CHILDREN CAUTION

NET WEIGHT: 1 LB.

Precautionary Statements Hazards to Humans & Domestic Animals | Department and 1 | EPA Reg No 26644-17 Caution

Under the Leder is insert inde, Fung may, and Researchus Act. as amen ted, for the postfolde.

May be harmful if swallowed. Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs and domestic water supplies. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

NOTE TO PHYSICIAN

Active ingredient is a cholinesterase inhibitor. Treat sysmptomatically. Atropine is an antidote.

**ENVIRONMENTAL HAZARDS** 

This product is toxic to fish, birds and other wildlife. out of any body of water. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

GROUP 1: To control Ants, Armyworms, Brown Dog Ticks, Chiggers, Chinch Bugs, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Mole Crickets, Sod Webworms and Ticks, apply 200 lbs. per acre.

GROUP 2: To control Turfgrass (Hyperodes) Weevil, apply 400 lbs. per acre to problem areas in mid-April and again in mid-May or as recommended by your local Agricultural Extension Service Specialist for your area.

GROUP 3: To control White Grubs (European Chager and Japanese Beetle larvae only), apply 400 to 800 lbs. per acre when grubs are young and actively feeding near the soil surface, usually during late July and August or as recommended by your local Agricultural Extension Service Specialist for your area. Apply this product uniformly to home lawns and other ornamental and recreational turf gras areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first To help obtain uniform distribution, apply one-half the required amound of product in one directions, then apply the balance at a right angle. Immediately after application sprinkle the turf with 1300 gallons of water per acre so as to wash the granules into the zone of insects infestation. the following table to determine the amounts of this product and water required for smaller sized areas. Retreat as necessary. Area to be Pounds of this Product to use: Gallons of water to treated Group 1 Group 2 Group 3 sprinkle on turf after treatment

1,000 sq.ft. 5 10 10 to 20 30 5,000 sq.ft. 25 50 50 to 100 150 10,700 sq.ft. 50 100 100 to 200 325

STORAGE AND DISPOSAL STATEMENTS

STORAGE: Store in an area inaccessible to children. DISPOSAL: Do not reuse empty container. Wrap container and place in trash collection.

NOTICE: DISCLAIMER OF WARRANTY, MERCHANTABILITY AND LIABILITY: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

EPA Reg. No. 56644-17 EPA Est. No. 769-GA-1

Distributed by:

(

SECURITY PRODUCTS COMPANY OF DELAWARE INC. City of Commerce, CA and Fort Valley, GA

,