

390 / 506146
 18 / 19 SEP 1988

Mr. Robert V. Yocum
 Pesticide Registration Coordinator
 Security Products Company
 P.O. Box 1378
 Fort Valley, GA 31020-1378

Dear Mr. Johnson:

Subject: Labeling Amendment Submitted in Response to
 PP Notice 87-6
 EPA Registration No. 56674-26

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the following comments.

1. Comply with the requirements of the recently issued Sumithrin and Dieldrin Registration Standards.
2. Bring your label's type size into compliance with 40 CFR part 156.10, previously 162.10.
3. Delete the phrase "General classification:"
4. Add the statements "Put out all flames. Turn off pilot lights in gas appliances in the use area. After firing out phase is complete, relight pilot lights." after the statement "Shut off fans and air conditioners." Delete the statement "Put out all flames and pilot lights."
5. Add the statement "Do not incinerate or puncture." to the disposal section.
6. Submit a revised Confidential Statement of Particulars as required in the enclosed notice.

CONCURRENCES

MBOL	SURNAME	DATE						
15675	Meredith	8/1/88						

A stamped copy of the draft label is enclosed for your records. Submit five (5) copies of the final printed labeling.

Sincerely,

Enclosure

Phil Patton
Product Manager (17)
Insecticide, Rodenticide, and Fish
Registration Division (21-7620)

CONCURRENCES

MBOL								
SURNAME								
DATE								

SECURITY
INDOOR INSECT
FOGGER

FOR USE IN ROOMS, APARTMENTS, HOMES, ATTICS, BASEMENTS, CAMPERS,
BOATS, GARAGES, PET SLEEPING AREAS, CABINS

ONE UNIT TREATS UP TO 6,000 CUBIC FEET

Kills Houseflies, Mosquitoes, Black Carpet Beetles, Saw-Toothed
Grain Beetles, Rice Weevils, Small flying Moths, Spiders, Ticks,
Wasp, Pill Bugs, Crickets, Silverfish, and aids in the control
of Cockroaches.

ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin I)	.300%
Related Compounds	.023%
*3-Phenoxybenzyl d-cis and trans **2,2-dimethyl-3- (2-methylpropenyl)cyclopropanecarboxylate	.191%
*Other Isomers	.009%
Petroleum Distillate	14.477%
INERT INGREDIENTS:	85.000%
TOTAL	100.000%

*d(cis,trans) phenothrin **cis/trans isomer ratio: max. 25% +/-
cis min. 75% +/- trans

This product contains the Toxic Inert Ingredient Methylene
Chloride.

KEEP OUT OF REACH OF CHILDREN
CAUTION

(SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

NET CONTENTS: 7.5 FL. OUNCES

ACCEPTED
with COMMENTS
in EPA Reg. No. 149-100-01

SEP 10 1968

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

56644-26

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water and get medical attention if irritation persists. Avoid contamination of food and feedstuffs. Do not use in commercial food processing, preparation, storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL CLASSIFICATION: Cover exposed foods, dishes and food handling equipment.

Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 feet of unobstructed area. Use additional units for remote rooms or where flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO KILL TICKS: Remove and destroy old pet bedding. Apply this product as for other insects. Put fresh bedding in pets quarters after treatment. Treat dogs and cats with a registered tick control product before allowing them to enter.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame. DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

EPA REG. NO. 56644-26

EPA EST. NO. 769-GA-1

DISTRIBUTED BY:

SECURITY PRODUCTS COMPANY OF DELAWARE, INC.
City of Commerce, CA and Fort Valley, GA