

PHYSICAL OR CHEMICAL HAZARDS

This formulation is combustible. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE AND DISPOSAL

STORAGE: Store away from heat, sparks and open flame in original container and in an area inaccessible to children.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.


DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

A synthetic Pyrethroid for controlling the following household flying and crawling insects: Houseflies, Mosquitoes, Gnats, Roaches, Ants, Earwigs, Spiders, Grain Insects (adults of Confused Flour Beetles, Sawtoothed Grain Beetles, Shiny Spider Beetles), Grain Mites, Sawbugs and Centipedes.

FOR USE IN motels, hotels, homes, non-food areas of institutions, packaging and processing plants, see houses, and horse stables.

DO NOT USE in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.



<LABEL>

SECURITY
INDOOR INSECT
FOGGER

FOR USE IN ROOMS, APARTMENTS, HOMES, ATTICS,
BASEMENTS, CAMPERS, BOATS, GARAGES, PET
SLEEPING AREAS, CABINS

ONE UNIT TREATS UP TO 6,000 CUBIC FEET

Kills Houseflies, Mosquitoes, Black Carpet Beetles, Saw-
Toothed Grain Beetles, Rice Weevils, Small flying Moths,
Spiders, Ticks, Wasp, Pill Bugs, Crickets, Silverfish,
and aids in the control of Cockroaches.

ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin I)	.300%
Related Compounds	.023%
*3-Phenoxybenzyl d-cis and trans **2,2-dimethyl-3- (2-methylpropenyl)cyclopropanecarboxylate	.191%
*Other Isomers	.009%

INERT INGREDIENTS:

	99.77%
TOTAL	100.000%

*d(cis,trans) phenothrin
**cis/trans isomer ratio: max. 25% +/- cis
min. 75% +/- trans

CAUTION
KEEP OUT OF REACH OF CHILDREN

(SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

NET CONTENTS: 7.5 FL. OUNCES

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

