

SECURITY
Thiogard 3

Thiodan Insect Spray

For Fruits, Vegetables & Ornamentals

ACTIVE INGREDIENTS:

Endosulfan (Hexachlorohexahydromethane 2,4,3-benzodioxathiepin
oxide).....9.7%

INERT INGREDIENTS:.....90.3%

EPA Reg. No. 56644-38 EPA Est. 769-GA-1 TOTAL 100.0%

Thiodan is a Reg. TM of Canadian Hoechst, Ltd.

U.S. Patent No. 2,799,685

This product contains 3/4 lb. Endosulfan per gallon

NET CONT
8 FL. OZ.

WARNING

KEEP OUT OF REACH OF CHILDREN
(See additional precautionary
statements on attached pamphlet).

FOLD OUT LABEL

Cut or tear along perforation

SECURITY


Thiogard 3

Thiodan Insect Spray

Manufacturers
Security Lawn & Garden Products Co.

Net Contents 8 FL. OZ.

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.



SECURITY**Borer Spray**

**For Dogwood Borers
and Peach Tree Borers**

ACTIVE INGREDIENTS:

Endosultan (Hexachlorohexahydromethane-
2,4,3-benzodioxathiepin oxide)..... 9.7%

INERT INGREDIENTS:..... 90.3%

EPA Reg. No. 56644-38

TOTAL 100.0%

EPA Est. No. 769-GA-1


Thiodan is a Reg. 1M of Canadian Hoechst, Ltd.

U.S. Patent No. 2.799.685

This product contains 3/4 pound Endosulfan per gallon

**KEEP OUT
OF REACH
OF CHILDREN
WARNING**

**(For additional precautionary
statements see side panel.)**



SIDE LABELS

SECURITY

Borer Spray

For Dogwood Borer and
Peach Tree Borer

EPA Reg. No. 56644-38

EPA Est. No. 769-GA-1

This pamphlet contains directions for use.

READ ALL PRECAUTIONS ON THE CONTAINER BEFORE USING THIS PRODUCT.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow the time intervals between last application and harvest indicated by number in () following the crop.

Peaches, Apricots, Nectarines (30 days) Plums, Prunes (7 days): To control peach tree borer and lesser peach tree borer, apply 1 gallon per 100 gallons of water [2 TBs. (1 oz.) per gallon). Spray thoroughly to cover all bark areas from ground to scaffold limbs. For lesser peach tree borer, thoroughly wet trunk and main branches. Usually 2 applications are required, one immediately after harvest and a second 3 to 4 weeks later.

Dogwoods: To control Dogwood Borer, apply 1 2/3 Tbs. per gallon of water. apply to trunk and lower limbs in May and June before borers enter the trunk. Apply thoroughly, particularly to injured areas and old borer wounds. Repeat application 2 to 3 times at 10 day intervals.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. IF INHALED: Remove victim to fresh air. Apply respiration if indicated. IF ON SKIN: Wash immediately with soap and water. IF IN EYES: Flush eyes for at least 15 minutes with water. Call a physician immediately.

SIDE LABEL - cont'd.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

WARNING: Harmful if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes or clothing. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water, for eyes, get medical attention. Wash with soap and water after handling and before eating or smoking, wear clean clothing. Avoid contamination of feed and foodstuffs. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. **WARNING:** Workers entering treated fields within 24 hours should wear protective clothing. during commercial or prolonged exposure in spray mixing and loading operations wear clean synthetic rubber gloves and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. apply this product only as specified on this label.

PROTECT BEES: This pesticide is toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity usually between late evening and early morning.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store pesticide in original container and place in a locked storage area. Do not reuse container. Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

054482010

SEE ATTACHED PAMPHLET FOR ADDITIONAL DIRECTIONS FOR USE.

**Net Contents: 8 Fluid Ounces
Security Products Company
Atlanta, Georgia**

