


PM 16 Security 11



Do not spray during bloom period. Malathion may injure the foliage of some varieties of Apples and Grapes.

CITRUS: Oranges, Lemons, Limes, Grapefruit, or Tangerines. For Aphids; Whiteflies; Scale (Black, Purple or Yellow); Thrips (exposed), use 2 teaspoons per gallon of water. Do not apply within 7 days of harvest. Do not spray during bloom period.

VEGETABLES: Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kale, Beans, Peas. For Aphids, use 1 1/2 to 2 teaspoons per gallon of water. For Red Spider Mites, Mealybugs, Whiteflies, Thrips (exposed), Bean Leafhoppers, Japanese Beetles (adult), or Tarnished Plant Bugs, use 1 tablespoon per gallon of water. Do not apply to Broccoli or Peas within 3 days of harvest and to Brussels Sprouts, Cabbage, Cauliflower or Kale within 7 days of harvest. Do not spray during bloom period. Do not treat Beans within 1 day of harvest.

For the control of House Flies on patios, around the outside of homes, and garbage containers, use 6 tablespoons per gallon of water. Spray thoroughly around foundations, under porches, along fences, shrubbery, other wooded areas.

For the control of household pests around homes: Roaches, Ants, Spiders, Mosquitoes, Silverfish, Crickets, Clovermites, Earwigs, use 8 tablespoons per gallon of water. Apply as a coarse spray or brush around windows, and other areas outside the home.

STORAGE AND DISPOSAL

Storage: Store in original container in a cool place away from sparks or open flame. Keep out of reach of children.

Disposal: Securely wrap original container in several layers of paper and discard in trash. Do not reuse container.

Notes: Buyer assumes all risk of use, storage and handling of this material not in strict accordance with directions given hereon.


Manufacturers
Security Lawn &
Garden Products Co.
Atlanta, Georgia

EPA REG. NO. 36644-84
EPA EST. NO. 769-GA.-1

CHACON

**MALATHION
SPRAY**

FOR FRUITS, VEGETABLES, ORNAMENTALS



ACTIVE INGREDIENTS:
Malathion 80 Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate 50.00%
INERT INGREDIENTS 50.00%
Net 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION: See back panel for additional precautionary statements. **NET 1 PINT (0.473 l.)**

**CHACON MALATHION SPRAY
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION
Keep out of reach of children. Hazardous if swallowed. Avoid breathing of spray mist. Avoid contact with skin. Avoid contamination of food and feed.
Statement of Pesticide Treatment: Do not induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical attention. If inhaled, remove affected person from exposure. If in eyes, rinse with plenty of fresh water for at least 15 minutes. Get medical attention if irritation persists. If on skin, wash affected area with soap and water.
Note to Physician: Malathion is a Cholinesterase inhibitor and can cause symptoms similar to those caused by other organic phosphorus compounds. Atropine is antidote.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.
This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flames.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label thoroughly. Apply this product only as specified on this label. **DO NOT USE INSIDE THE HOME.**
Use as thorough cover spray on all parts of the plant. Repeat as necessary. Keep children and pets off treated areas until material is washed into the soil or the grass is dry. Do not use on Boston, Maiden Hair or Pteris ferns. This product can be used up to 3 days before harvest of fruit crops unless otherwise specified.
ORNAMENTALS: Roses, Azaleas, Gardenias, Camellias, Stocks, Chrysanthemums, and other flowers and shrubs. For Aphids, use 1 1/2 to 2 teaspoons per gallon of water. For Red Spider Mites, Whiteflies, Mealybugs, Woolly Aphids, Rose Leafhoppers, Thrips (exposed), Tarnished Plant or Boxelder Bugs, Japanese Beetles (adult), use 1 teaspoon per gallon of water.
For Black, Soft Brown, or Oyster Shell Scales, use 1 1/2 to 2 tablespoons per gallon of water.
FRUITS: Apples, Pears, or Grapes. For Aphids, use 1 1/2 to 2 teaspoons per gallon of water. For Red Spider Mites, Mealybugs, Whiteflies, Thrips (exposed), Japanese Beetles (adult), Pear Psyllid, Grape Leafhoppers, or Tarnished Plant Bugs, use 1 tablespoon per gallon of water. For Scale Crawlers, use 1 1/2 to 2 tablespoons per gallon of water. Do not apply to Pears within 1 day of harvest.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.



BEST AVAILABLE COPY