

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Causes irreversible eye damage. Wear goggles, face shield, or safety glasses. Harmful or fatal if swallowed. May be fatal if inhaled. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

### ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

### NO WARRANTY

There is NO WARRANTY, representation or condition of ANY KIND, expressed or implied (including NO WARRANTY OF MERCHANTABILITY) concerning material sold hereunder or containers in which shipped. Frontier Feed Inc. shall have no responsibility, whether for breach of warranty, negligence, or otherwise, for any loss, damage or injury to persons or property arising out of the use, storage, or handling of PROTECTEIN-RTU otherwise than in strict accordance with the directions contained on the PROTECTEIN-RTU label.

ACCEPTED  
574-892

# PROTECTEIN™ -- RTU (Formaldehyde)

For postharvest application to grass and legume forages prior to ensiling to serve as a silage preservative by mitigating the growth of fungi such as *Candida* sp., *Hansenula* sp. and *Rhizopus* sp. which deteriorate the forage and reduce the feed value before and during the ensiling process.

\*Includes forages of alfalfa, Bermuda grass, bluegrass, brome grass, clover, cowpea hay, fescue, lespedeza, lupines, orchard grass, peanut hay, peavine hay, rye grass, soybean hay, sudan grass, timothy and vetch.

ACTIVE INGREDIENT: Formaldehyde.....2.8%  
INERT INGREDIENTS: .....97.2%  
(Contains methanol)

This Product Weighs 11.4 lbs. per Gallon

### KEEP OUT OF REACH OF CHILDREN

# // DANGER //

### Statement of Practical Treatment

**IF IN EYES:** Flush with plenty of water. Call a physician.

**IF SWALLOWED:** Call a physician, or poison control center. Drink promptly, a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

NET CONTENTS: \_\_\_\_\_ GALLONS

Manufactured for:  
Frontier Feeds, Inc.  
P.O. Box Idaho 83660

EPA Reg. No.: 56659-2  
EPA Est. No.: \_\_\_\_\_

Exp. Date: \_\_\_\_\_  
Lot No.: \_\_\_\_\_

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application: Add 20 to 40 lbs. (1.75 to 3.50 gallons) of PROTECTEIN-RTU to sufficient forage to make 1 ton. PROTECTEIN-RTU should be evenly sprayed using a coarse spray, or poured on to grain forages containing 65 to 90 percent moisture\* before it is put into a pit or silo. This may be done while forage is in piles on the ground, in hauling trucks, or during the silo filling process. PROTECTEIN-RTU should be evenly distributed over the forage. Once mixed into the silo or pit, PROTECTEIN-RTU spreads through the forage. Treated forage should be ensiled promptly in the customary manner except that the top foot of silage stored should not contain PROTECTEIN-RTU.

NOTE: Do not feed silage from treated crops to livestock within 4 weeks of treatment. Do not treat the top foot of hay crop placed in the silo.

\*Grains and forages containing less than 65% or more than 90% moisture are not suitable for silage.

### STORAGE AND DISPOSAL

**STORAGE:** PROTECTEIN-RTU may be stored in stainless steel, fiberglass or high density polyethylene tanks.

**DISPOSAL:** Pesticide wastes are hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

After contents have been removed, tank truck should be thoroughly rinsed. Read entire label. Use strictly in accordance with "DANGER" statement and "Directions" and comply with applicable state and federal regulations.