

Best copy available

56783-1

01/16/2002

1/3

DAMMINIX® A TICK TOXICANT As an aid in the control of ticks that may carry Lyme Disease; that infect mice and nests of mice found around yards, play areas, parks, brush, paths, and in woodlands
 EPA Reg. No. 56783-1 EPA Est. No. 5993 MA1
ACTIVE INGREDIENT: + Permethrin 7.4%
INERT INGREDIENTS: 92.6%

Total 100.0%
 + (3-phenoxyphenyl) methyl (+)-1-cis trans 3-(2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate
 Cis:trans ratio, Min. 35% (+)-1-cis and max. 65% (+)-1-trans

CAUTION: KEEP OUT OF REACH OF CHILDREN
FIRST AID
INGESTION - If swallowed
 • Call a poison control center or doctor immediately for treatment advice
 • Have person sip a glass of water if able to swallow
 • Do not induce vomiting unless told to do so by a poison control center or doctor
 • Do not give anything by mouth to an unconscious person
EXPOSURE, SKIN IRRITATION - If on skin or clothing
 • Take off contaminated clothing
 • Rinse skin immediately with plenty of water for 15-20 minutes
 • Call a poison control center or doctor for treatment advice
EYES - If in eyes
 • Hold eye open and rinse slowly and gently with water for 15-20 minutes
 • Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye
 • Call a poison control center or doctor for treatment advice
 Have the product container or label with you when calling a poison control center or doctor or going for treatment.

© 2001, ECOHEALTH, INC., 33 MT. VERNON ST., BOSTON, MASSACHUSETTS 02108

USE AS AN AID IN THE CONTROL OF
 LYME DISEASE CARRYING TICKS.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling
FOR OUTDOOR APPLICATION ONLY - For the reduction of ticks associated with the mice that serve as reservoirs for pathogens causing Lyme disease and babesiosis. Ticks feeding on these animals become infected and may transmit disease to humans, dogs, and horses

For best results, place tubes flat on the ground in all brush-covered and wooded areas to be treated. The maximum distance between tubes should not exceed 10 yards in any direction. Treatment should be limited to areas inhabited by mice, and need not include mown lawns or open grasslands. Tubes should be positioned so that mice have access to the open ends. Product works best if not covered by leaves or other material wherever mice may reside. For complete coverage, all brush-covered or wooded areas within 50 yards surrounding the yard area to be protected should be treated.

FOR TREATMENT OF WOODLOTS - Tubes should be placed in a contiguous array, such as a grid design, with no more than 10 yards between tubes in any direction. For complete coverage, apply tubes up to the brush-covered edge surrounding the woodlot. Tubes placed near thickets or rotting logs within the woodlot will be more effective than those placed in more open woodland terrain.

Tubes may be applied anytime between April 1 and mid-September, but should be applied at least twice a year. For best results, apply just prior to the feeding activity periods for nymphal (May-June) and larval (August-September) ticks. Tubes may also be replaced when nesting materials is completely removed.

STORAGE AND DISPOSAL - Store at room temperature. Do not contaminate water, food or feed by storage and disposal. Do not reuse empty tubes. The tubes and unused cotton are biodegradable and may be left in the application site. If disposal is desired, wrap tube and put in trash collection equipment washwaters.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS - Avoid contact with eyes and skin. Contact with skin may result in temporary numbness and tingling sensations. Wash thoroughly with soap after handling.


ENVIRONMENTAL HAZARDS - This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of wastes or equipment washwaters.

CONTENTS: 24 Damminix Tubes, each containing 4.5 grams

USE AS AN AID IN THE CONTROL OF
 LYME DISEASE CARRYING TICKS

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered for its pest-control use. P. No. 56783-1

ACCEPTED
 JAN 16 2002





DAMMINIX[®]

Tubes

Tubes

USE AS AN
IN THE CONTAINER





Tubes

USE AS AN AID IN THE CONTROL OF LYME DISEASE CARRYING TICKS.

Tubes

IN TREATMENT ABOUT
wherever mice may reside
could be treated.


IN TREATMENT OF WOODPILES
in any direction. For con-
taining logs within the woodpile
they may be applied any-
where the feeding activity is
completely removed.

ORANGE AND DISPOSABLE
tubes and unused co-

CAUTION TO HUMANS:
Irritating sensations. Wash

ENVIRONMENTAL HAZARD:
Here surface water is present
equipment washwaters.

7-742-2400 CON



Tubes