NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT Mite Arrest	PUIS
(Under the Federal Insecticide, Fundicide, and Rodenticide Act, an amended)		56783-2
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		061072-
	_	Pg.1034
F-	1	
Transition Tax.		
No Provid Street Juston, MA 02110		
L	٦	
NOTE: Changes in labeling formula differing in substance fr submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration num	to use of the label in commerce	
Or the basis of information furnished by the registrant, the	······································	Registered/Reregistered under
the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Reg	_	1
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any nar Act is not to be construed as giving the registrant a right to by others.	a, may st any time suspend or ca me in connection with the registr	ncel the registration of a pest- ation of a product under this
Nus projecti projecti tron 127 : V 1(7)(7) provincia tri 7 2011	porjet rojet i tok	New YEL STALL
). Submit Snd/or dite al Am 11 your product anna 19791 p.e. 342)(5 21 similar products to public such d	Der Berger als Set de Monesco	
7. Make the lab line on ones b Movembr	an a thank an an an a	the true of the Au
	• • • • • •	
$\frac{1}{2} = \frac{1}{2} \left(\frac{1}{2} + 1$		
c. Sylm the front re	a de contra t	
For Committee UV974	$\mathbf{f} \in [1, d_{1}]^{2}$, $[1, \dots, n_{n}]$	
	BEST AVAILA	BLE COPY
_		
ATTACHMENT IS APPLICABLE		
IGNATURE OF APPROVING OFFICIAL	E d'all	July F. 194

5

d. Since laboratory rodents are used for various "research" purposes, we suggest you add the following statement under the heading Note:

This product contains a pyrethroid insecticide which the caged animals may ingest or come into dermal contact with. Researchers should consider the possible effects of contact with this insecticide before using this product.

3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the λ -79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager 15 Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

MITE ARREST

 $\mathcal{L}_{\mathcal{F}}$

EPA Reg. No. 56783-E EPA Est. No. 5693 MA 1

INSECTICIDAL BEDDING FOR LABORATORY RODENTS

Permethrin impregnated cotton bedding to control mite infestations on laboratory rodents.

Intended for Commercial/Veterinary Use Only

+(3-phenoxyphenyl methyl (+/-) <u>cis/trans</u> 3-(2-dichloroethenyl)-2,2dimethyl cyclopropanecarboxylate

*Cis/trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans

Contents:

And the standard and the

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

IF SWALLOWED - Contact a physician or Poison Control Center immediately.

IF ON SKIN - Remove contaminated cloching and wash affected areas with plenty of soap and water.

IF IN EYES - Flush eyes with plenty of water. Call a physician if irritation persists.

See additional precautionary statements

BEST AVAILABLE CUPY

EcoHealth, Inc., 110 Broad Street, Boston, MA 02110

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application instructions:

l

Place treated cotton directly in rodent cage to be treated. Use about 3 cotton balls or 3 inches of cotton for each rodent in the cage. Avoid wetting the cotton; to prevent cage flooding, care should be taken to place cotton away from the water bottle spout. Replace soiled cotton; it is recommended that fresh cotton be added weekly, at the time when other bedding is changed. Continue using the product for four to six weeks, or until mites or their eggs are no longer present in the fur of rodent. As mite eggs are not affected by this treatment, extended use of the product (until eggs are no longer present) will provide greater long-term control and prevent reinfestation.

STORAGE AND DISPOSAL

Store at room temperature. Do not contaminate water, food or feed by storage and disposal.

Unused and soiled cotton is biodegradable and may be safely disposed of with other bedding (such as wood chips, shavings, etc.) or refuse. Soiled cotton may be autoclaved or incinerated.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Avoid contact with eyes and skin. Chronic exposure to skin may cause dermal irritation or tingling. Wash thoroughly with soap after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not contaminate water by disposal.

