

TOP BRASS
FLEA AND TICK POWDER

for
CATS AND DOGS #4

Kills Fleas, Lice and Ticks

APR 06 1987
Insecticida,
Fungicida Act,
Pesticida

ACTIVE INGREDIENTS:

Carbaryl(1-naphthyl N-methyl-carbamate).....	5.0%
Pyrethrins	0.1%
Piperonyl Butoxide, Technical*	1.0%

INERT INGREDIENTS: 93.9%

100.0%

*Equivalent to 0.8% (butylcarbityl)(6-propyl-piperonyl) ether and 0.2% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Cautions

Net Weight: 6 Ounces

Manufactured By
TOP BRASS PRODUCTS
Houston, TX. 77269

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing of dust when you apply powder. Wash hands with soap and water after dusting animals. Do not treat puppies and kittens under 4 weeks of age. Do not treat pregnant dogs. Keep out of reach of children.

ENVIRONMENTAL HAZARDS

Notice to Physician: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine sulfate is antidotal. *This product is toxic to fish*

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. If irritation persist, see a physician.

if inhaled
if on skin
if swallowed

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

How to Use: For Control of fleas, ticks and lice, dust pet liberally by rubbing dust into animals hair. Begin at tail and work toward the head. Take care not to get dust in animals eyes, nose or mouth. Be sure to dust paws and between toes. Dust bedding, kennels and sleeping quarters regularly. Apply at least once weekly for best results.

STORAGE AND DISPOSAL

Store in original container in cool, locked storage area. Do not reuse container. Empty Completely, wrap in newspaper before discarding in trash.

EPA REG. NO. 56820

EPA EST. NO. 56820-TX-1

