



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing of dust when you apply powder. Wash hands with soap and water after dusting animals. Do not treat puppies and kittens under 4 weeks of age. Do not treat pregnant dogs or nursing animals. Keep out of reach of children.

Notice to Physician: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

STATEMENT OF PRACTICAL TREATMENT

- IF INHALED: Remove victim to fresh air and apply respiration if indicated.
- IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.
- IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Never give anything by mouth to an unconscious person. Call a Physician.
- IF IN EYES: Flush with plenty of water. If irritation persists, see a Physician.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

How to Use: For Control of fleas, ticks and lice, dust pet liberally by rubbing dust into animals hair. Begin at tail and work toward the head. Take care not to get dust in animals eyes, nose or mouth. Be sure to dust paws and between toes. Dust bedding, kennels and sleeping quarters regularly. Apply at least once weekly for best results.

STORAGE AND DISPOSAL

Store in original container in cool, locked storage area. Do not reuse container. Empty Completely, wrap in newspaper before discarding in trash.

EPA REG. NO. 56820-4

EPA EST. NO. 56820-TX-1

