


56820-6

01/29/88

1/6

<p>US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460</p> <p>NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION</p> <p><i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i></p>	<p>EPA REGISTRATION NO. 56820-6</p>	<p>DATE OF ISSUANCE JAN 29 1988</p>
<p>TERM OF ISSUANCE Conditional</p> <p>NAME OF PESTICIDE PRODUCT Top Brass Insect Strip</p>		
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <p><input type="checkbox"/> Top Brass Products P.O. Box 690954 Houston, TX 77269-0954</p> <p style="text-align: right; font-size: 2em;">161 204582 18 1</p>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 56820-6." b. Please refer to the recently completed DDVP Registration Standard for additional label changes. Copies of the Registration Standard are available from EPA. c. Based on the current Confidential Statement of Formula (CSF) dated August 18, 1987, your product will not meet the label claim for the active ingredient. Please revise the CSF so the information agrees. The lower certified limit must be the same as the label claim. Certified limits must be based on pure active ingredients. <p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>		
<p>SIGNATURE OF APPROVING OFFICIAL</p> 	<p>DATE 1/29/88</p>	

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

3/6

ACCEPTED
with COMMENTS
in EPA Letter Dated:

TOP BRASS

JAN 29 1988

INSECT STRIP

Under the
Function
as an
regis
EPA Reg. No.

56820-6

KILLS: Flies, Mosquitoes, Gnats
up to 4 months.

Use in Homes, Motels, Cabins,
Garages, Animal Shelters and Milkrooms

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate	18.6%*
Related compounds	1.4%*

INERT INGREDIENTS:	80.0%
--------------------------	-------

*Equivalent to 20.0% VAPONA[®] Insecticide


KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

Net Weight: 3.3 OZ.

Manufactured By
TOP BRASS PRODUCTS
Houston, TX. 77269



) PRECAUTIONARY STATEMENTS)

4/6

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Do not get in mouth, harmful if swallowed. After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash hands thoroughly with soap and water after handling strip. Do not use in hospital or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in any rooms where infants, the sick, or aged are or will be present for any extended period of confinement. Do not use in kitchens, restaurants, or areas where food is prepared or served. Not to be taken internally by humans or animals. Do not use in edible products areas of food processing plants.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

When ready to use, unwrap original package and hang TOP BRASS INSECT STRIP with hook provided.

Homes, Motels, Cabins, Garages: To control flies, mosquitoes, gnats, use one TOP BRASS Insect Strip per average size room (10 x 10 x 10 feet). Normally this is effective for four months. Replace strip if effectiveness diminishes.

Garbage Cans and Trash Dumpsters: For control of flies in garbage cans and dumpster attach TOP BRASS Insect Strip inside can or dumpster. Keep lid on can and dumpster closed.

Animal Buildings: To control flies, mosquitoes and gnats in Horse Barns, Calf Barns, Hog Parlors, Stables, Poultry Houses, Tack Rooms and Dog Kennels, place one TOP BRASS Insect Strip per 1000 cu. ft. of space. If more than one strip is required, distribute them equally over area to be treated. Drafts, weather and other conditions may effect the performance, but these usually last four months. Replace when effectiveness diminishes. Do not contaminate food, water or foodstuffs.

Milk Rooms: To control flies, mosquitoes, and gnats in milkrooms and Bulk milk storage rooms hang one TOP BRASS Insect Strip per 1000 cu. ft. of space. Do not contaminate milk or milking equipments.

Catch Basin: To control mosquitoes breeding in catch basins, suspend TOP BRASS Insect Strip about 10 inches above water line. Usual control is 10 to 15 weeks. Replace strip when effectiveness diminishes.

Agricultural Commodities: Bulk storage of raw grains, corn, soybeans, cocoa beans and peanuts. For control of Almond Moths, Cocoa Moth, Indian Meal Moth, and Mediterranean Flour Moths infesting non-perishable bulk stored raw Agricultural Commodities, suspend one TOP BRASS Insect Strip per 1000 cu. ft. of air space above the Commodities before moths begin to emerge in early spring. Weather and drafts and other conditions effect the performance of the control, but this treatment usually lasts for four months. Replace strip when needed to prevent egg laying by moths.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not open or remove from package before ready to install. Store in cool, dry place. Do not reuse packaging. Wrap used packaging in several layers of newspaper and discard in trash collection.

EPA REG. NO. 56820

EPA EST. NO. 56820-TX-1

) PRECAUTIONARY STATEMENTS)

6/6

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Do not get in mouth, harmful if swallowed. After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash hands thoroughly with soap and water after handling strip. Do not use in hospital or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in any rooms where infants, the sick, or aged are or will be present for any extended period of confinement. Do not use in kitchens, restaurants, or areas where food is prepared or served. Not to be taken internally by humans or animals. Do not use in edible products areas of food processing plants.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

When ready to use, unwrap original package and hang UNICORN INSECT STRIP with hook provided.

Homes, Motels, Cabins, Garages: To control flies, mosquitoes, gnats, use one UNICORN Insect Strip per average size room (10 x 10 x 10 feet). Normally this is effective for four months. Replace strip if effectiveness diminishes.

Garbage Cans and Trash Dumpsters: For control of flies in garbage cans and dumpster attach UNICORN Insect Strip inside can or dumpster. Keep lid on can and dumpster closed.

Animal Buildings: To control flies, mosquitoes and gnats in Horse Barns, Calf Barns, Hog Parlors, Stables, Poultry Houses, Tack Rooms and Dog Kennels, place one UNICORN Insect Strip per 1000 cu. ft. of space. If more than one strip is required, distribute them equally over area to be treated. Drafts, weather and other conditions may effect the performance, but these usually last four months. Replace when effectiveness diminishes. Do not contaminate food, water or foodstuffs.

Milk Rooms: To control flies, mosquitoes, and gnats in milkrooms and Bulk milk storage rooms hang one UNICORN Insect Strip per 1000 cu. ft. of space. Do not contaminate milk or milking equipment.

Catch Basin: To control mosquitoes breeding in catch basins, suspend UNICORN Insect Strip about 10 inches above water line. Usual control is 10 to 15 weeks. Replace strip when effectiveness diminishes.

Agricultural Commodities: Bulk storage of raw grains, corn, soybeans, cocoa beans and peanuts. For control of Almond Moths, Cocoa Moth, Indian Meal Moth, and Mediterranean Flour Moths infesting non-perishable bulk stored raw Agricultural Commodities, suspend one UNICORN Insect Strip per 1000 cu. ft. of air space above the Commodities before moths begin to emerge in early spring. Weather and drafts and other conditions effect the performance of the control, but this treatment usually last for four months. Replace strip when needed to prevent egg laying by moths.