



56872-2

02/02/2006

14

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

	United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	---	--	-----------------------

**Application for Pesticide - Section I**

1. Company/Product Number 56872-2	2. EPA Product Manager	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) WOW PLUS	PM#	
5. Name and Address of Applicant (Include ZIP Code) Gardens Alive! Inc. 5100 Schenley Place Lawrenceburg, IN 47025 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b>  FEB - 2 2006
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification as per PRN 98-10, to update product container/package sizes.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted	If "Yes" Unit Packaging wgt. _____ No. per container _____	If "Yes" Package wgt. 20 & 40 lbs. _____ No. per container 1		<input checked="" type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 20 & 40 lb. bags	5. Location of Label Directions <input checked="" type="checkbox"/> FRONT + center of label		
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled				<input type="checkbox"/> Other _____	

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Chris Whitaker	Title Regulatory Affairs	Telephone No. (Include Area Code) (812) 537-8665 ext.2236
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Affairs	
4. Typed Name Chris Whitaker	5. Date 10/28/05	


2/4

# WOW!® (WithOut Weeds) PLUS

## Pre-Emergence Weed Control and 100% Organic Lawn Fertilizer

8-1-1

Nonpoisonous and Nontoxic to Humans and Pets  
Contains All Natural Ingredients



Active Ingredient  
Corn Gluten Meal ..... 78%

Inert Ingredients: Bone Meal, Molasses, Soybean Hulls

8-1-1  
Guaranteed Analysis

Nitrogen (N) .....	8%
0.01% Water Soluble Nitrogen	
7.99% Water Insoluble Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	1%
Soluble Potash (K <sub>2</sub> O) .....	1%
Derived from: Corn Gluten Meal, Bone Meal, Molasses, Soybean Hulls	

NOTIFICATION  
FEB - 2 2006

This product is a pre-emergence herbicide for use in controlling crabgrass, creeping bentgrass, smart weed, dandelions, redtop, pigweed, purslane, lambsquarters and foxtail. A pre-emergence herbicide is capable of controlling weeds only at the time of germination. Weeds which have germinated before application will not be killed. There are no re-entry restrictions following use of WOW! Plus. People, pets, and animals may enter the application area immediately following application.

STATEMENT OF PRACTICAL TREATMENT  
IF IN EYES: Flush immediately with large amounts of water

### PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS: Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

DIRECTION FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.  
STORAGE: Store in normal, dry warehouse under ambient conditions.  
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

### DIRECTIONS FOR USE ON LAWNS

Use on turfgrasses as a pre-emergence herbicide. DO NOT use on grass which has recently been sown. (Apply WOW! Plus at any time after first mowing.) The cool weather of spring and fall creates two prime germination periods for perennial, broadleaf, and grassy weeds. The fall germination period is often overlooked in spite of the fact that dandelions and many other weeds germinate readily in favorable fall conditions, establishing themselves for rapid growth and flowering the following spring.

### SPREADER SETTINGS

The manufacturer of your spreader should be able to tell you the spreader setting to use based upon the application rate. To apply approximately 10 lbs. per 1,000 sq. ft. \*\* - On a Scott's drop spreader, use a setting of 10. On a Scott's broadcast spreader, use a setting of 12-13. However, if this information is unavailable to you, it may be necessary to determine your spreader setting using the following methods.

- For other drop spreaders (Use the 10 lbs. per 1,000 sq. ft. application rate for calibration purposes. \*\*)
1. Measure out 1 lb. (3 cups) of WOW! Plus which will cover approximately 100 sq. ft.
  2. Measure the width of the hopper on your spreader (convert from inches to feet) and divide that figure into 100 sq. ft. (Example: You have a drop spreader that is 18 inches or (1.5 feet) wide. If you divide 100 sq. ft. by 1.5 feet, this equals 66.67 or approximately 67 feet.)
  3. This is the length that you should measure off to do your test application. Therefore, you would put the 3 cups of WOW! Plus into your hopper, pick a mid-range setting and make one pass that is 67 feet long. If you still have WOW! Plus in the hopper at the end of the 67 feet, you need to open the setting so that your spreader drops at a higher rate. If you run out of WOW! Plus before the end of the 67 feet, you need to close the setting so that your spreader drops at a lower rate.
  4. Continue to re-try this method until you run out of WOW! Plus when you are near the end of the determined number of feet.
- For other broadcast spreaders (Use the 10 lbs. per 1,000 sq. ft. application rate for calibration purposes. \*\*)
1. Measure out 1 lb. (3 cups) of WOW! Plus which will cover approximately 100 sq. ft.
  2. Determine the row width made by your broadcast spreader. You can do this by applying product on a cleared area where you can see how far the product is spread. Measure the width of the densest area. (Most broadcast spreaders will spread a row width of 5-8 feet.)
  3. Once you have determined the row width, divide that figure into 100 sq. ft. (Example: Your broadcast spreader does rows that are 5 feet wide. If you divide 100 sq. ft. by 5 feet, this equals 20 feet.)
  4. This is the length that you should measure off to do your test application. Therefore, you would put the 3 cups of WOW! Plus into your hopper, pick a mid-range setting and make one pass that is 20 feet long. If you still have WOW! Plus in the hopper at the end of the 20 feet, you need to open the setting so that your spreader drops at a higher rate. If you run out of WOW! Plus before the end of the 20 feet, you need to close the setting so that your spreader drops at a lower rate.
  5. Continue to re-try this method until you run out of WOW! Plus when you are near the end of the determined number of feet.

\*\*To apply 20 lbs. per 1,000 sq. ft., leave the setting at the 10 lbs. per 1,000 sq. ft. setting and run the spreader at a right angle to the first pass. (Example: First application was made in a north/south direction so the second application should be made in an east/west direction.) This will eliminate yellow strips.

Note: Settings and accuracy vary widely from one spreader to the next. Also, the speed at which you walk and even your posture while pushing the spreader can affect the application rate.

### SPRING APPLICATION

For crabgrass and other spring germinating weeds, make the first application at the time they begin to bloom in your area. 10 lbs. per 1,000 sq. ft. provides adequate control with yearly spring and fall application. 20 lbs. per 1,000 sq. ft. provides better control. As an alternate timing guide, apply when crocuses have finished blooming or when the first daffodils or jonquils begin to bloom. (To use bulb blooming times as a guide, bulbs must be located 15 ft. or more away from any foundation.) Crabgrass continues to germinate through July, and dandelions and other broadleaf weeds germinate throughout the growing season, so later applications of WOW! Plus still reduce weeds and at the same time fertilize your lawn.

### FALL APPLICATION

For dandelions and other fall germinating weeds, apply 10 to 20 lbs. per 1,000 sq. ft. following the hot, dry stress period of mid-summer. 10 lbs. per 1,000 sq. ft. provides adequate weed control and lawn fertilization with yearly spring and fall application. 20 lbs. per 1,000 sq. ft. provides better control. In most regions, application time would be from mid-August until you begin to get hard freezes. Although rains usually provide adequate moisture, you may want to water in WOW! Plus following application. If you do water, water deeply and infrequently, allowing the soil surface to dry. To be most effective, WOW! Plus requires a drying period. The soil surface should not be continuously wet. (As would be the case with automatic irrigation systems.)

### HOW IT WORKS:

Through an inhibitory process, which we do not yet fully understand, the Corn Gluten Meal in WOW! Plus stops root development of germinating seeds. Since WOW! Plus is an effective herbicide on a wide range of seeds, it is important to allow desired plants to become established before applying WOW! Plus. Application at high rates, up to 80 lbs. per 1,000 sq. ft., will not harm your plants. In fact, the percentage of weed control increases as the application rate increases.

### WHAT IT IS:

Corn Gluten Meal is a by-product of the wet milling process of making corn starch or corn syrup. Corn Gluten Meal is 60% protein and is widely used as a food ingredient for fish, poultry, horses, cattle and in pet food. As WOW! Plus decomposes, it releases nutrients to grass. The "inert" ingredients are 100% plant and animal by-products included to provide a balanced organic lawn fertilizer.

Note: Sometimes when WOW! Plus breaks down in humid soil conditions, a decomposing smell, natural to the breakdown of all organic products, may occur. This should last no more than 7-10 days.


LIMITED WARRANTY: Gardens Alive! Inc. makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. If this product is defective, replacement product will be furnished free of charge or a refund of the product's cost will be made at manufacturer's option. Labor costs are not covered by this warranty. Responsibility for claims of any kind is strictly limited to the purchase price of this product.

Made under the following U.S. Patents: No. 5,030,268 No. Re. 34,594

NET CONTENTS: 40 lbs.

#2638

Gardens Alive! Inc.  
5100 Schenley Place  
Lawrenceburg, IN 47025  
Phone 513-354-1483  
www.GardensAlive.com




3/4

# WOW!® (WithOut Weeds) PLUS

## Pre-Emergence Weed Control and 100% Organic Lawn Fertilizer

8-1-1

Nonpoisonous and Nontoxic to Humans and Pets  
Contains All Natural Ingredients



NOTIFICATION

FEB - 2 2006

Active Ingredient  
Corn Gluten Meal ..... 78%

Inert Ingredients: Bone Meal, Molasses, Soybean Hulls

8-1-1

### Guaranteed Analysis

Nitrogen (N) .....	8%
0.01% Water Soluble Nitrogen	
7.99% Water Insoluble Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	1%
Soluble Potash (K <sub>2</sub> O) .....	1%
Derived from: Corn Gluten Meal, Bone Meal, Molasses, Soybean Hulls	

This product is a pre-emergence herbicide for use in controlling crabgrass, creeping bentgrass, smart weed, dandelions, redtop pigweed, purslane, lambquarter, and foxtail. A pre-emergence herbicide is capable of controlling weeds only at the time of germination. Weeds which have germinated before application will not be killed.

There are no re-entry restrictions following use of WOW! Plus. People, pets, and animals may enter the application area immediately following application.

### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush immediately with large amounts of water.

### PRECAUTIONARY STATEMENTS

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

**DIRECTION FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in normal, dry warehouse under ambient conditions.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

### DIRECTIONS FOR USE ON LAWNS

Use on turgrasses as a pre-emergence herbicide. DO NOT use on grass which has recently been sown. (Apply WOW! Plus anytime after first mowing.) The cool weather of spring and fall creates two prime germination periods for perennial, broadleaf, and grassy weeds. The fall germination period is often overlooked in spite of the fact that dandelions and many other weeds germinate readily in favorable fall conditions, establishing themselves for rapid growth and flowering the following spring.

### SPREADER SETTINGS

The manufacturer of your spreader should be able to tell you the spreader setting to use, based upon the application rate. To apply approximately 10 lbs. per 1,000 sq. ft. \*\* - On a Scott's drop spreader, use a setting of 10. On a Scott's broadcast spreader, use a setting of 12-13. However, if this information is unavailable to you, it may be necessary to determine your spreader setting using the following methods:

For other drop spreaders (Use the 10 lbs. per 1,000 sq. ft. application rate for calibration purposes \*\*):

1. Measure out 1 lb. (3 cups) of WOW! Plus, which will cover approximately 100 sq. ft.
2. Measure the width of the hopper on your spreader (convert from inches to feet) and divide that figure into 100 sq. ft. (Example: You have a drop spreader that is 18 inches or (1.5 feet) wide. If you divide 100 sq. ft. by 1.5 feet, this equals 66.67 or approximately 67 feet.)
3. This is the length that you should measure off to do your test application. Therefore, you would put the 3 cups of WOW! Plus into your hopper, pick a mid-range setting and make one pass that is 67 feet long.

If you still have WOW! Plus in the hopper at the end of the 67 feet, you need to open the setting so that your spreader drops at a higher rate. If you run out of WOW! Plus before the end of the 67 feet, you need to close the setting so that your spreader drops at a lower rate.

4. Continue to re-try this method until you run out of WOW! Plus when you are near the end of the determined number of feet.

For other broadcast spreaders (Use the 10 lbs. per 1,000 sq. ft. application rate for calibration purposes \*\*):

1. Measure out 1 lb. (3 cups) of WOW! Plus, which will cover approximately 100 sq. ft.
2. Determine the row width made by your broadcast spreader. You can do this by applying product on a cleared area where you can see how far the product is spread. Measure the width of the densest area. (Most broadcast spreaders will spread a row width of 3-8 feet.)
3. Once you have determined the row width, divide that figure into 100 sq. ft. (Example: Your broadcast spreader does rows that are 5 feet wide. If you divide 100 sq. ft. by 5 feet, this equals 20 feet.)

This is the length that you should measure off to do your test application. Therefore, you would put the 3 cups of WOW! Plus into your hopper, pick a mid-range setting and make one pass that is 20 feet long.

If you still have WOW! Plus in the hopper at the end of the 20 feet, you need to open the setting so that your spreader drops at a higher rate. If you run out of WOW! Plus before the end of the 20 feet, you need to close the setting so that your spreader drops at a lower rate.

5. Continue to re-try this method until you run out of WOW! Plus when you are near the end of the determined number of feet.

\*\*To apply 20 lbs. per 1,000 sq. ft., leave the setting at the 10 lbs. per 1,000 sq. ft. setting and run the spreader at a right angle to the first pass. (Example: First application was made in a north-south direction so the second application should be made in an east-west direction.) This will eliminate yellow strips.

Note: Settings and accuracy vary widely from one spreader to the next. Also, the speed at which you walk and even your posture while pushing the spreader can affect the application rate.

### SPRING APPLICATION

For crabgrass and other spring germinating weeds, make the first application at the time forsythia begins to bloom in your area. 10 lbs. per 1,000 sq. ft. provides adequate control with yearly spring and fall application. 20 lbs. per 1,000 sq. ft. provides better control. As an alternate timing guide, apply when crocuses have finished blooming or when the first daffodils or jonquils begin to bloom. (To use bulb blooming times as a guide, bulbs must be located 15 ft. or more away from any foundation.) Crabgrass continues to germinate through July, and dandelions and other broadleaf weeds germinate throughout the growing season, so later applications of WOW! Plus still reduce weeds and at the same time fertilize your lawn.

### FALL APPLICATION

For dandelions and other fall germinating weeds, apply 10 to 20 lbs. per 1,000 sq. ft. following the hot, dry stress period of mid-summer. 10 lbs. per 1,000 sq. ft. provides adequate weed control and lawn fertilization with yearly spring and fall application. 20 lbs. per 1,000 sq. ft. provides better control. In most regions, application time would be from mid-August until you begin to get hard freezes. Although rains usually provide adequate moisture, you may want to water in WOW! Plus following application. If you do water, water deeply and infrequently, allowing the soil surface to dry. To be most effective, WOW! Plus requires a drying period. The soil surface should not be continuously wet. (As would be the case with automatic irrigation systems.)

**HOW IT WORKS:** Through an inhibitory process, which we do not yet fully understand, the Corn Gluten Meal in WOW! Plus stops root development of germinating seeds. Since WOW! Plus is an effective herbicide on a wide range of seeds, it is important to allow desired plants to become established before applying WOW! Plus. Application at high rates, up to 80 lbs. per 1,000 sq. ft., will not harm your plants. In fact, the percentage of weed control increases as the application rate increases.

**WHAT IT IS:** Corn Gluten Meal is a by-product of the wet milling process of making corn starch or corn syrup. Corn Gluten Meal is 60% protein and is widely used as a food ingredient for fish, poultry, horses, cattle and in pet food. As WOW! Plus decomposes, it releases nutrients to grass. The "Inert" ingredients are 100% plant and animal by-products included to provide a balanced organic lawn fertilizer.

Note: Sometimes when WOW! Plus breaks down in humid soil conditions, a decomposing smell, natural to the breakdown of all organic products, may occur. This should last no more than 7-10 days.


**LIMITED WARRANTY:** Gardens Alive!, Inc. makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. If this product is defective, replacement product will be furnished free of charge or a refund of the product's cost will be made at manufacturer's option. Labor costs are not covered by this warranty. Responsibility for claims of any kind is strictly limited to the purchase price of this product.

Made under the following U.S. Patents: No. 5,030,268 No. Re. 34,594

NET CONTENTS: 20 lbs.

#2637

Gardens Alive!, Inc.  
5100 Schenley Place  
Lawrenceburg, IN 47025  
Phone 513-354-1483  
www.GardensAlive.com



NOTIFICATION

FEB - 2 2006



5100 Schenley Place  
Lawrenceburg, IN 47025-2181  
Phone: 513-354-1482 Fax: 513-354-1484

---

February 2, 2006

Ms. Edwards,

The only changes made to our product Wow Plus is the size of the bags that we now ship. There were no other changes of any kind made to the label.

If you have any further questions or problems please let me know by either calling me at (812) 537-8665 ext. 2236. Or send me an e-mail to [cwhitaker@gardensalive.com](mailto:cwhitaker@gardensalive.com).

We apologize for any inconvenience this may have caused.

Sincerely,

A handwritten signature in cursive script that reads "Chris Whitaker".

Chris Whitaker  
Regulatory Affairs  
sf