Mr. Charles R. Freeman Maintenance Products Company P.O. Box 1291 Benton, AR 72015

Dear Mr. Freeman:

Subject: Revised Label

MPC-Tox Space Spray Insecticide EPA Registration No. 56948-1 Your Submission Received March 22, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are prepared:

- 1. Delete the first sentence under ENVIRONMENTAL HAZARDS, " . . . In case of contact . . . " This is not an environmental basard statement and you adequately cover the point under PRACTICAL TREATMENT.
- 2. Delete the reference to " . . . electrical and other powered applicators . . " under directions, since you have added a precaution not to use in or on electrical equipment.

SEST AVAILABLE COFY

62481:I:A-4:Mountfort:L10-06:KEVRIC: 03/29/91:04/26/91:aw:wo:w								
SYMBOL								
SURMAINS								
DATE								
EPA Pom	1320-1 (12-70)				<u> </u>	<u> </u>	OFFICE	AL FILE COPY

The formula dated March 13, 1991 is not correct. If you use 6.3 lb of a 40% a.i. resmethrin source and 993.7 lb of petroleum distillate, that would support the label declaration. Alternatively, if you repack a 0.25% resmethrin in oil, that would support the label declaration.

Sincerely yours,

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

The state of the s

Enclosure

O AVAITABLE COPY

FORUSE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, FOOD HANDLING ESTABLISH. MENTS, SEED HOUSES, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROC-ESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, AND HOSPITALS. IN HOSPITALS, PATIENTS SHOULD BE REMOVED PRIOR TO TREAT-MENT, ALSO FOR USE IN BUSES, AUTOMOBILES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reflable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting iran is misuse as such, or in combination with other materials.

It is a violation of Federal Law to use this product in a manner that is inconsistent with its labeling. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas apply only when the facility is not in operation. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

PRECAUTIONARY STATEMENTS HAZA IDS TO HUMANS

CAUTION
Harmful is swallowed or absorbed throughtskin. Avoid contract Will skin, eyes, or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of coelsing utensils and food preparation surfaces. Remove peth and cover fish aquariums before spraying. ENVIRONMENTAL HAZARDS: In case of echtact immediately flush skin and eyes with plenty of water for at least 18 minutes. This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, boos, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment withwaters to rith the pray on furt or plants.

PHYSICAL OR CHEMICAL HAZARDS: Extinguish open frame before space spraying. This formulation is combust. STATEMENT OF PRACTICAL RESIDENT OF STORING ARCHITECTURE OF STATEMENT OF PRACTICAL RESIDENT OF STATEMENT OF ST

If Swallowed: Do not induce vomiting, Call a physician or Poison Control Center immediately.

If inhaled: W On Skin:

Remove contaminated dothing and wash affected areas with soap and water.

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists, BEST

MPC - IU

SPACE SPRAY INSE

A SYNTHETIC PYRETHROID FOR CONTROLLING FLYING AND CRAWLING INSECTS: House flies, Mo: Yellow Jackets, Cockroaches, Bedbugs, Lice, Fleas Insects (adults of Confused flour beetles, Saw-toothe

ACTIVE INGREDIENTS:

*t-Resmethrin [5-(phenylmethyl)-3-furanyl]meth 1-propenyl) cyclopropanecarboxylate

*Roussel Bio's SBP-1382® brand of resmethrin ins EY MEN Date Boussel Bio Corp., 400 Sylvan Avenue, Engelwood

APR 0 2 1991 KEEP OUT OF REACH OF CAUTION gicide and Rodenicile Act

amended, lor the participe Miller Med Los Ine Desicios No. Rea. No. 56948-1

EPA Est. No

NET CONTENTS: GAL

MAINTENANCE PRODU P.O. Box 1291

Benton, AR 72015

1 1 1 1 1 1 (501) 778-5496

SPACE SPRAY INSECTICIDE

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING HOUSEHOLD FLYING AND CRAWLING INSECTS: House flies, Mosquitoes, Gnats, Wasps, Hornets, Yellow Jackets, Cockroaches, Bedbugs, Lice, Fleas, Ants, Crickets, Spiders, Insects (adults of Confused flour Leetles, Saw-toothed grain beetles), and Grain mices.

ACTIVE INGREDIENTS:

*1-Resmethrin [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-

1-propenyl) cyclopropanecarboxylate 0.250% W/W

BEST AVANCABLE

*Cis/trans isomers ratio: max, 30%(+)cis and min. 70%(+)trans.

FORMEN DEL GOURSE Bio Corp., 400 Sylvan Avenue. Franchisco Colors COMMEN Del Goussel Bio Corp., 400 Sylvan Avenue, Engelwood Cilifs, N.J. 07632

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

amended lor the patients William Ander ED Washing No. .Rea. No. 56948-1 EPA Est. No. 56948-AR-001

NET CONTENTS: GALLON(S)

MAINTENANCE PRODUCTS CO. P.O. Box 1291

> Benton, AR 72015 (501) 778-5496

ventilator eretern. Seal all econ vents. Remove fish and pate. Apply unditated as a very line miss source sonar flutuath manually constant equipment or with electrical and other powered application. Avail staining by heights the agree negate at least 5 ft. from objects. Direct the fine relat some mist toward the upper comers of the seem. Fill the reom with a fine mist cover at the rate of 5 ft. eas. per \$.000 cs. ft. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Steep up and destroy beach.

EACT SPRAY: To till cockroaches, fless, arts, crickets, aliverlish, servins, actiless, ersin mites, emsburs, e lipedus: activat spray to produce large waiting type particles. (Prest spray to centest these insects in cracks and cravices in Mors, berefoords, around place, behind cathers, and other harborness. Some those injusted aroun well thermostic and Renest as necessary.

To KR Rections and Liber: Accely as a sect treatment to cracks and cravious, around basebourds, floorbeards, budbaseds and wells. First, thoroughly clean and air multiplease and eprines. Then each treat only the areas that may heater mate. concentrative on tube, folds and seams. Repeat as necessary. For persistent intentations, consult professional applicators.

To IGI Floor: Hold sorray nozzles about 18 inches away from areas to be treated. Olived earny on reading areas and floor around these areas. Apply sorar until area is moist. Trest put bedding the same way. Also erray entire inside curiage of dos houses. Report as necessary.

To KE Wason, Hornets, Yellow Jackets; Application should be made in the late evening when insects are at rest, Spray fiberally into hiding and breading places contacting as many as possible. Repeat as recessary,

To KR Aris; Soray doors, around window frames, ant trails and Mile.

To KII Grain Irancia: Adulta al confunci fluor boutina, ametentivad erain bandias, abilev acidar bustina: Pierrava infested destr cared or flour and destroy. Avoid contamination of other load and loadstuffs in the area by removing before sprawing. Sortier directly on exposed steems and into cracks and cravicus where treacts may be hidne.

To control ruleance geate around buildings, gales and payed areas; Apply as a centect sorm, florar directly on insects. Avoid ecraving on turl or plants.

Earwigs, Southurs, Spiders, Ceralpades and Milipades: Apply as a certact sorar for Index use.

STORAGE AND DISPOSAL

conteminate water, local or food by playage or discussion. FIGHAGE: For Containers 1 Gallon and Under: Store product in original container in a locked storage area.

PESTICIDE DISPOSAL: For Containing Over 1 Gallon: Waster residing from the use of this product may be disposed of a she or at an approved weste disposal lacility.

CONTAINER DISPOSAL: For Consolvers 1 Gallers and Under: Do not re-use empty container. Wrop container and put in teath. For Containing Over 1 Gallon: Triple than for equivalents. Then offer for reconditioning, or punctions and dispose at in a sanitary handfill, or by other procedures approved by State and Local Authorities.