LABEL WORDING

IMA

12 Fifteen Hour

Citronella 15-Hr. Votive
Insect repellent Candle
Item# E.P.A. Reg #
Oil of Citronella 2.6%

Warning: Vapor may be irritating to skin, eyes, and mucous membranes. Flush eyes with cool water for at least 15 minutes. If irritation persists, call a physician.

KAMEYAMA U.S.A., INC 1140 Airport Road Fall River, MA 02720

ACCUSED BY

WL2819J

56986-2

倫

AMI

12 Fifteen Hour

Citronella 15-Hr. Votive
Insect Repellent Candle
Item#___E.P.A.Reg#__
Oil of Citronella - 2.6%

Warning: Vapor may be irritating to skin, eyes, and mucous arem branes. Flush eyes with cool water for at least 15 minutes. If irritation persists, call a physician.

Kameyana U.S. A. Inc.
1140 Airport Road
Fall River, MA03720

Front of Box

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

CAUTION: HARNFUL IF SWALLOWED. Avoid Breathing of Spray. Do Not Take Internally. Avoid contact with whin by wearing the following protective clothing: wear gloves, long-sleeved shirt, long pants, socks and shoes. Wash hands thoroughly after using.

PAVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Drift and runoff from treated areas may be nazardous to fish and aquatic organisms in adjacent aquatic sites. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water or wetlands by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

For control of Brown Patch (Rhizoctonia solani) of Southern or warm season lawns such as St. Augustine, Bermuda and similar grasses: Make one application in the Fall or Spring at first signs of infection. Mix one quart in sufficient water (10 to 15 gallons) to cover 1,000 square feet. Apply with sprinkler can, hand sprayer, or any other conventient method of obtaining even coverage. Then, lightly water the treated area to insure movement of the chemical through the grass to the soil level. Retroat the area 3 - 4 weeks later if it has been subjected to unusually heavy rain-fall, or is flooded, or if the disease is severe or re-appears. Under certain growing conditions, a temporary discoloration of the grass may appear occasionally. This causes no harm and disappears shortly.

ORNAMENTALS - Azaleas and Camellias (Azaleas petal blight and Camellia flower blight): Apply as a drench under plants at a rate of lig quarts, in 30 gallons of water per 150 square feet. Begin application prior to opening of bude and repeat every 3 to 4 weeks through the bloom period.