PRECAUTIONARY STATEMENTS CAUTION

HAZARDS TO HUMANS AND **DOMESTIC ANIMALS:**

Caution: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS:

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Keep out of lakes. streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Notice:

Because' Terminix International, Inc. has no control over storage, handling, and conditions of use, which are of critical importance, Terminix International, Inc. makes no representation or warranty either express or implied, for results due to misuse, improper handling or storage of this material. Nor does Terminia International, Inc. assume any responsibility for injury to persons, crops, ahimats, soil or property arising out of misuse, improper handling or storage of this material.

PM-12 REGH, 57076-9

TERMINIX INSIDE RESIDUAL DUST

| ACTIVE INGREDIENTS: | | | | |
|--|--|-------|------|--------|
| Carbaryl (1-naphthyl N-methylcarbamate)* | | • • • | | . 2.09 |
| Technical Piperonyl Butoxide** | | | | |
| Pyrethrins | | | | |
| INERT INGREDIENTS: | | | | |
| | | | | 00.0 |

- *Sevin Reg. U.S. Pat. Off.—Union Carbide Corp.
- **Consists of 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds

Terminix Inside Residual Dust is for application by professional pest control operators in service work only and is not for re-sale.

Keep Out of Reach of Children CAUTION

If swallowed: Call a physician or Poison Control Center, Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin-Remove contaminated clothing and wash affected areas with soap and water.

If in eyes—Flush eyes with plenty of water.

See Side Panel for Additional Precautionary Statements

Terminix International, Inc. Memphis, Tennessee 38187 Production

NET CONTENTS

tou the susticide

EPA Red. No. 1927-40 **EPA EST. 279-NY-1**

DIRECTIONS FOR USE:

To control resistant and non-resistant cockroaches, waterbugs, ants, silverfish, brown-dog ticks, earwigs and millepedes, dust thoroughly the following areas: Cracks and crevices; around pipes; behind and beneath cabinets, refrigerators, sinks; baseboards; corners; walls; door frames; window sills; sleeping quarters of pets; ant trails and nests; attics; crawl areas under buildings; outside perimeter of buildings and other areas where pests tend to crawl or hide. Repeat when necessary, but not more often than twice per week.

Fresh bedding should be placed in anima quarters following treatment. Avoid application to surfaces where residues are objectionable or where deposits could be contacted by children.

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

STORAGE AND DISPOSAL

STORAGE: Keep away from heat and open flame in a locked pesticide storage area. Avoid crosscontamination of other pesticides. If centainer is damaged or leaking. transfer contents to a service container, clean up all spilled material. and dispose of container.

- D'SPOSAL: 1. PROHIBITION: Do not contaminate water, food or feed by storage or disposal.
- 2. PESTICIDE DISPOSAL: Wastes resulting from the use of this pro-ACCEPTED duct may be disposed of on site or at an approved waste disposal facility.
 - 3. CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused. dispose of in the same manner.