

57227-3

08/04/2008

17



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

AUG - 4 2008

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Irene Boone
Agent for Contechem, Inc.
Regulatory Services Inc.
17220 Westview Rd.
Lake Oswego, OR 97034

Subject: Britewood XL
EPA Reg. No. 57227-3
Application Dated: June 27, 2008
Receipt Date: July 07, 2008

Dear Irene Boone

The following notification submitted in connection with registration under the provisions of PR Notice 98-10, Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9. is acceptable.

Proposed Notification

- Revising Container Disposal Per PR Notice 2007-4

Comments

Based on a review of the material submitted, the following comments apply:
This application for notification to revise container disposal per PR-notice 2007-4 is acceptable. A copy of this letter has been placed in our records for future reference.

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233.

Sincerely,

Velma Noble

CONCURRENCES Product Manager (31)

| | | | | | | | |
|--------|------------|--|--|--|--|--|--|
| YMBOL | <i>mic</i> | | | | | | |
| URNAME | | | | | | | |
| ATE | | | | | | | |

Regulatory Management Branch I
Antimicrobial Division (7510c)



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

| | | |
|--|--|-----------------------------|
| <p>United States Environmental Protection Agency Washington, DC 20460</p> | <input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other | OPP Identifier Number _____ |
|--|--|-----------------------------|

Application for Pesticide - Section I

| | | |
|---|--|--|
| 1. Company/Product Number Contechem Inc./57227-3 | 2. EPA Product Manager Adam Heyward | 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) Contechem Inc./ Britewood XL | PM# 34 | |
| 5. Name and Address of Applicant (Include ZIP Code) Contechem Inc. PO Box 3255, Portland, OR 97208 <input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____ | |

Section - II

| | |
|--|---|
| <input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below. |
|--|---|

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change per PR Notice 2007-4. One label enclosed with revisions underlined. Notification statement attached.
 Non-PRIA II action.
 Fax: 503/536-6505 Email: boone5121@comcast.net

Section - III

| | | | | | |
|--|--|---|-------------------------|---|--|
| 1. Material This Product Will Be Packaged In: | | | | 2. Type of Container | |
| Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | <input checked="" type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____ |
| * Certification must be submitted | | If "Yes" Unit Packaging wgt. _____ | No. per container _____ | If "Yes" Package wgt _____ | No. per container _____ |
| 3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container | | 4. Size(s) Retail Container 55 gallon drum | | 5. Location of Label Directions <input checked="" type="checkbox"/> on label | |
| 6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____ | | | | | |

Section - IV

| | | |
|--|---------------------------------------|---|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) | | |
| Name Irene Boone | Title Agent for Contechem Inc. | Telephone No. (Include Area Code) 503/675-8525 |
| Certification | | 6. Date Application Received (Stamped) |
| I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | |
| 2. Signature | 3. Title Agent for Contechem, Inc. | |
| 4. Typed Name Irene Boone | 5. Date June 27, 2008 | |

24

3/7



17220 Westview Rd. / Lake Oswego, OR 97034 / 503/675-8525 / Fax 503/635-8563

REGULATORY SERVICES INC.

Via Certified Mail 7008 0150 0000 3873 3555

June 30, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs-7504P
U.S. Environmental Protection Agency
1200 Pennsylvania Ave., NW
Washington, DC 20460-0001

SUBJECT: NOTIFICATION PER PR NOTICE 2007-4

Dear Sir or Madam,

Enclosed are the following submission to revise the Container Disposal sections on the label per PR Notice 2007-4 for the following products:

- 1) Britewood S, EPA Reg. No. 57227-1
- 2) Britewood XL, EPA Reg. No. 57227-3
- 3) Britewood Z-40, EPA Reg. No. 57227-6
- 4) Britewood Select Sapstain Control, 57227-8

No other label changes have been made to the label. The language use is verbatim from the PR Notice.

This submission is not subject to PRIA II fees.

Please contact me at 503/675-8525 or via email boone5121@comcast.net should you have questions concerning this submission.

Sincerely,

Irene Boone

Agent for Contechem, Inc.

Cc: Contechem Inc. file

4/7



17220 Westview Rd. / Lake Oswego, OR 97034 / 503/675-8525 / Fax 503/635-8563

REGULATORY SERVICES INC.

PRODUCT: Britewood XL, EPA Reg. No. 57227-3
COMPANY: Contechem Inc.
DATE: June 27, 2008
SUBJECT: Notification of label change per PR Notice 2007-4

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA regulations at 40 CFR § 156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR § 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Irene Boone, Agent for Contechem Inc.

5/7

BRITEWOOD XL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Personal Protective Equipment must be worn by all handlers.

For control of mold and fungus on green or freshly cut lumber and other wood products.

Examples of other wood products include:

Logs: Staining can be inhibited in freshly debarked logs used for log home construction, export, yarding prior to sawing, and other purposes.

Particle Board: Wood furnish for particle board, wafer board, oriented strand board, and similar products can be protected from discoloration during storage by treatment with BRITEWOOD XL, Sapstain Control.

Wood Chips/Saw Dust: Treatment of wood chips, saw dust, or other similar byproducts intended for paper making (Not for food-grade/ food-contact paper or paper board.) reduces discoloration and lowers bleaching requirements for finished paper products.

Plywood Veneer: Treatment with BRITEWOOD XL, Sapstain Control is effective on freshly peeled green veneer and other similar plywood furnish that can be especially subject to mold development that can interfere with appearance or laminating adhesive performance.

For best results, lumber and wood products should be treated immediately, at least within twenty-four hours after cutting or sawing. Mold and fungus growth begins immediately after cutting, so delayed treatment is much less effective and requires increased chemical concentration. Green untreated lumber should not be used for stickers. Freshly treated lumber should not be allowed to remain unprotected in heavy rains.

BRITEWOOD XL, Sapstain Control may be used in a dip tank or spray application. Seasonal variation in storage and shipping conditions, species and condition of wood should be considered in selection of end use concentration. For effective inhibition of mold and fungus, lumber and logs must be dipped or sprayed such that all surfaces are uniformly treated.

Dip Tank Application: The most effective sapstain treatment of lumber is done using 1 gallon of product to 50-200 gallons of water in a dip tank application. For use in black iron tanks, this product and other products using this active ingredient must be considered corrosive when the pH is less than 8. Iron will dissolve at pH 8 or less and can then react with the tannic acids in wood to cause chemical darkening with iron stain. Chain and equipment marks will exacerbate this chemical staining. The use of a buffer is recommended to maintain an alkaline pH (typically greater than pH 8) at which iron is not soluble. This effectively inhibits corrosion and eliminates iron stain. The type of buffer recommended depends on mill water conditions (e.g. mineral content, hardness, pH, etc.). Dip tanks and drip aprons must be roofed, paved, and drained to prevent dilution and loss of the antistain solution.

Spray Application: Low pressure equipment using 1 gallon of product to 20-150 gallons of water is recommended for spray applications. A moderately fine spray, not an aerosol or fog, generally provides the best coverage at practical product concentrations. For treatment of wood chips, sawdust or other particle board like products, spray application should be made at a convenient location in the process where mixing and uniform coverage can be accomplished. Use of a buffer is recommended where black iron equipment might cause chemical staining, as discussed above.

DOT Proper Shipping Name:
Corrosive liquid, n.o.s., 8, UN 1760, PG II (Quaternary ammonium chloride)
Emergency Phone: Chemtrec: 1-800-424-9300

SAPSTAIN CONTROL

For Fresh Cut Lumber

BRITEWOOD XL Sapstain Control inhibits mold and fungus that may cause discoloration of lumber and wood products during storage.

ACTIVE INGREDIENTS
Didecyl Dimethyl Ammonium Chloride
Propiconazole: 1-[(2-(2,4-Dichlorophenyl)-1,2,4-dioxolan-2-yl) methyl]-1H-1,2,4-triazole.
INERT INGREDIENTS
TOTAL

DANGER

Keep out of reach of children

PRECAUTIONARY STATEMENTS
HAZARDS

DANGER: Corrosive. Causes irreversible eye damage if swallowed. Harmful if inhaled. Avoid absorbed through skin. Do not get in eyes. Wear eye protection (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after use. Do not use if you are wearing or using tobacco. Remove contaminated clothing and shoes.

See side panel for additional precautions.

FOR INDUSTRIAL AND COMMERCIAL USE

CON
P.O. BOX 3255
(50)

EPA 1
EPA Est.

NET CONT.

The manufacturer and distributor make no warranty, expressed or implied, for any product other than as directed on the label. No return for a refund, or manufacturer or distributor, no warranty, or the results to be obtained if not used in accordance with directions. Upon acceptance of delivery of this product, the user assumes all responsibility for damage, resulting from its misuse as such.

6/7

BRITEWOOD® XL

FOR USE
manner inconsistent with its labeling.

ndlers.

er and other wood products.

gs used for log home construction, export, r board, oriented strand board, and similar rage by treatment with BRITEWOOD XL,

st, or other similar byproducts intended for or paper board.) reduces discoloration and s.

Sapstain Control is effective on freshly h that can be especially subject to mold sting adhesive performance.

ated immediately, at least within twenty-growth begins immediately after cutting, so increased chemical concentration. Green y treated lumber should not be allowed to

a dip tank or spray application. Seasonal condition of wood should be considered in tion of mold and fungus, lumber and logs nly treated.

ment of lumber is done using 1 gallon of cation. For use in black iron tanks, this ust be considered corrosive when the pH is hen react with the tannic acids in wood to d equipment marks will exacerbate this ed to maintain an alkaline pH (typically fectively inhibits corrosion and eliminates nil water conditions (e.g. mineral content, se roofed, paved, and drained to prevent

m of product to 20-150 gallons of water is e spray, not an aerosol or fog, generally ntrations. For treatment of wood chips, lication should be made at a convenient e can be accomplished. Use of a buffer is emical staining, as discussed above.

ammonium chloride)

SAPSTAIN CONTROL For Fresh Cut Lumber and Wood Products

BRITEWOOD XL Sapstain Control, inhibits the growth of mold and fungus that may cause discoloration and/or deterioration of freshly cut lumber and wood products during storage and shipment.

ACTIVE INGREDIENTS

Didecyl Dimethyl Ammonium Chloride 46.25%

Propiconazole: 1-[(2-(2,4-Dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl) methyl]-1H-1,2,4-triazole. 4.94%

INERT INGREDIENTS 48.81%

TOTAL 100.0%

DANGER

Keep out of reach of children

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

DANGER: Corrosive. Causes irreversible eye damage or skin burns. May be fatal if swallowed. Harmful if inhaled. Avoid breathing vapors or spray mist. Harmful if absorbed through skin. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

See side panel for additional precautionary and first aid information.

FOR INDUSTRIAL AND COMMERCIAL USE ONLY

CONTECHEM INC.

P.O. Box 3255, PORTLAND, OR 97208

(503) 283-3021

EPA Reg. No. 57227-3

EPA Est. No. 57227-OR-003

NET CONTENTS: 55 GALLONS

DISCLAIMER

The manufacturer and distributor make no warranty, expressed or implied, concerning the use of this product other than as directed on the label. The use of this product being beyond the control of the manufacturer or distributor, no warranty, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. Upon acceptance of delivery of this product, the buyer assumes all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

| | |
|-------------------------------|--|
| IF IN EYES | <ul style="list-style-type: none"> Hold open for 20 minutes Remove contact lenses, if present, after first irrigation and continue irrigation Call a physician |
| IF ON SKIN OR CLOTHING | <ul style="list-style-type: none"> Take off contaminated clothing Rinse skin with plenty of water for at least 15 minutes Call a physician |
| IF SWALLOWED | <ul style="list-style-type: none"> Call a physician for treatment Have victim drink plenty of water Do not induce vomiting Do not give anything by mouth to unconscious person Do not give anything by mouth to person who is choking |
| IF INHALED | <ul style="list-style-type: none"> Move victim to fresh air If not breathing, give artificial respiration Call a physician for advice |

Have the product container or label with you when you call a doctor, or going for treatment. For more information, call Chemtrec 24 hours a day, 7 days a week, 8:00am-4:30pm pst, Chemtrec 24 center.

NOTE TO PHYSICIAN: Probable irritant. See label for full first aid instructions.

ENVIRONMENTAL PRECAUTIONS: This product is toxic to fish. Do not discharge into ponds, estuaries, oceans or other waters. Use only in accordance with the Pollutant Discharge Elimination System (PDES) permit. Notify the appropriate authority in writing prior to discharge. Do not use in areas where the discharge will contact water systems without previously notifying the appropriate authority. Contact your State Water Board or Regional Office for more information.

STORAGE: Do not contaminate water, food, or feed by storage. This product must be kept in its original container, tightly closed, and away from children or persons unfamiliar with its use. **PESTICIDE DISPOSAL:** Pesticide waste should not be disposed of by use according to label instructions. **HAZARDOUS WASTE DISPOSAL:** Agency, or the Hazardous Waste representative. **CONTAINER DISPOSAL:** Non-refillable container (or equivalent) promptly recycle, if appropriate, or puncture and dispose in accordance with procedures approved by state and local authorities.

FIRST AID

DOD[®] XL

CONTROL for Wood Products

It inhibits the growth of mold and
prevents rot and/or deterioration of freshly cut
lumber and shipment.

| | |
|-------------|--------|
| Propyl-1,3- | 46.25% |
| | 4.94% |
| | 48.81% |
| | 100.0% |

USER

Protection of children

STATEMENTS FOR HUMANS

May cause eye damage or skin burns. May be fatal if
inhaled as a vapor or spray mist. Harmful if
applied to skin or on clothing. Wear protective
clothing. Wear protective clothing and rubber
gloves after handling and before eating, drinking,
smoking and wash clothing before reuse.

For additional information and first aid information.

COMMERCIAL USE ONLY

CHEM INC.
PORTLAND, OR 97208
1-800-283-3021

No. 57227-3
57227-OR-003

NET WEIGHT: 55 GALLONS

DISCLAIMER

No warranty, expressed or implied, concerning the use of this
product or the use of this product being beyond the control of the
manufacturer, is made as to the effects of such use or
conformance with directions or established safe practice.
The buyer assumes all responsibility, including injury
resulting in combination with other materials.

FIRST AID

| | |
|--|--|
| IF IN EYES | <ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| IF ON SKIN OR CLOTHING | <ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for at least 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| IF SWALLOWED | <ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| IF INHALED | <ul style="list-style-type: none"> Move person to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. |
| HOT LINE NUMBER | |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information call 1-877-283-3021, M-F 8:00am-4:30pm pst, Chemtrec 24 hours, 1-800-424-9300, or your local poison control center. | |
| NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. | |

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.
STORAGE: This product must be kept under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its use.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

5/13/2008