

58/1/01  
In Accordance with FR Notice 82-20  
NOT REWARDED  
Based on Product Labeling Data

### RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicators Certification.

# ChemSpray Brand Methomyl 5G Granules

For Use on Corn

ACTIVE INGREDIENT:	
Methomyl: S-Methyl N-((methylcarbamoyl)oxy)thioacetimidate	5%
INERT INGREDIENTS:	95%
TOTAL	100%

## PRECAUTIONARY STATEMENTS Hazards To Humans And Domestic Animals WARNING

May be fatal if swallowed, inhaled or absorbed through the skin. Do not breathe vapor or dust. Do not get in eyes, on skin, or on clothing. When loading, applying or otherwise handling, wear protective clothing, goggles, and a mask or respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Warning Symptoms - Methomyl poisoning produces effects associated with anticholinesterase activity, which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

### NOTE TO PHYSICIAN

Treatment - Atropine sulfate should be used for treatment. Administer repeated doses of 1 to 2 mg intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration and oxygen may be necessary. Allow no further exposure to any cholinergic inhibitor until recovery is assured.

### ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and fish. Use with care when applying in areas frequented by wildlife or adjacent to any body of water. Keep out of lakes, streams, or ponds. Do not contaminate water, food, or feed by storage or disposal.

### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. STORAGE - Keep all product in original containers in a locked storage area. Store in a dry cool area. Moisture may ruin product. Reseal partial bags with tape to prevent moisture accumulation. Do not use in and around the

### DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

### RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until dusts have settled. Because certain states may require more restrictive re-entry intervals for various crops treated with product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in the language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written (or oral) warnings must include the following information: WARNING: Area treated with Methomyl 5G on (date of application). Do not enter treated areas without appropriate protective clothing until dust has settled. If warning symptoms occur refer to statement of Practical Treatment and seek medical attention at once.

ChemSpray Brand Methomyl 5G is recommended for use on corn for control of fall armyworm and corn earworm.

### HOW TO USE

Corn Earworm - Apply 5 to 10 pounds Methomyl 5G per acre to corn in the whorl stage.

Fall Armyworm - Apply 10 to 20 pounds Methomyl 5G per acre to corn in the whorl stage.

Use standard granular applicators and direct granules to the whorl of the plant. Apply when larvae are found in significant numbers in the whorl.

NOTE: Do not graze or feed treated plants to livestock within 3 days after last application.

### DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

### NOTICE OF WARRANTY

ChemSpray, Inc. warrants that this material conforms to the chemical description on the label and is reasonably fit for use under the directions and conditions on this label. ChemSpray, Inc. and the seller make no other express or implied warranty of Fitness, Merchantability or otherwise.

## KEEP OUT OF REACH OF CHILDREN WARNING AVISO

PRECAUCION AL USUARIO - Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IN CASE OF CONTACT, wash skin with plenty of soap and water, for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before reuse. Get medical attention.

IF INHALED, remove to fresh air. If patient is not breathing, start artificial respiration. Get medical attention.

Atropine is antidote. Seek medical attention at once in all cases of suspected poisoning.

**SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

Manufactured by  
ChemSpray, Inc.  
Belle Glade, FL 33430

EPA EST NO 32928-FL-1  
EPA REG NO 32928-14

NET WEIGHT 50 LBS