

RESTRICTED USE PESTICIDE
Due to High Acute Toxicity to Humans

For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Direct supervision for this product requires the certified applicator to review federal and supplemental label instructions with all personnel prior to application, mixing, loading, or repair or cleaning of application equipment.

FOR SALE AND USE ONLY IN THE STATE OF FLORIDA

G.F.C. Brand
METHOMYL 5G GRANULES
For Use On Corn


ACTIVE INGREDIENT:

Methomyl: S-Methyl-N-[(methylcarbamoyl)oxy] thioacetimidate

INERT INGREDIENTS

TOTAL

5%
95%
100%



KEEP OUT OF REACH OF CHILDREN

WARNING

AVISO

PRECAUCION AL USUARIO: Si used no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

TRANSLATION: TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, call a physician or poison control center. Drink 1 of 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IN CASE OF CONTACT, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before reuse. Get medical attention if irritation persists.

IF INHALED, remove person to fresh air. Apply artificial respiration if indicated. Contact a physician if warranted.

NOTE TO PHYSICIAN: Atropine is antidotal. Seek medical attention at once in all cases of suspected poisoning.


SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

GLADES FORMULATING CORP.
P.O. Box 1690, Belle Glade, FL 33430-6286

EPA Reg. No. 57242-2

EPA Est. 57242-FL-001

NET WEIGHT: 50 LBS.



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: May be fatal if swallowed, inhaled or absorbed through the skin. Do not breathe vapor or dust. Do not get in eyes, on skin, or on clothing. When loading, applying or otherwise handling, wear protective clothing, goggles, and a mask or respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Warning Symptoms: Methomyl poisoning produces effects associated with anticholinesterase activity which may induce weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

NOTE TO PHYSICIAN: Treatment -- Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

ENVIRONMENTAL HAZARDS

This product is toxic to birds. Collect, cover or incorporate granules spilled on the soil surface. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR SALE AND USE ONLY IN THE STATE OF FLORIDA

REENTRY STATEMENT

Reentry into treated areas is prohibited for seven days after the end of application, unless personal protective clothing and equipment specified on this label for early reentry are worn. For early reentry before sprays have dried or dust has settled, wear a long-sleeved shirt, long-legged pants, shoes and socks, chemical resistant gloves, face shield or goggles, and NIOSH or MSHA approved respirator. For early reentry after sprays have dried or dusts have settled, all the above except the respirator must be worn.


Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warning shall be given in the language customarily understood by workers. Oral warnings must be given if there is a reason to believe that written warnings cannot be understood by workers. Written (or oral) warnings must include for following information:

WARNING

Area treated with Methomyl on [date of application]. Do not enter treated areas without appropriate protective clothing for seven days after application. If exposure symptoms occur refer to Statement of Practical Treatment and seek medical attention at once.

PERSONAL PROTECTIVE EQUIPMENT

USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIRING AND CLEANING OF MIXING, LOADING AND APPLICATION EQUIPMENT, AND DISPOSAL OF THE PESTICIDE: long-sleeved shirt, long-legged pants; shoes and socks, chemical resistant gloves; face shield or goggles; NIOSH or MSHA approved respirator. During equipment repair and cleaning, the respirator need not be worn.



393

IMPORTANT: If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. **ALWAYS WASH HANDS, FACE AND ARMS WITH SOAP AND WATER BEFORE USING TOBACCO PRODUCTS, EATING, DRINKING, OR TOILETING.**

AFTER WORK: Before removing gloves, wash them, with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job -- do not wear contaminated clothing. Personal clothing worn during work must be stored and laundered separately from protective clothing and household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Protective clothing and protective equipment heavily contaminated or drenched with methomyl must be destroyed according to state and local regulations. **HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.**

Glades Formulating Corp. Brand Methomyl 5G is recommended for use on corn for control of fall armyworm and corn earworm.

HOW TO USE

Corn Earworm and Fall Armyworm: Apply 1.5 to 2 pounds Methomyl 5G per acre to corn. Use standard granular ground applicators and apply as a banded application, directing granules to the whorl of the plant. Apply when larvae are found in significant numbers in the whorl, from the 4th to 5th leaf stage until tasseling (early growth). Do not apply more than 10 applications per season.

NOTE: Do not graze or feed treated plants to livestock within 3 days after last application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep all product in original containers in a locked storage area. Store in a dry, cool area. Moisture may ruin product. Reseal partial bags with tape to prevent moisture accumulation. Do not use in and around the home.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

NOTICE OF WARRANTY

Glades Formulating Corp. warrants that this material conforms to the chemical description on the label and is reasonably fit for use under the direction and conditions of this label. Glades Formulating Corp. and the seller make no other express or implied warranty of fitness, merchantability or otherwise.

