

SUPPLEMENTAL LABEL

**G.F.C. Brand
METHOMYL 5G GRANULES
For Use On Corn**

ACTIVE INGREDIENT:

Methomyl: S-Methyl-N-[(methylcarbamoyl)oxy] thioacetimidate	5%
INERT INGREDIENTS	<u>95%</u>
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

See Label for Complete Precautionary Statements

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.

Refer to Label for Complete Directions for Use

**GLADES FORMULATING CORP.
P.O. Box 1690, Belle Glade, FL 33430-6286**

EPA Reg. No. 57242-2

EPA Est. 57242-FL-001

ACCEPTED
MAR 21 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 57242-2

96 DEC 18 AM 1:58

RECD EIA/APP/PPD1

RESTRICTED USE PESTICIDE

Due to High Acute Toxicity to Humans

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Direct supervision for this product requires the certified applicator to review federal and supplemental label instructions with all personnel prior to application, mixing, loading, or repair or cleaning of application equipment.

**G.F.C. Brand
METHOMYL 5G GRANULES
For Use On Corn**

ACTIVE INGREDIENT:

Methomyl: S-Methyl-N-[(methylcarbamoyl)oxy] thioacetimidate	5%
INERT INGREDIENTS	<u>95%</u>
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IN CASE OF CONTACT, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before reuse. Get medical attention if irritation persists.

IF INHALED, remove person to fresh air. Apply artificial respiration if indicated. Contact a physician if warranted.

This product is an N-Methyl carbamate and is a cholinesterase inhibitor.

NOTE TO PHYSICIAN: Atropine is antidotal. Seek medical attention at once in all cases of suspected poisoning.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED
MAR 21 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 57242-2

GLADES FORMULATING CORP.
P.O. Box 1690, Belle Glade, FL 33430-6286

EPA Reg. No. 57242-2 EPA Est. 57242-FL-001

NET WEIGHT: 50 LBS.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

WARNING: May be fatal if swallowed, inhaled or absorbed through the skin. Do not breathe vapor or dust. Do not get in eyes, on skin, or on clothing. When loading, applying or otherwise handling, wear protective clothing, goggles, and a mask or respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Warning Symptoms: Methomyl poisoning produces effects associated with anticholinesterase activity which may induce weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

NOTE TO PHYSICIAN: Treatment -- Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Personal Protective Equipment:

Applicators and other handles must wear:

- coveralls over short-sleeved shirt and short pants
- waterproof gloves
- chemical-resistant footwear plus socks
- protective eyewear
- chemical-resistant headgear for overhead exposure
- chemical-resistant apron when cleaning equipment, mixing or loading
- for exposures outdoors, dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C). For exposures in enclosed areas, a respirator with either an organic-vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G)

Engineering Controls Statement:

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:
Users should:

- wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to birds. Collect, cover or incorporate granules spilled on the soil surface. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

4 of 4

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval. The requirements in this box only apply to users of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is:

- coveralls over short-sleeved shirt and short pants
- waterproof gloves
- chemical-resistant footwear plus socks
- protective eyewear
- chemical-resistant headgear for overhead exposure

Glades Formulating Corp. Brand Methomyl 5G is recommended for use on corn for control of fall armyworm and corn earworm.

HOW TO USE

Corn Earworm and Fall Armyworm: Apply 1.5 to 2 pounds Methomyl 5G per acre to corn. Use standard granular ground applicators and apply as a banded application, directing granules to the whorl of the plant. Apply when larvae are found in significant numbers in the whorl, from the 4th to 5th leaf stage until tasseling (early growth). Do not apply more than 10 applications per season.

NOTE: Do not graze or feed treated plants to livestock within 3 days after last application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep all product in original containers in a locked storage area. Store in a dry, cool area. Moisture may ruin product. Reseal partial bags with tape to prevent moisture accumulation. Do not use in and around the home.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

NOTICE OF WARRANTY

Glades Formulating Corp. warrants that this material conforms to the chemical description on the label and is reasonably fit for use under the direction and conditions of this label. Glades Formulating Corp. and the seller make no other express or implied warranty of fitness, merchantability or otherwise.

PM-19.

Reg # 57242-2

194

SUPPLEMENTAL LABEL

**G.F.C. Brand
METHOMYL 5G GRANULES
For Use On Corn**

ACTIVE INGREDIENT:

Methomyl: S-Methyl-N-[(methylcarbamoyl)oxy] thioacetimidate	5%
INERT INGREDIENTS	95%
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

See Label for Complete Precautionary Statements

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.

Refer to Label for Complete Directions for Use

**GLADES FORMULATING CORP.
P.O. Box 1690, Belle Glade, FL 33430-6286**

EPA Reg. No. 57242-2

EPA Est. 57242-FL-001

ACCEPTED
MAR 21 1997
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 57242-2

96 DEC 18 AM 1:58

RECD EPA/OPP/DPD1

294

RESTRICTED USE PESTICIDE

Due to High Acute Toxicity to Humans

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Direct supervision for this product requires the certified applicator to review federal and supplemental label instructions with all personnel prior to application, mixing, loading, or repair or cleaning of application equipment.

**G.F.C. Brand
METHOMYL 5G GRANULES
For Use On Corn**

ACTIVE INGREDIENT:

Methomyl: S-Methyl-N-[(methylcarbamoyl)oxy] thioacetimidate	5%
INERT INGREDIENTS	95%
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IN CASE OF CONTACT, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before reuse. Get medical attention if irritation persists.

IF INHALED, remove person to fresh air. Apply artificial respiration if indicated. Contact a physician if warranted.

This product is an N-Methyl carbamate and is a cholinesterase inhibitor.

NOTE TO PHYSICIAN: Atropine is antidotal. Seek medical attention at once in all cases of suspected poisoning.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED
MAR 21 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 57242-2

GLADES FORMULATING CORP.
P.O. Box 1690, Belle Glade, FL 33430-6286

EPA Reg. No. 57242-2

EPA Est. 57242-FL-001

NET WEIGHT: 50 LBS.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: May be fatal if swallowed, inhaled or absorbed through the skin. Do not breathe vapor or dust. Do not get in eyes, on skin, or on clothing. When loading, applying or otherwise handling, wear protective clothing, goggles, and a mask or respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Warning Symptoms: Methomyl poisoning produces effects associated with anticholinesterase activity which may induce weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

NOTE TO PHYSICIAN: Treatment – Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Personal Protective Equipment:

Applicators and other handles must wear:

- coveralls over short-sleeved shirt and short pants
- waterproof gloves
- chemical-resistant footwear plus socks
- protective eyewear
- chemical-resistant headgear for overhead exposure
- chemical-resistant apron when cleaning equipment, mixing or loading
- for exposures outdoors, dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C). For exposures in enclosed areas, a respirator with either an organic-vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G)

Engineering Controls Statement:

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-5)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

Users should:

- wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to birds. Collect, cover or incorporate granules spilled on the soil surface. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

484

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval. The requirements in this box only apply to users of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is:

- coveralls over short-sleeved shirt and short pants
- waterproof gloves
- chemical-resistant footwear plus socks
- protective eyewear
- chemical-resistant headgear for overhead exposure

Glades Formulating Corp. Brand Methomyl 5G is recommended for use on corn for control of fall armyworm and corn earworm.

HOW TO USE

Corn Earworm and Fall Armyworm: Apply 1.5 to 2 pounds Methomyl 5G per acre to corn. Use standard granular ground applicators and apply as a banded application, directing granules to the whorl of the plant. Apply when larvae are found in significant numbers in the whorl, from the 4th to 5th leaf stage until tasseling (early growth). Do not apply more than 10 applications per season.

NOTE: Do not graze or feed treated plants to livestock within 3 days after last application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep all product in original containers in a locked storage area. Store in a dry, cool area. Moisture may ruin product. Reseal partial bags with tape to prevent moisture accumulation. Do not use in and around the home.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

NOTICE OF WARRANTY

Glades Formulating Corp. warrants that this material conforms to the chemical description on the label and is reasonably fit for use under the direction and conditions of this label. Glades Formulating Corp. and the seller make no other express or implied warranty of fitness, merchantability or otherwise.