Front Panel

ROACH

AND

EARWIGS

SPIDERS

ANT

KILLER

II

COCKROACHES

ANTS

RESIDUALLY KILLS COMMON HOUSEHOLD PESTS:

LOW DDOR - WATER BASE - NONE STAINING

COCKROACHES SPIDERS CRICKETS
SILVERFISH FLEAS TICKS
EARWIGS ANTS DERMESTIEDS
SOURCES DOG TICKS CARPET BEETLES

FOR USE IN HOMES AND NON-FOOD AREAS OF:
Industrial Buildings, Office Buildings, Schools,
Restaurants, Theaters, Garages, Hotels,
Motels, Patios, Yards, Open Porches,
Camp Sites, Basements, Household
Storage Areas and Attics.

d-trans Allethrin (allyl homolog of Cinerin I) 0.050% Releted Compounds 0.004% *N-octyl bicvcloheptene dicarbeximice 0.400% Chlorpyrifes E0,0-diethyl 0-(I,5,6-trichloro 2-pyridyl) phosphorothicatel 0.500%

INERT INGREDIENTS:

29.046%

Total

<u> 100.000%</u>

* MGK-264. Insecticide Symengist.

UCT 3 1 1488

MET WEIGHT 11 OZ. (DIE GMS.)

57314-3

CAUTION: YEEF OUT OF REACH OF CHILDREN

See bad panel for additional cautions.

EPA REG NUMBER STILL - I

EFA EST NUMBER

(BACK PANEL)

ROACH AND ANT KILLER II

RESIDUALLY KILLS: HOUSEHOLD PESTS FAST.
WATER-BASED FORMULA - NO OILY FILM - NON-STAINING - LOW ODOR

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistant with its labeling. To Operate: Shake can before using. Hold container upright. Point valve opening away from face and press button. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

FOR USE AS A SPOT TREATMENT IN:

Homes and Non-Food Areas of: Industrial Buildings, Office Buildings. Schools, Restaurants. Theaters, Garages. Hotels, Motels, Patios, Yards, Open Porches, Camp Sites, Basements. Household Storage Areas. and Attics.

TO CONTROL: COCKROACHES, WATERBUGS, SILVERFISH, TICKS, FLEAS AND OTHER INSECTS LISTED BELOW. Apply this product to localized areas where pests are found or may occur. Spray surfaces until wet. TO KILL ANTS, ROACHES, CRICKETS, SILVERFISH, SOWBUGS, SPIDERS and EARWIGS: Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Contact directly as many insects as possible. For ants, spray trails and places where ants enter premises. Repeat as necessary for control.
TO KILL CARPET BEETLES and DERMESTIDS: Spray along baseboards, edges of carpeting, under carpets and dugs, under furniture, in closets, on shelving, and in other places of harborage. Repeat as necessary.

TO FILL BROWN DOG TICKS and FLEAS:

Remove and destroy old bedding. Epray eleeping quarters of pets, around baschhands, window and door frames, wall cracks, and local areas of floors. Repeat as necessary. Fresh bedding should be placed in animal quarters after spray has dried. Do not spray brimals. To control the source of our flea infestation, treat your pets with a product registered for application to animals.

FOR CRACK AND CREVICE - APPLY AS FOLLOWS:

TO FILL ANTS. ROACHES, CRICKETS, SILVERFISH, SOWBUGS, SPIDERS, EARWIGS, BROWN DOG TICKS. FLEAS, CARPET BEETLES AND DERMESTIDS: Applications may be made within food-handling establishments as a spot treatment. This includes, but is not limited to Restaurants Grocer, Stores, Bakeries, Bottling Flants, Canneries, and Grain Mills. Spot treatment may encompass crack and crevice treatments by appling small amounts of material directly into openings leading to voids and hellow spaces in walls, equipment legs and baces, or which occur at points between different elements of construction, or between aguipment and floors. Equipment capable of delivering a princtneam of thray should be used. Repest treatment as needed, but not more than once every I days in rectaurants and similar food service establishments or more often than once every 14 days in other types of food-handling establishments other than as a spot masser of the

20/3



PRECAUTIONARY STATEMENTS

Hazards to Humans and domestic animals.

CAUTION: May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of areas being treated. Avoid contact with skin, eyes and clothing. In case of contact immediately flush skin and eyes with plenty of water. Wash thoroughly with soap and water after handling and before smoking, eating or drinking. Avoid contamination of food and foodstuffs. If poisoning occurs, get prompt medical aid. In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is under way. Do not apply directly to food or foodstuffs. In the home, all food processing surfaces and untensils should be covered during treatment or washed thoroughly before reuse. Remove pets, birds and cover fish aquarium before spraying. Do not allow children or pets to contact treated surfaces until spray has dried.

STATEMENT OF FRACTICAL TREATMENT
IF SWALLOWED: call a physican or Poison Control Center immediately. Drink
one or two glasses of water and induce vomiting by touching back of throat
with finger. Do not induce vomiting or give anything by mouth to an unconscious
or convulsing person.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if needed.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and warm water. Get medical attention if irritation persists.

FHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

STORAGE AND DISPOSAL

Store in a cool dry area away from heat and open flame. PESTICIDE DISPOSAL: Replace cap and discard container in trash. Do not incidenate or puncture. CONTAINER DISPOSAL: Do not neuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

Manufactured in the U.S.A. For: INDUSTRIAL CHEMISTRY LABS
P.O. Box 13504
RENO, NEVADA 89507

E.P.A. REG NUMBER 5 514 - 2

E.P.A. SEFT NUMBER

